



# Summary Review of Performance of Metal Mines

Subject to the *Metal Mining Effluent Regulations*  
in 2012

I/MM/22 – January 2014  
Mining Section  
Mining and Processing Division  
Industrial Sectors Directorate  
Environmental Stewardship Branch  
Environment Canada



Library and Archives Canada Cataloguing in Publication

Summary review of performance of metal mines subject to the Metal Mining Effluent Regulations in 2012.

Annual

I/MM/22

Issued also in French under title: Évaluation sommaire de la performance des mines de métaux assujetties au Règlement sur les effluents des mines de métaux en 2012.

Available also on the Internet.

ISSN: 1914-2145

Cat. no.: En49-15/22E-PDF

1. Mineral industries--Waste disposal--Canada--Statistics--Periodicals.
  2. Mineral industries--Environmental aspects--Canada--Statistics--Periodicals.
  3. Water--Pollution--Canada--Statistics--Periodicals.
  4. Effluent quality--Canada --Evaluation--Statistics--Periodicals.
- I. Canada. Environment Canada. Mining and Processing Division.

TD428.M47R36

363.739'463

Information contained in this publication or product may be reproduced, in part or in whole, and by any means, for personal or public non-commercial purposes, without charge or further permission, unless otherwise specified.

You are asked to:

- Exercise due diligence in ensuring the accuracy of the materials reproduced;
- Indicate both the complete title of the materials reproduced, as well as the author organization; and
- Indicate that the reproduction is a copy of an official work that is published by the Government of Canada and that the reproduction has not been produced in affiliation with or with the endorsement of the Government of Canada.

Commercial reproduction and distribution is prohibited except with written permission from the Government of Canada's copyright administrator, Public Works and Government Services of Canada (PWGSC). For more information, please contact PWGSC at 613-996-6886 or at [droitdauteur.copyright@tpsgc-pwgsc.gc.ca](mailto:droitdauteur.copyright@tpsgc-pwgsc.gc.ca).

Photos: © Environment Canada, 2011

© Her Majesty the Queen in Right of Canada, represented by the Minister of the Environment, 2013

Aussi disponible en français

## READERS' COMMENTS

**Comments and inquiries about the content of this summary review should be addressed to:**

Mining Section  
Mining and Processing Division  
Industrial Sectors Directorate  
Environmental Stewardship Branch  
Environment Canada  
Ottawa, Ontario  
Canada K1A 0H3

## REVIEW NOTICE

This performance summary of metal mines subject to the *Metal Mining Effluent Regulations* has been reviewed by officials of the Mining Section, Environment Canada, and approved for public release. Approval does not necessarily signify that the contents reflect the views and policies of Environment Canada.

The data used in this summary review were provided to Environment Canada under section 22 of the Regulations, which requires mines to submit annual reports to Environment Canada. The data were compiled by staff of the Mining Section of Environment Canada and are presented as provided by the mines from their submitted annual reports. In some cases, quarterly reports were used by Environment Canada staff to complete missing information that was not properly reported by the owners or operators of some mines.

This summary has been compiled to inform the regulated community, other stakeholders and the interested public on the performance of mines subject to the Regulations in 2012. The material has been prepared for informational purposes only. For all purposes of interpreting and applying the law, users should consult the *Metal Mining Effluent Regulations*, as registered by the Clerk of the Privy Council and published in Part II of the *Canada Gazette*.

## ABSTRACT

This review summarizes the performance of Canadian metal mines with respect to selected standards prescribed by the *Metal Mining Effluent Regulations*, which were registered on June 6, 2002, and came fully into force on December 6, 2002.

This is the tenth annual summary of performance with respect to the Regulations. In addition to detailed mine effluent quality data, the report includes various tables and graphs synthesizing the compliance data based on exceedances, jurisdictions and mining subsectors. Summary tables are also provided on the same basis for both rainbow trout acute lethality and *Daphnia magna* monitoring tests. This performance review of mines is limited in that it does not include an overview of the main requirements of the Regulations. The electronic version of this summary review is available through Environment Canada's online publications catalogue at [www.ec.gc.ca](http://www.ec.gc.ca).

## RÉSUMÉ

La présente évaluation sommaire porte sur la performance des mines de métaux canadiennes et repose sur certaines normes prescrites par le *Règlement sur les effluents des mines de métaux*, lequel a été enregistré le 6 juin 2002 et est entré en vigueur dans son ensemble le 6 décembre 2002.

Elle constitue la dixième évaluation sommaire annuelle de la performance relativement au *Règlement*. Outre des données détaillées sur la qualité des effluents, le rapport comprend divers tableaux et graphiques dans lesquels les données sur la conformité sont résumées, selon les dépassements, la province ou le territoire et le sous-secteur minier. Il comprend également des tableaux sommaires dans lesquels on présente de la même manière les résultats des essais de détermination de la létalité aiguë chez la truite arc-en-ciel et des essais de suivi avec bioessais sur la *Daphnia magna*. La portée de la présente évaluation sommaire est limitée, c'est-à-dire qu'elle ne renferme aucun aperçu des principales exigences figurant dans le *Règlement*. La version électronique de cette évaluation sommaire est disponible à partir du répertoire des publications en ligne d'Environnement Canada à l'adresse : [www.ec.gc.ca](http://www.ec.gc.ca).

# TABLE OF CONTENTS

Abstract .....	iii
Summary .....	1
Overall Compliance Assessment for Prescribed Deleterious Substances and pH in 2012.....	2
Overall Assessment of Results of Rainbow Trout Acute Lethality and <i>Daphnia magna</i> Monitoring Tests in 2012.....	2
Comparison of Performance of Metal Mines in 2011 and 2012.....	3
Performance Data and Compliance Summary for 2012.....	3
References .....	11
List of Acronyms and Abbreviations.....	12

# LIST OF APPENDICES

Appendix A: Mining Facilities with New Regulatory Status in 2012.....	13
Appendix B: Mining Facilities Subject to the <i>Metal Mining Effluent Regulations</i> in 2012 .....	14
Appendix C: Mining Companies Included in the Assessment in 2012 .....	21
Appendix D: Performance Summary of Mine Effluents in 2012 .....	22
Appendix E: Effluent Quality Data for Mines in 2012.....	35



## LIST OF TABLES

Table 1: Mining Facilities Subject to the <i>Metal Mining Effluent Regulations</i> in 2012.....	6
Table 2: Distribution of Facilities and Final Discharge Points by Jurisdiction in 2012 .....	8
Table 3: Distribution of Final Discharge Points per Facility in 2012.....	8
Table 4: Compliance Summary for Prescribed Deleterious Substances and pH in 2012 .....	8
Table 5: Performance Summary in 2012 .....	8
Table 6: Distribution of Exceedances by Jurisdiction in 2012.....	9
Table 7: Distribution of Exceedances by Mining Subsector in 2012.....	9
Table 8: Performance Summary: Rainbow Trout Acute Lethality and <i>Daphnia magna</i> Monitoring Tests, by Jurisdiction in 2012 .....	10
Table 9: Performance Summary: Rainbow Trout Acute Lethality and <i>Daphnia magna</i> Monitoring Tests, by Mining Subsector in 2012 .....	10

# LIST OF FIGURES

Figure 1: Location of Mining Facilities Subject to the <i>Metal Mining Effluent Regulations</i> in 2012 .....	7
Figure 2: Distribution of Facilities by Jurisdiction for which Exceedances Were Reported in 2012.....	9
Figure 3: Distribution of Exceedances by Jurisdiction in 2012 .....	9

## SUMMARY

This review summarizes the performance of Canadian metal mines with respect to the selected standards prescribed by the *Metal Mining Effluent Regulations*, which came fully into force on December 6, 2002.

The Regulations require sampling of effluent and the submission of quarterly and annual reports of results within specified time limits. The data used in this review were provided to Environment Canada under section 22 of the Regulations, which requires mines to submit annual reports to Environment Canada. The format for these reports is specified in Schedule 6 of the Regulations. The reports include:

- monthly mean concentrations for metals and total suspended solids;
- monthly pH range; and
- summary results of rainbow trout acute lethality tests and *Daphnia magna* monitoring tests.

In 2012, 117 mining facilities operating in Canada were subject to the Regulations. No metal mines were subject to the Regulations in Alberta or Prince Edward Island. Those facilities subject to the Regulations are listed in Table 1, and their locations are illustrated in Figure 1. Additional information on the facilities is provided in Appendix B.

## **OVERALL COMPLIANCE ASSESSMENT FOR PRESCRIBED DELETERIOUS SUBSTANCES AND PH IN 2012**

- Overall, the metal mining sector is achieving over 99% compliance with the prescribed limits for arsenic, copper, nickel, zinc, radium 226 and pH, close to 99% for cyanide and a 100% compliance rate for lead.
- Only a few sporadic exceedances were reported for arsenic, copper, cyanide, nickel, zinc, radium 226 and pH.
- The cyanide limit was exceeded by Pine Cove Mine on multiple occasions.
- On numerous occasions, Edwards Mine exceeded the prescribed limits for copper, nickel, zinc, total suspended solids and radium 226. Stock Mine and Mill Complex also exceeded the limits for arsenic, nickel and total suspended solids.
- In 2012, the overall compliance rate achieved by the metal mining sector with respect to meeting the total suspended solids limits was 96.3%. Beaver Brook Mine, Bucko Lake Mine, Complexe métallurgique Sorel-Tracy and Wabush Mines Joint Venture – Scully Mine failed to consistently meet total suspended solids limits.

## **OVERALL ASSESSMENT OF RESULTS OF RAINBOW TROUT ACUTE LETHALITY AND *DAPHNIA MAGNA* MONITORING TESTS IN 2012**

- Overall, the metal mining sector has achieved a compliance rate of 98.8% with respect to effluent that is non-acutely lethal to rainbow trout. A low compliance rate was achieved by the Vezza Mine facility in Quebec.
- In 95.4% of the *Daphnia magna* monitoring tests, the mortality rate was less than the targeted level of 50%.

## COMPARISON OF PERFORMANCE OF METAL MINES IN 2011 AND 2012

- In 2012, 117 mines were subject to the Regulations compared to 112 in 2011. Seven new mines became subject to the Regulations while two mines ceased to be subject to the Regulations (Appendix A).
- In 2012, 206 final discharge points were subject to the Regulations, compared with 199 in 2011.
- The total number of exceedances for metals, pH and total suspended solids remained unchanged from 2011 to 2012, at 74.
- In 2012, metal mines achieved a 100% compliance rate for lead. Compliance rate for copper dropped slightly from 99.9% in 2011 to 99.8% in 2012. Compliance rate for cyanide dropped from 99.7% in 2011 to 98.6% in 2012. Compliance rate for arsenic, nickel, zinc and radium 226 remained unchanged: 99.8%, 99.6%, 99.7% and 99.9% respectively in both years.
- The compliance rate for total suspended solids (TSS) slightly increased from 96.1% in 2011 to 96.3% in 2012. Although the majority of TSS exceedances reported were sporadic, four facilities seemed to have chronic TSS exceedances from at least one of their effluents in 2012. The problematic facilities were the Bucko Lake Mine in Manitoba, the Complexe métallurgique Sorel-Tracy in Quebec, and the Beaver Brook Mine and Wabush Mines Joint Venture (Scully Mine) in Newfoundland. Enforcement actions are being taken and appropriate remediation measures are being examined/implemented in order to fix the problems.
- In 2012, the compliance rate for non-acutely lethal effluents to rainbow trout was 98.8%, compared with 97.5% in 2011. A low compliance rate was achieved by the Vezza Mine facility in Quebec and Young-Davidson Mine facility in Ontario. Enforcement actions are being taken and appropriate remediation measures are being examined/implemented in order to fix the problems.
- Between 2011 and 2012, a slight improvement was observed in *Daphnia magna* monitoring tests. More specifically, 95.4% of the tests showed the mortality rate was less than 50% in 2012 compared with 95.0% of the tests in 2011. As for 2011, the numerous tests conducted by Bucko Lake Mine and Voisey's Bay Mine – Mill, for which the mortality rate was greater than 50%, contributed to decreasing the overall compliance rate of the sector.

## PERFORMANCE DATA AND COMPLIANCE SUMMARY FOR 2012

The data were compiled by the Mining Section of Environment Canada. Except where noted, data are generally presented as provided by the owners or operators of the mines in their submitted annual reports. Occasionally, quarterly reports were used to correct or complete missing information that had not been properly reported by the owner or operator of a mine. For these facilities, a comment was added in the appropriate summary tables presented in Appendix E to identify which missing information had not been submitted as part of the annual report.

Pursuant to sections 9 and 10 of the Regulations, 206 final discharge points were identified as being subject to the Regulations. The distribution of facilities and final discharge points per jurisdiction is shown in Table 2. The number of final discharge points per facility ranged from 1 to 11, as illustrated in Table 3. Reported data indicate that 77 final discharge points had continuous discharge, 82 had intermittent discharge and 47 did not have any discharge in 2012.

The tables presented in Appendix D summarize the effluent quality data for mines subject to the Regulations in 2012. Table D1 summarizes the distribution of the non-compliant parameters for metals and pH, whereas Table D2 summarizes the results of rainbow trout acute lethality tests and *Daphnia magna* monitoring tests. Data for each individual final discharge point for mines subject to the Regulations in 2012 are listed in Appendix E.

Overall, the metal mining sector achieved over 99% compliance with the prescribed limits for metals and pH and close to 99% for cyanide. Only a few sporadic exceedances were reported for arsenic, copper, cyanide, nickel, zinc and radium 226. Metal mines achieved 100% compliance for prescribed limits for lead. Four mines were challenged to routinely meet total suspended solids limits, and the overall compliance rate was 96.3% (Table 4).

With respect to rainbow trout acute lethality tests, the metal mining sector has achieved a non-acutely lethal effluent compliance rate of 98.8%. In 95.4% of *Daphnia magna* monitoring tests, the mortality rate was less than 50%.

In 2012, 74 exceedances of the prescribed limits for metals, pH and total suspended solids were reported (Table 5). Total suspended solids exceedances accounted for 68.9% of the total, metals for 27% of the total and pH for 4.1% of the total. Ninety-three facilities complied with the maximum authorized monthly mean concentrations for metals and total suspended solids, and pH limits at all times. Twenty-four facilities reported at least one exceedance in 2012. Figure 2 shows the distribution, by jurisdiction, of all the facilities subject to the Regulations in 2012, as well as the number of facilities for which exceedances were reported. The distribution of exceedances by jurisdiction is shown in Figure 3.

The distribution of exceedances that were reported in 2012 per jurisdiction is as follows:

- 35.1% occurred from facilities located in Ontario;
- 35.1% occurred from facilities located in Newfoundland and Labrador;
- 12.2% occurred from facilities located in Quebec;
- 8.1% occurred from facilities located in Manitoba;
- 6.8% occurred from facilities located in Saskatchewan;
- 2.7% occurred from facilities located in British Columbia.

No exceedances were reported from mines located in Northwest Territories, Nunavut, Yukon, Nova Scotia or New Brunswick (Table 6).

The distribution of exceedances by mining subsector is presented in Table 7. The precious metals subsector accounted for 45.2%, the base metals subsector for 30.1%, the iron ore subsector for 21.9% and the uranium subsector for 2.7%.

In 2012, 11 tests from 4 facilities were reported to be acutely lethal to rainbow trout (Table 8). Of those, 63.6% were from facilities located in Quebec, and 36.3% in Ontario. None of the effluent tested in the other jurisdictions (British Columbia, Yukon, Saskatchewan, Manitoba, Northwest Territories, Nunavut, New Brunswick, Newfoundland and Labrador, or Nova Scotia) was acutely lethal to rainbow trout. On a sectoral basis, 90.9% were from the precious metals subsector, and 9.1% from the base metals subsector. The uranium and iron ore subsectors had no rainbow trout acute lethality test failures (Table 9).

In 2012, 43 tests from 15 facilities had a *Daphnia magna* mortality rate greater than 50% (Table 8). Newfoundland and Labrador had the highest percentage (37.2%) of the tests in which *Daphnia magna* mortality was greater than 50%, followed by Manitoba (23.3%), Ontario and Quebec (16.3% each), British Columbia (4.6%), and Yukon (2.3%). Saskatchewan, New Brunswick, Northwest Territories, Nunavut and Nova Scotia had no *Daphnia magna* mortality rate greater than 50%. On a sectoral basis, 76.7% were from the base metals subsector, 16.3% from the precious metals subsector and 7.0% from the iron ore subsector. The uranium subsector had no *Daphnia magna* monitoring tests with a mortality rate greater than 50% (Table 9).

These Regulations are enforced by Environment Canada in accordance with the provisions of the Compliance and Enforcement Policy for the Habitat Protection and Pollution Prevention Provisions of the *Fisheries Act*. Enforcement personnel administer the provisions and accompanying regulations with an emphasis on preventing harm to fish, fish habitat or human use of fish caused by physical alteration or pollution of waters frequented by fish.

In verifying compliance with these Regulations, inspectors abide by the Enforcement and Compliance Policy, which sets out a range of possible responses to offenses, including warnings, inspector's directions, ticketing, ministerial orders, injunctions, prosecution and civil suits by the Crown for the recovery of costs. If an inspector confirms that an infraction has been committed, the inspector will select the appropriate response based on the following criteria: nature of the offense, effectiveness in achieving the desired result with the offender and consistency.

**Table 1: Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012**

Facility	Jurisdiction	Facility	Jurisdiction
1 Myra Falls Operations	British Columbia	50 Hislop Mine	Ontario
2 Endako Mines	British Columbia	51 Timmins West Complex	Ontario
3 Huckleberry Mine	British Columbia	52 Stock Mine and Mill Complex	Ontario
4 Kemess South Mine	British Columbia	53 Bell Creek Mine and Mill	Ontario
5 MAX Molybdenum Mine and Mill	British Columbia	54 Black Fox Mine	Ontario
6 Copper Mountain Mine	British Columbia	55 Redstone Mine	Ontario
7 Yellowjacket Gold Mine	British Columbia	56 McWatters Mine	Ontario
8 Gibraltar Mine	British Columbia	57 Kidd Mining Division	Ontario
9 Minto Project	Yukon	58 Kidd Metallurgical Division	Ontario
10 Wolverine Project	Yukon	59 Montcalm Project	Ontario
11 Bellekeno Mine	Yukon	60 Macassa Mine	Ontario
12 Key Lake Operation	Saskatchewan	61 Detour Lake Mine	Ontario
13 McArthur River Operation	Saskatchewan	62 Young-Davidson Mine	Ontario
14 Cigar Lake Project	Saskatchewan	63 McAlpine Mill	Ontario
15 McClean Lake Operation	Saskatchewan	64 Lockerby Mine	Ontario
16 Rabbit Lake Operation	Saskatchewan	65 Strathcona Tailings Treatment System	Ontario
17 Seabee Mine	Saskatchewan	66 Copper Cliff Complex	Ontario
18 Jolu Mill	Saskatchewan	67 Xstrata Nickel Sudbury Smelter	Ontario
19 Santoy 7 Mine	Saskatchewan	68 Garson Mine	Ontario
20 Santoy 8 Mine	Saskatchewan	69 Crean Hill Mine	Ontario
21 Flin Flon Complex	Manitoba	70 Totten Mine	Ontario
22 Trout Lake Mine	Manitoba	71 Podolsky Mine	Ontario
23 Chisel North Mine	Manitoba	72 Shakespeare Nickel Mine	Ontario
24 Snow Lake Mill	Manitoba	73 Haley Plant	Ontario
25 Birchtree Mine	Manitoba	74 Langlois (Mine)	Quebec
26 Thompson Complex	Manitoba	75 Francoeur (Mine)	Quebec
27 Bucko Lake Mine	Manitoba	76 Matagami (Mine) (Xstrata Zinc Canada Division)	Quebec
28 Snow Lake Mine	Manitoba	77 Vezza (Mine)	Quebec
29 Tanco Mine	Manitoba	78 Éléonore (Mine)	Quebec
30 Rice Lake Gold Mine	Manitoba	79 Casa Berardi (Mine)	Quebec
31 Cantung Mine	Northwest Territories	80 Géant Dormant (Mine)	Quebec
32 Con Mine	Northwest Territories	81 Barry	Quebec
33 Giant Mine	Northwest Territories	82 Lac Bachelor	Quebec
34 Lupin Operations	Nunavut	83 Laronde (Mine)	Quebec
35 Meadowbank Mine	Nunavut	84 Lapa (Project)	Quebec
36 Red Lake Mine	Ontario	85 Mouska (Mine)	Quebec
37 Campbell Mine	Ontario	86 Doyon	Quebec
38 Musselwhite Mine	Ontario	87 Kiena (Mine)	Quebec
39 Lac des Iles Mine	Ontario	88 Canadian Malartic Mine	Quebec
40 Golden Giant Mine	Ontario	89 Sigma	Quebec
41 Williams Mine	Ontario	90 Goldex (Mine)	Quebec
42 David Bell Mine	Ontario	91 Beaufor	Quebec
43 Eagle River Mine	Ontario	92 Camflo (Mill)	Quebec
44 Eagle River Mill	Ontario		
45 Island Gold Project	Ontario		
46 Edwards Mine	Ontario		
47 Porcupine Gold Mines	Ontario		
48 Holloway Mine	Ontario		
49 Clavos Mine	Ontario		




**Table 1: Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012 (cont'd)**

Facility	Jurisdiction
93 Lac Herbin	Quebec
94 Aurbel (Mine)	Québec
95 Horne (Smelter)	Quebec
96 Copper Rand (Mine)	Quebec
97 Raglan (Mine)	Quebec
98 Nunavik Nickel (Project)	Quebec
99 Niobec (Mine)	Quebec
100 Complexe métallurgique Sorel-Tracy	Quebec
101 Tio (Mine)	Quebec
102 Mont-Wright (Mine)	Quebec
103 Fire Lake (Mine)	Quebec
104 Lac Bloom (Mine)	Quebec
105 James Mine	Newfoundland and Labrador
106 Wabush (Scully Mine)	Newfoundland and Labrador
107 Iron Ore Company of Canada – Carol Project	Newfoundland and Labrador

Facility	Jurisdiction
108 Nugget Pond Mine	Newfoundland and Labrador
109 Ming Mine	Newfoundland and Labrador
110 Pine Cove Mine	Newfoundland and Labrador
111 Duck Pond Mine	Newfoundland and Labrador
112 Voisey's Bay Mine – Mill	Newfoundland and Labrador
113 Beaver Brook Mine	Newfoundland and Labrador
114 Brunswick No. 12	New Brunswick
115 Caribou Mine and Mill	New Brunswick
116 Restigouche Mine	New Brunswick
117 Scozinc Mine and Mill	Nova Scotia

Note: Numbers in the first column refer to the numbers in Figure 1.

**Figure 1: Location of Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012**



**Table 2: Distribution of Facilities and Final Discharge Points by Jurisdiction in 2012**

Jurisdiction	Number of Facilities	Number of Final Discharge Points
British Columbia	8	28
Yukon	3	3
Saskatchewan	9	17
Manitoba	10	12
Northwest Territories	3	5
Nunavut	2	3
Ontario	38	60
Quebec	31	48
New Brunswick	3	3
Newfoundland and Labrador	9	26
Nova Scotia	1	1
<b>Total</b>	<b>117</b>	<b>206</b>

**Table 3: Distribution of Final Discharge Points per Facility in 2012**

Number of Final Discharge Points	Number of Facilities
1	80
2	16
3	9
4	4
5	3
6	3
7	1
11	1


**Table 4: Compliance Summary for Prescribed Deleterious Substances and pH in 2012**

	As	Cu	CN	Pb	Ni	Zn	TSS	Ra-226	pH Low	pH High
Number of exceedances	2	3	5	0	5	4	51	1	2	1
Total number of months for which results were reported	1273	1293	354	1272	1280	1290	1394	782	1389	1389
Compliance rate (%)	99.8	99.8	98.6	100	99.6	99.7	96.3	99.9	99.9	99.9


**Table 5: Performance Summary in 2012**

Exceedances of Limits Prescribed in Schedule 4		
Substance/Parameter	Number of Exceedances	Number of Facilities
Arsenic	2	1
Copper	3	2
Cyanide	5	3
Lead	–	–
Nickel	5	3
Zinc	4	2
TSS	51	22
Radium 226	1	1
pH	3	2
<b>Total</b>	<b>74</b>	<b>36</b>

**Figure 2: Distribution of Facilities by Jurisdiction for which Exceedances Were Reported in 2012**



**Figure 3: Distribution of Exceedances by Jurisdiction in 2012**



**Table 6: Distribution of Exceedances by Jurisdiction in 2012**

Jurisdiction	As	Cu	CN	Pb	Ni	Zn	TSS	Ra-226	pH	Total	Number of Facilities
British Columbia	-	-	-	-	-	-	2	-	-	2	1
Yukon	-	-	-	-	-	-	-	-	-	-	-
Saskatchewan	-	-	-	-	-	-	3	-	2	5	3
Manitoba	-	-	-	-	-	-	5	-	1	6	2
Northwest Territories	-	-	-	-	-	-	-	-	-	-	-
Nunavut	-	-	-	-	-	-	-	-	-	-	-
Ontario	2	3	1	-	5	2	12	1	-	26	8
Quebec	-	-	-	-	-	-	9	-	-	9	5
New Brunswick	-	-	-	-	-	-	-	-	-	-	-
Newfoundland and Labrador	-	-	4	-	-	2	20	-	-	26	5
Nova Scotia	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>-</b>	<b>5</b>	<b>4</b>	<b>51</b>	<b>1</b>	<b>3</b>	<b>74</b>	<b>24</b>

**Table 7: Distribution of Exceedances by Mining Subsector in 2012**

Subsector	As	Cu	CN	Pb	Ni	Zn	TSS	Ra-226	pH	Total	Number of Facilities
Base metals	-	-	-	-	-	2	19	-	1	22	8
Precious metals	2	3	5	-	5	2	15	1	-	33	13
Uranium	-	-	-	-	-	-	1	-	2	3	1
Iron	-	-	-	-	-	-	16	-	-	16	2
<b>Total</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>-</b>	<b>5</b>	<b>4</b>	<b>51</b>	<b>1</b>	<b>3</b>	<b>74</b>	<b>24</b>

**Table 8: Performance Summary: Rainbow Trout Acute Lethality and *Daphnia magna* Monitoring Tests, by Jurisdiction in 2012**

Jurisdiction	Rainbow Trout Acute Lethality Tests			<i>Daphnia magna</i> Monitoring Tests		
	Total Number of Tests	>50% Mortality		Total Number of Tests	>50% Mortality	
		Number of Tests	Number of Facilities		Number of Tests	Number of Facilities
British Columbia	117	–	–	116	2	1
Yukon	22	–	–	22	1	1
Saskatchewan	53	–	–	53	–	–
Manitoba	51	–	–	51	10	3
Northwest Territories	15	–	–	15	–	–
Nunavut	5	–	–	5	–	–
Ontario	256	4	2	261	7	3
Quebec	271	7	2	270	7	3
New Brunswick	26	–	–	26	–	–
Newfoundland and Labrador	118	–	–	118	16	4
Nova Scotia	8	–	–	8	–	–
<b>Total</b>	<b>942</b>	<b>11</b>	<b>4</b>	<b>945</b>	<b>43</b>	<b>15</b>

**Table 9: Performance Summary: Rainbow Trout Acute Lethality and *Daphnia magna* Monitoring Tests, by Mining Subsector in 2012**

Subsector	Rainbow Trout Acute Lethality Tests			<i>Daphnia magna</i> Monitoring Tests		
	Total Number of Tests	>50% Mortality		Total Number of Tests	>50% Mortality	
		Number of Tests	Number of Facilities		Number of Tests	Number of Facilities
Base metals	453	1	1	451	33	10
Precious metals	349	10	3	354	7	3
Uranium	32	–	–	32	–	–
Iron	108	–	–	108	3	2
<b>Total</b>	<b>942</b>	<b>11</b>	<b>4</b>	<b>945</b>	<b>43</b>	<b>15</b>

## REFERENCES

Department of Fisheries and Oceans. 2002. *Metal Mining Effluent Regulations*. *Canada Gazette*, Part II. June 19, 2002. Queen's Printer for Canada.

Environment Canada. 2000. *Biological Test Method: Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout*. Environmental Protection Series. 2nd ed., December 2000. Method Development and Applications Section, Environmental Technology Centre, Environment Canada, EPS 1/RM/13.

Environment Canada. 2000. *Biological Test Method: Reference Method for Determining Acute Lethality of Effluents to Daphnia magna*. Environmental Protection Series. 2nd ed., December 2000. Method Development and Applications Section, Environmental Technology Centre, Environment Canada, EPS 1/RM/14.

Environment Canada. 2001. *Guidance Document for the Sampling and Analysis of Metal Mining Effluents*. Minerals and Metals Division, Environmental Protection Service, Environment Canada, EPS 2/MM/5. April 2001.

Environment Canada. 2001. *Guidance Document for Flow Measurement of Metal Mining Effluents*. Minerals and Metals Division, Environmental Protection Service, Environment Canada, EPS 2/MM/4. April 2001.

Environment Canada. 2012. *Summary Review of Performance of Metal Mines Subject to the Metal Mining Effluent Regulations in 2011*. Mining and Processing Division, Environmental Stewardship Branch, I/MM/21. December 2012.

## LIST OF ACRONYMS AND ABBREVIATIONS

As	arsenic
BC	British Columbia
Bq/L	becquerel(s) per litre
CN	cyanide
Cu	copper
DM	<i>Daphnia magna</i>
FDP	final discharge point
m <sup>3</sup>	cubic metre(s)
MB	Manitoba
mg/L	milligram(s) per litre
MMER	<i>Metal Mining Effluent Regulations</i>
NB	New Brunswick
ND	no deposit
Ni	nickel
NL	Newfoundland and Labrador
NMR	no measurement required
NS	Nova Scotia
NT	Northwest Territories
NU	Nunavut
ON	Ontario
Pb	lead
QC	Quebec
Ra-226	radium 226
RT	rainbow trout
SK	Saskatchewan
t/d	tonne(s) per day
t/y	tonne(s) per year
TSS	total suspended solids
U <sub>3</sub> O <sub>8</sub>	uranium oxide
YT	Yukon
Zn	zinc

## Appendix A: Mining Facilities with New Regulatory Status in 2012

New Mining Facilities Subject to the MMER in 2012		Mining Facilities that Ceased to Be Subject to the MMER in 2012	
Facility	Jurisdiction	Facility	Jurisdiction
Santoy 8 Mine	Saskatchewan	Eskay Creek	British Columbia
Edwards Mine	Ontario	Joe Mann	Quebec
Éléonore Mine	Quebec		
Francoeur Mine	Quebec		
Nunavik Nickel Project	Quebec		
Veza Mine	Quebec		
Beaver Brook Mine	Newfoundland and Labrador		

## Appendix B: Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012

	Facility	Operator	Province/Territory (Location)	Products	Production Capacity	Process	Status
1	Myra Falls Operations	NVI Mining Ltd./Nyrstar	British Columbia (Vancouver Island)	Copper, zinc, lead, gold, silver	400 t/d	Flotation	Active
2	Endako Mines	Thompson Creek Mining Ltd.	British Columbia (west-central BC)	Molybdenum	27 000 t/d	Flotation	Active
3	Huckleberry Mine	Huckleberry Mines Ltd.	British Columbia (central BC, southwest of Houston)	Copper, molybdenum, gold, silver	21 000 t/d	Flotation	Active
4	Kemess South Mine	AuRico Gold Inc.	British Columbia (north-central BC)	Gold, copper	49 000 t/d	Flotation	Active
5	MAX Molybdenum Mine and Mill	Forty Two Metals Inc.	British Columbia (southeastern BC, 60 km southeast of Revelstoke)	Molybdenum	1 000 t/d (mill)	Flotation	Active
6	Copper Mountain Mine	Similco Mines Ltd.	British Columbia (southern BC, 20 km southeast of Princeton)	Copper, gold	35 000 t/d	Flotation	Active
7	Yellowjacket Gold Mine	Eagle Plains Resources Ltd./Yellowjacket Resources Ltd	British Columbia (northwestern BC, 9 km east of Atlin)	Gold	140 t/d	Gravity Concentration	Active
8	Gibraltar Mine	Taseko Mines Ltd.	British Columbia (south-central BC, 68 km north of Williams Lake)	Copper, molybdenum	55 000 t/d	Flotation	Active
9	Minto Project	Minto Explorations Ltd.	Yukon Territory (240 km northwest of Whitehorse)	Copper, gold, silver	3 600 t/d	Flotation	Active
10	Wolverine Project	Yukon Zinc Corporation	Yukon Territory (590 km northeast of Whitehorse)	Zinc, copper, lead, silver, gold	1 700 t/d	Flotation	Active
11	Bellekeno Mine	Alexco Keno Hill Mining Corporation	Yukon Territory (330 km north of Whitehorse)	Silver, lead, zinc	400 t/d	Flotation	Active
12	Key Lake Operation	Cameco Corporation	Saskatchewan (northern SK)	Uranium	Mill only – annual production capacity of 18 million pounds U <sub>3</sub> O <sub>8</sub>	Leaching and solvent extraction	Active
13	McArthur River Operation	Cameco Corporation	Saskatchewan (northern SK)	Uranium	150 t/d	Crushing only – processed at Key Lake	Active
14	Cigar Lake Project	Cameco Corporation	Saskatchewan (northern SK)	Uranium		Crushing only – processed at Key Lake	Mine under development
15	McClellan Lake Operation	AREVA Ressources Canada Inc.	Saskatchewan (northeastern SK, Wollaston Lake area)	Uranium	300 t/d	Leaching and solvent extraction	Active
16	Rabbit Lake Operation	Cameco Corporation	Saskatchewan (northeastern SK, Wollaston Lake area)	Uranium	Annual production capacity of 16 million pounds U <sub>3</sub> O <sub>8</sub>	Leaching and solvent extraction	Active
17	Seabee Mine	Claude Resources Inc.	Saskatchewan (northern SK)	Gold	800 t/d	Cyanidation	Active
18	Jolu Mill	Golden Band Resources	Saskatchewan (northern SK)	Gold	700 t/d	Gravity, cyanidation	Active
19	Santoy 7 Mine	Claude Resources Inc.	Saskatchewan (northern SK)	Gold	Not available	Mining only – ore shipped to Seabee Mill	On care and maintenance



## Appendix B: Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012 (cont'd)

	Facility	Operator	Province/Territory (Location)	Products	Production Capacity	Process	Status
20	Santoy 8 Mine	Claude Resources Inc.	Saskatchewan (northern SK)	Gold	500 t/d	Mining only – ore shipped to Seabee Mill	Active
21	Flin Flon Complex	Hudson Bay Mining and Smelting Co. Ltd.	Manitoba (west-central MB, in Flin Flon)	Copper, lead, zinc	5 500 t/d	Flotation	Active
22	Trout Lake Mine	Hudson Bay Mining and Smelting Co. Ltd.	Manitoba (west-central MB, near Flin Flon)	Copper, zinc, gold, silver	2 500 t/d	Flotation	Closed
23	Chisel North Mine	Hudson Bay Mining and Smelting Co. Ltd.	Manitoba (west-central MB, near Snow Lake)	Zinc	750 t/d	Mining only – ore shipped to Snow Lake Mill	Active
24	Snow Lake Mill	Hudson Bay Mining and Smelting Co. Ltd.	Manitoba (west-central MB, near Snow Lake)	Copper, zinc, selenium, tellurium, silver	3 600 t/d	Flotation	Active
25	Birchtree Mine	Vale Inco Ltd.	Manitoba (northern MB, near Thompson)	Nickel, copper	3 175 t/d	Mining only – ore shipped to Thompson Complex	Active
26	Thompson Complex	Vale Inco Ltd.	Manitoba (northern MB, in Thompson)	Nickel, copper	12 000 t/d	Flotation	Active
27	Bucko Lake Mine	CaNickel Mining Ltd.	Manitoba (northern MB, near Thompson)	Nickel	1 000 t/d	Flotation	Active
28	Snow Lake Mine	Alexis Minerals Corporation – QMX Gold Corporation	Manitoba (west-central MB, near Snow Lake)	Gold	2 150 t/d	Cyanidation	Active
29	Tanco Mine	Tantalum Mining Corporation of Canada Ltd.	Manitoba (southeastern MB, northeast of Winnipeg)	Tantalum, lithium, cesium, rubidium	700 t/d Varies by commodity	Gravity, flotation, dry grinding, leach	Active
30	Rice Lake Gold Mine	San Gold Corporation	Manitoba (southeast MB, Red Lake area)	Gold	1 250 t/d	Gravity concentration, flotation and carbon-in-leach (cyanide)	Active
31	Cantung Mine	North American Tungsten Corporation Ltd.	Northwest Territories (east of Yukon border)	Tungsten	3 000 t/d	Flotation	Active
32	Con Mine	Miramar Northern Mining Ltd.	Northwest Territories (Yellowknife)	Gold			Closed
33	Giant Mine	Aboriginal Affairs and Northern Development Canada	Northwest Territories (Yellowknife)	Gold		Mining only – ore shipped to Con Mine	Closed
34	Lupin Operations	Lupin Mines Inc.	Nunavut (western NU, northeast of Yellowknife)	Gold			On care and maintenance
35	Meadowbank Mine	Agnico-Eagle Ltd.	Nunavut (western NU, 70 km north of Baker Lake northeast of Yellowknife)	Gold	8 500 t/d	Gravity, cyanidation,	Active
36	Red Lake Mine	Goldcorp Canada Ltd.	Ontario (northwestern ON, Red Lake area)	Gold	600 t/d	Gravity, cyanidation, flotation	Active
37	Campbell Mine	Goldcorp Inc.	Ontario (northwestern ON, Red Lake area)	Gold	≥ 1 000 t/d	Cyanidation	Active
38	Musselwhite Mine	Goldcorp Inc.	Ontario (northwestern ON)	Gold	3 300 t/d	Cyanidation	Active

## Appendix B: Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012 (cont'd)

	Facility	Operator	Province/Territory (Location)	Products	Production Capacity	Process	Status
39	Lac des Iles Mine	North American Palladium Ltd.	Ontario (northwestern ON, northwest of Thunder Bay)	Palladium, platinum, gold, copper, nickel, cobalt	15 000 t/d	Flotation	Active
40	Golden Giant Mine	Newmont Canada Corporation	Ontario (northern ON, east of Marathon)	Gold		Cyanidation	Closed
41	Williams Mine	Barrick Gold Corporation	Ontario (northern ON, east of Marathon)	Gold	10 000 t/d	Cyanidation, gravity	Active
42	David Bell Mine	Barrick Gold Corporation	Ontario (northern ON, east of Marathon)	Gold	1 500 t/d	Mining only – ore shipped to Williams Mill	Active
43	Eagle River Mine	Wesdome Gold Mines Ltd.	Ontario (northern ON, west of Wawa)	Gold	850 t/d	Mining only – ore shipped to River Gold Mill	Active
44	Eagle River Mill (Mill, Mishi Pit, and Magnacon Mine)	Wesdome Gold Mines Ltd.	Ontario (northern ON, west of Wawa)	Gold	1 000 t/d	Cyanidation	Active
45	Island Gold Project	Richmont Mines Inc.	Ontario (northern ON, west of Wawa)	Gold	650 t/d	Cyanidation	Active
46	Edwards Mine	Strike Minerals Inc.	Ontario (northern ON, 50 km northeast of Wawa)	Gold	Not available	Not available	Mine under development
47	Porcupine Gold Mines (Dome Mine, Owl Creek Pit, Pamour Mine)	Goldcorp Canada Ltd. and Goldcorp Inc.	Ontario (northeastern ON, Timmins area)	Gold	Not available	Cyanidation	Active
48	Holloway Mine	Holloway Mining Company	Ontario (northeastern ON, Timmins area)	Gold	2 500 t/d	Cyanidation	Active
49	Clavos Mine	St Andrew Goldfields Ltd./Sage Gold Inc.	Ontario (northeastern ON, Timmins area)	Gold	700 t/d	Ore shipped to Stock Mill	Active
50	Hislop Mine	St Andrew Goldfields Ltd.	Ontario (northeastern ON, Timmins area)	Gold	1 500 t/d	Ore shipped to Stock Mill	Active
51	Timmins West Complex	Lake Shore Gold Corporation	Ontario (northeastern ON, Timmins area)	Gold	Not available	Mining only, ore processed at Bell Creek Mill	Active
52	Stock Mine and Mill Complex	Brigus Gold Corporation	Ontario (northeastern ON, Timmins area)	Gold	1 300 t/d (mill)	Carbon-in-leach (cyanide)	Active
53	Bell Creek Mine and Mill	Lake Shore Gold Corporation	Ontario (northeastern ON, Timmins area)	Gold	1 500 t/d	Carbon-in-leach (cyanide)	Active
54	Black Fox Mine	Brigus Gold Corporation	Ontario (northeastern ON, Timmins area)	Gold	1 500 t/d	Mining only – ore shipped to Black Fox Mill Complex	Active
55	Redstone Mine	Liberty Mines Inc.	Ontario (northeastern ON, Timmins area)	Nickel	2 000 t/d (mill)	Flotation	Active
56	McWatters Mine	Liberty Mines Inc.	Ontario (northeastern ON, Timmins area)	Nickel	1 500 t/d	Mining only – ore shipped to Redstone Mill	Active

## Appendix B: Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012 (cont'd)

	Facility	Operator	Province/Territory (Location)	Products	Production Capacity	Process	Status
57	Kidd Mining Division	Xstrata Canada Corporation	Ontario (northeastern ON, Timmins area)	Zinc, copper, cadmium, indium, cobalt, selenium, silver, palladium, platinum	10 000 t/d	Mining only – ore shipped to Kidd Metallurgical Division	Active
58	Kidd Metallurgical Division	Xstrata Canada Corporation	Ontario (northeastern ON, Timmins area)	Zinc, copper, cadmium, indium, cobalt, selenium, silver, palladium, platinum	10 000 t/d	Flotation	Active
59	Montcalm Project	Xstrata Canada Corporation	Ontario (northeastern ON, Timmins area)	Nickel, copper, cobalt		Ore shipped to Kidd Metallurgical Division	On care and maintenance
60	Macassa Mine	Kirkland Lake Gold Inc.	Ontario (northeastern ON, Kirkland Lake area)	Gold	1 450 t/d	Cyanidation	Active
61	Detour Lake Mine	Detour Gold Corporation	Ontario (northeastern ON, near Québec Border)	Gold	55 000 t/d	Gravity, cyanidation	Active
62	Young-Davidson Mine	AuRico Gold Inc.	Ontario (northeastern ON, 60 km west of Kirkland Lake)	Gold	6 000 t/d	Gravity, flotation, cyanidation	Mine under development
63	McAlpine Mill	SMC (Canada) Ltd.	Ontario (northeastern ON, Cobalt area)	Gold, silver, platinum, palladium	200 t/d processes metallurgical wastes	Gravity and flotation	Active
64	Lockerby Mine	First Nickel Inc.	Ontario (Sudbury area)	Copper, nickel, cobalt	700 t/d	Mining only – ore shipped to Strathcona Mill	Active
65	Strathcona Tailings Treatment System (includes Fraser, Strathcona Mine and Mill, Craig and Onaping Mines; also includes Inco's Coleman and McCreedy East Mines)	Xstrata Canada Corporation	Ontario (Sudbury area)	Nickel, copper, cobalt, platinum, palladium	8 200 t/d	Flotation	Active
66	Copper Cliff Complex (includes Clarabelle Mill, smelter, Copper Cliff North, Copper Cliff South, Creighton, Gertrude, Frood, and Stobie Mines)	Vale Canada Ltd.	Ontario (Sudbury area)	Nickel, copper, cobalt, platinum	27 300 t/d for Clarabelle Mill	Flotation	Active
67	Xstrata Nickel Sudbury Smelter	Xstrata Canada Corporation	Ontario (Sudbury area)	Nickel, copper, cobalt, platinum, palladium			Active
68	Garson Mine	Vale Canada Ltd.	Ontario (Sudbury area)	Nickel, copper, cobalt, platinum	2 400 t/d	Mining only – ore shipped to Copper Cliff Complex – Clarabelle Mill	Active

## Appendix B: Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012 (cont'd)

	Facility	Operator	Province/Territory (Location)	Products	Production Capacity	Process	Status
69	Crean Hill Mine	Vale Canada Ltd.	Ontario (Sudbury area)	Nickel, copper, cobalt, platinum	1 800 t/d	Mining only – ore shipped to Copper Cliff Complex – Clarabelle Mill	Active
70	Totten Mine	Vale Canada Ltd.	Ontario (Sudbury area)	Nickel, copper, precious metals	Designed to process 2 200 t/d		Mine under development
71	Podolsky Mine	FNX Mining Company Inc.	Ontario (Sudbury area)	Nickel, copper, precious metals	1 000 t/d	Mining only – ore shipped to Copper Cliff Complex – Clarabelle Mill	Active
72	Shakespeare Nickel Mine	URSA Major Minerals Inc.	Ontario (Sudbury area)	Nickel, copper, cobalt, gold, platinum, palladium	Not available	Mining only – ore shipped to Xstrata's Strathcona Mill	On care and maintenance
73	Haley Plant	Timminco Ltd.	Ontario (southeastern ON, west of Ottawa)	Magnesium, calcium, strontium	7 500 t/y magnesium, 900 t/y calcium	Calcining, reduction, refining, melting, casting, extruding	Active
74	Langlois (Mine)	Ressources Breakwater Ltée/ Nyrstar	Quebec (northwestern QC, 213 km north of Val-d'Or)	Zinc, copper, gold, silver	Designed to process 2 000 t/d	Flotation	On care and maintenance
75	Francoeur (Mine)	Mines Richmont Inc.	Quebec (northwestern QC, 25 km southwest of Rouyn-Noranda)	Gold	360 t/d	Mining only – ore shipped to Camflo Mill	Active, then closed since November 1, 2012
76	Matagami (Mine) (Xstrata Zinc Canada Division)	Xstrata Canada Corporation	Quebec (northeastern QC, near Matagami)	Zinc, copper	2 000 t/d	Flotation	Active
77	Veza (Mine)	North American Palladium Ltd.	Quebec (northeastern QC, 25 km south of Matagami)	Gold	750 t/d	Mining only – ore shipped to Géant Dormant Mill	Active
78	Éléonore (Mine)	Les Mines Opinaca Ltée	Quebec (northern QC, northeast corner of Opinaca Reservoir, James Bay region)	Gold	7 000 t/d	Gravity, flotation, cyanidation	Mine under development
79	Casa Berardi (Mine)	Mines Aurizon Ltée	Quebec (northwestern QC, 95 km north of La Sarre)	Gold	1 600 to 2 200 t/d	Cyanidation	Active
80	Géant Dormant (Mine)	Ressources Cadiscor Inc./North American Palladium Ltd.	Quebec (northeastern QC, Abitibi region)	Gold	900 t/d	Cyanidation	Active – mill only
81	Barry	Ressources Métanor Inc.	Quebec (northeastern QC, Abitibi region)	Gold	500 t/d	Mining only – ore shipped to Bachelor Mill	Active
82	Lac Bachelor	Ressources Métanor Inc.	Quebec (northeastern QC, Abitibi region)	Gold	800 t/d	Cyanidation	Active
83	Laronde (Mine)	Mines Agnico-Eagle Ltée	Quebec (northeastern QC, Abitibi region)	Gold, silver, copper, zinc, lead	7 000 t/d	Flotation, leaching, gravity concentration	Active
84	Lapa (Project)	Mines Agnico-Eagle Ltée	Quebec (northwestern QC, 11 km east of LaRonde Mine)	Gold	1 500 t/d	Mining only – ore shipped to LaRonde Mill	Active

## Appendix B: Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012 (cont'd)

	Facility	Operator	Province/Territory (Location)	Products	Production Capacity	Process	Status
85	Mouska (Mine)	Gestion lamgold Québec Inc.	Quebec (northeastern QC, Abitibi region)	Gold	600 t/d	Mining only – ore shipped to Doyon Mill	Active
86	Doyon	Gestion lamgold Québec Inc.	Quebec (northeastern QC, Abitibi region)	Gold		Cyanidation	Ceased production in Dec. 2009
87	Kiena (Mine)	Mines d'Or Wesdome Ltée	Quebec (northeastern QC, Abitibi region)	Gold	2 000 t/d	Cyanidation	Active
88	Canadian Malartic Mine	Corporation Minière Osisko	Quebec (northeastern QC, Abitibi region)	Gold	55 000 t/d (mill)	Cyanidation	Active
89	Sigma	Century Mining Corporation	Quebec (northeastern QC, Abitibi region)	Gold	5 000 t/d	Cyanidation	On care and maintenance
90	Goldex (Mine)	Mines Agnico-Eagle Ltée	Quebec (northeastern QC, Abitibi region)	Gold	6 900 t/d	Gravity, cyanidation, flotation	Closed
91	Beaufor	Mines Richmond Inc.	Quebec (northeastern QC, Abitibi region)	Gold	820 t/d	Mining only – ore shipped to Camflo	Active
92	Camflo (Mill)	Mines Richmond Inc.	Quebec (northeastern QC, Abitibi region)	Gold	1 300 t/d (mill only)	Cyanidation	Active
93	Lac Herbin	Alexis Minerals Corporation – QMX Gold Corporation	Quebec (northeastern QC, Abitibi region)	Gold	450 t/d	Mining only – ore shipped to Aurbel Mill	Active
94	Aurbel (mine)	Alexis Minerals Corporation – QMX Gold Corporation	Quebec (northeastern QC, Abitibi region)	Gold	800 t/d (mill)	Gravity, flotation, cyanidation	Active
95	Horne (Smelter)	Xstrata Canada Corporation	Quebec (northeastern QC, Abitibi region)	Copper		Flotation	Mill closed
96	Copper Rand (Mine)	Ressources Campbell Inc./CBay Minerals Inc.	Quebec (northeastern QC, Chibougamau area)	Copper, gold, silver		Gravity, flotation	On care and maintenance
97	Raglan (Mine)	Xstrata Canada Corporation	Quebec (northern QC, west of Ungava Bay)	Nickel, copper, cobalt, platinum, palladium	3 000 t/d	Flotation	Active
98	Nunavik Nickel (Project)	Canadian Royalties Inc.	Quebec (northern QC, west of Ungava Bay)	Nickel, copper, cobalt, platinum, palladium	Designed to process 4 500 t/d (mill)	Flotation	Mine under development
99	Niobec (Mine)	Gestion lamgold-Québec Inc.	Quebec (central QC, Lac St. Jean region)	Niobium	5000 t/d	Flotation, magnetic separation	Active
100	Complexe métallurgique Sorel-Tracy	QIT-Fer et Titane Inc.	Quebec (southwestern QC)	Titanium, iron ore	Ore processed from Tio Mine	Metallurgical process	Active
101	Tio (Mine)	QIT-Fer et Titane Inc.	Quebec (eastern QC, north of Havre-Saint-Pierre)	Titanium, iron ore	8 000 t/d	Mining only – ore processed at plant in Sorel, QC	Active
102	Mont-Wright (Mine)	ArcelorMittal Mines Canada	Quebec (northeastern QC, near Wabush, NL)	Iron ore	125 000 t/d	Grinding and spiral separation	Active
103	Fire Lake (Mine)	ArcelorMittal Mines Canada	Quebec (northeastern QC, 55 km south of Mont-Wright Mine)	Iron ore	2 000 t/d	Mining only – ore shipped by train to Mount-Wright Mine	Active

## Appendix B: Mining Facilities Subject to the *Metal Mining Effluent Regulations* in 2012 (cont'd)

	Facility	Operator	Province/Territory (Location)	Products	Production Capacity	Process	Status
104	Lac Bloom (Mine)	Société en commandite de la mine de fer du Lac Bloom	Quebec (northeastern QC, near Wabush, NL)	Iron ore	8 Mt of concentrate per year	Grinding and spiral separation	Active
105	James (Mine)	Labrador Iron Mines Ltd.	Newfoundland and Labrador (western Labrador, near Schefferville)	Iron ore	15 000 t/d		Active
106	Wabush Mines Joint Venture (Scully Mine)	Wabush Mines	Newfoundland and Labrador (western Labrador, Wabush, Labrador City area)	Iron ore	54 400 t/d	Grinding, spiral and high-tension separation	Active
107	Iron Ore Company of Canada – Carol Project	Iron Ore Company of Canada	Newfoundland and Labrador (western Labrador, Wabush, Labrador City area)	Iron ore	140 000 t/d	Spirals and magnetic separators, flotation	Active
108	Nugget Pond Mine	Rambler Metals and Mining Canada Ltd.	Newfoundland and Labrador (north-central Newfoundland, northwest of Grand Falls)	Gold	500 t/d (mill only)	Hydromet (gold) – flotation (copper)	On care and maintenance
109	Ming Mine	Rambler Metals and Mining Canada Ltd.	Newfoundland and Labrador (north-central Newfoundland, northwest of Grand Falls)	Copper, gold	650 t/d	Hydromet (gold) – flotation (copper)	Active
110	Pine Cove Mine	Anaconda Mining Inc.	Newfoundland and Labrador (north-central Newfoundland, northwest of Grand Falls)	Gold	1 000 t/d	Gravity/flotation	Active
111	Duck Pond Mine	Teck Resources Ltd.	Newfoundland and Labrador (west-central Newfoundland)	Copper, zinc, silver, gold	1 500 t/d	Flotation	Active
112	Voisey's Bay Mine – Mill	Vale Inco Ltd.	Newfoundland and Labrador (northeastern Labrador)	Nickel, copper, cobalt	6 000 t/d	Flotation	Active
113	Beaver Brook Mine	Beaver Brook Antimony Mine Inc.	Newfoundland and Labrador (central Newfoundland, 60 km southwest of Gander)	Antimony	450 t/d	Flotation	On care and maintenance
114	Brunswick No. 12	Xstrata Canada Corporation – Xstrata Zinc Canada Division	New Brunswick (northern NB, south of Bathurst)	Lead, zinc, copper, silver	10 000 t/d	Flotation	Active
115	Caribou Mine and Mill	Maple Minerals Corporation/ Trevali Mining Corporation	New Brunswick (northern NB, west of Bathurst)	Zinc, lead, silver, copper	3 000 t/d (mill) 1 650 t/d (mine)	Flotation	On care and maintenance
116	Restigouche Mine	Blue Note Mining Inc. – Blue Note Caribou Mines Inc. / Province of New Brunswick	New Brunswick (northern NB, west of Bathurst)	Zinc, lead, silver, copper		Mining only – ore shipped to Caribou Mill	Closed
117	Scozinc Mine and Mill	Selwyn Resources Ltd.	Nova Scotia (65 km north of Halifax)	Zinc, lead	2 300 t/d (mill)	Flotation	On care and maintenance

## Appendix C: Mining Companies Included in the Assessment in 2012

Alexco Keno Hill Mining Corporation	Mines d'Or Wesdome Ltée
Alexis Minerals Corporation	Mines Richmond Inc.
Anaconda Mining Inc.	Minto Explorations Ltd.
ArcelorMittal Mines Canada	Miramar Northern Mining Ltd.
AREVA Resources Canada Inc.	Newmont Canada Corporation
AuRico Gold Inc.	North American Palladium Ltd.
Barrick Gold Corporation	North American Tungsten Corporation Ltd.
Beaver Brook Antimony Mine Inc.	NVI Mining Ltd.
Blue Note Mining Inc.	Nyrstar
Blue Note Caribou Mines Inc.	Province of New Brunswick
Brigus Gold Corporation	QIT-Fer et Titane Inc.
Cameco Corporation	QMX Gold Corporation
Canadian Royalties Inc.	Rambler Metals and Mining Canada Ltd.
CaNickel Mining Ltd.	Ressources Breakwater Ltée
CBay Minerals Inc.	Ressources Cadiscor Inc.
Century Mining Corporation	Ressources Campbell Inc.
Claude Resources Inc.	Ressources Métanor Inc.
Corporation minière Osisko	Richmont Mines Inc.
Detour Gold Corporation	San Gold Corporation
Eagle Plains Resources Ltd.	Sage Gold Inc.
First Nickel Inc.	Selwyn Resources Ltd.
FNX Mining Company Inc.	Similco Mines Ltd.
FortyTwo Metals Inc.	SMC (Canada) Ltd.
Gestion Iamgold-Québec Inc.	Société en commandite de la mine de fer du Lac Bloom
Goldcorp Canada Ltd.	St Andrew Goldfields Ltd.
Goldcorp Inc.	Strike Minerals Inc.
Golden Band Resources Inc.	Tantalum Mining Corporation of Canada Ltd.
Holloway Mining Company	Taseko Mines Ltd.
Huckleberry Mines Ltd.	Teck Resources Ltd.
Hudson Bay Mining and Smelting Co. Ltd.	Thompson Creek Mining Ltd.
Indian and Northern Affairs Canada	Timminco Ltd.
Iron Ore Company of Canada	Trevali Mining Corporation
Kirkland Lake Gold Inc.	USR Major Minerals Inc.
Labrador Iron Mines Ltd.	Vale Canada Ltd.
Lake Shore Gold Corporation	Vale Inco Ltd.
Les Mines Opinaca Ltée	Wabush Mines
Liberty Mines Inc.	Wesdome Gold Mines Ltd.
Lupin Mines Inc.	Xstrata Canada Corporation
Maple Minerals Corporation	Xstrata Zinc Canada Division
Mines Agnico-Eagle Ltée	Yellowjacket Resources Ltd.
Mines Aurizon Ltée	Yukon Zinc Corporation

## Appendix D: Performance Summary of Mine Effluents in 2012

### Note to the Reader

The tables presented in this appendix summarize the effluent quality data for mines subject to the *Metal Mining Effluent Regulations* in 2012. The summaries include site identification (i.e., mine/mill name and effluent discharge name) and number of months of discharge. Table D1 summarizes the distribution of the non-compliant parameters for metals and pH, whereas Table D2 summarizes the results of rainbow trout acute lethality tests and *Daphnia magna* monitoring tests. Metal exceedances represent the number of monthly mean concentrations that exceeded the prescribed limits for a given month, whereas pH exceedances represent the number of times that the monthly pH range was exceeded. The parameters included are arsenic (As), copper (Cu), cyanide (CN), lead (Pb), nickel (Ni), zinc (Zn), total suspended solids (TSS), total radium 226 (Ra-226) and pH.



**Table D1: Summary of Exceedances for Mines Subject to the MMER in 2012: Prescribed Parameters and pH**

Site Identification		Number of Months of Discharge	As	Cu	CN	Pb	Ni	Zn	TSS	Ra-226	pH Low	pH High
Mine/Mill Name	Effluent Discharge Name		0.5 mg/L	0.3 mg/L	1 mg/L	0.2 mg/L	0.5 mg/L	0.5 mg/L	15 mg/L	0.37 Bq/L	6	9.5
Aurbel (Mine)	Aurbel Final Effluent	3										
Barry (Mine)	V-Notch	0										
Beaufor	Final Effluent	12										
Beaver Brook Mine	Site 16 – Polishing Pond Discharge	5							4			
Bell Creek Mine and Mill	Effluent Treatment Plant Discharge	0										
Bell Creek Mine and Mill	Phase 1 and 2 Seepage Collection Ditch	0										
Bell Creek Mine and Mill	Phase 3 Seepage Collection Ditch	0										
Bell Creek Mine and Mill	Polishing Pond	10										
Bellekeno Mine	Be.KV43 – Bellekeno 625 Treatment Pond Decant	12										
Birchtree Mine	Birchtree Effluent Treatment Plant	12										
Black Fox Mine	Pike River Discharge Point	12										
Black Fox Mine	Salve Creek Transitional Period Discharge Point	0										
Brunswick No. 12	3333 Final Effluent	12										
Bucko Lake Mine	Settling Pond Discharge	9							3			
Camflo (Mill)	Final Effluent	12										
Campbell Mine	WETOUT	4										
Canadian Malartic Mine	Final Effluent	7							1			
Cantung Mine	4-27-2 Culvert	12										
Cantung Mine	Polishing Pond Four	12										
Cantung Mine	Settling Pond 5-2	2										
Caribou Mine – Mill	Polishing Pond Effluent	12										
Casa Berardi (Mine)	Final Effluent – Point A	4										
Chisel North Mine	Chisel North Mine Discharge	12										
Cigar Lake Project	Station 2.2	12										
Clavos Mine	Clavos Mine Drainage Area	1										
Clavos Mine	Sediment Pond	0										
Complexe métallurgique Sorel-Tracy	Final Effluent QIT (Point 1.4)	12							4			
Complexe métallurgique Sorel-Tracy	EFF2.2-P84	12										
Con Mine	Surveillance Network Program Station 40-1	0										
Copper Cliff Complex	Copper Cliff Wastewater Treatment Plant	10										
Copper Cliff Complex	Nolin Creek Spillway	0										
Copper Cliff Complex	Nolin Creek Wastewater Treatment Plant	8										
Copper Mountain Mine	Co.SW07 – W. Dam Seepage	12										



**Table D1: Summary of Exceedances for Mines Subject to the MMER in 2012: Prescribed Parameters and pH (cont'd)**

Site Identification		Number of Months of Discharge	As	Cu	CN	Pb	Ni	Zn	TSS	Ra-226	pH Low	pH High
Mine/Mill Name	Effluent Discharge Name		0.5 mg/L	0.3 mg/L	1 mg/L	0.2 mg/L	0.5 mg/L	0.5 mg/L	15 mg/L	0.37 Bq/L	6	9.5
Goldex (Mine)	Final Effluent – Goldex Tailings Pond	11										
Goldex (Mine)	Final Effluent – Shaft No. 2	0										
Haley Plant	FDP 1	9										
Hislop Mine	Sedimentation Pond	8										
Holloway Mine	Final Discharge Point	3										
Horne (Smelter)	Final Effluent – Pelletier Sector	12										
Huckleberry Mine	Hu.EZDD – East Zone Diversion Ditch	0										
Huckleberry Mine	Hu.SC3 – Sediment Control Structure 3	12										
Huckleberry Mine	Hu.SC4 – Sediment Control Structure 4	12										
Huckleberry Mine	HU.SC6 – Sediment Control Structure 6	0										
Huckleberry Mine	HU.SC7 – Sediment Control Structure 7	0										
Huckleberry Mine	HU.SC8 – Sediment Control Structure 8	3										
Huckleberry Mine	Hu.TMF2 – Tailings Management Facility 2 Supernatant/Hu.TRO – Tahtsa Reach Outfall	10										
Iron Ore Company of Canada – Carol Project	Hakim Culvert	12										
Iron Ore Company of Canada – Carol Project	Julienne Narrows	12										
Iron Ore Company of Canada – Carol Project	MD5	8										
Island Gold Project	IG-2	7							2			
James Mine	Ruth Pit Outlet	12										
Joe Mann	Polishing Pond Effluent – Point 10	0										
Jolu Mill	Mallard Tailings Management Facility – Cell C Outlet Berm	8							1			
Kemess South Mine	KS.WQ14 – Runoff	12										
Kemess South Mine	KS.WQBL – Sedimentation Pond Decant	3										
Key Lake Operation	Station 1.2 – Dewatering Discharge to Horsefly Lake	12										
Key Lake Operation	Station 1.4 – Mill Effluent to Wolf Lake	12										
Kidd Metallurgical Division	Final Effluent Monitoring Point	12										
Kidd Mining Division	Treatment Pond Final Effluent	9										



**Table D1: Summary of Exceedances for Mines Subject to the MMER in 2012: Prescribed Parameters and pH (cont'd)**

Site Identification		Number of Months of Discharge	As	Cu	CN	Pb	Ni	Zn	TSS	Ra-226	pH Low	pH High
Mine/Mill Name	Effluent Discharge Name		0.5 mg/L	0.3 mg/L	1 mg/L	0.2 mg/L	0.5 mg/L	0.5 mg/L	15 mg/L	0.37 Bq/L	6	9.5
Ming Mine	Wastewater Treatment System Discharge	7						2				
Minto Project	Mi.W3 – Runoff Main Water Dam	12										
Mishi Pit (part of Eagle River Mill)	Mishi Pit	8										
Montcalm Project	Montcalm Final Effluent	3										
Mont-Wright (Mine)	HS-1	12										
Mont-Wright (Mine)	MS-2	6							1			
Mouska (Mine)	Final Effluent	12										
Musselwhite Mine	FDP 1	5										
Myra Falls Operations	MF.11A – Runoff Myra Ponds Effluent	12										
Niobec (Mine)	Final Effluent	12										
Nugget Pond Mine	Polishing Pond Effluent	10			1							
Nunavik Nickel (Project)	Expo Final Effluent	2										
Pine Cove Property	Tailings Pond Discharge	9			3				1			
Podolsky Mine	Norman North Bog Outlet	12										
Porcupine Gold Mines	Mine Effluent Treatment Plant – Dome Mine	3										
Porcupine Gold Mines	Mine Water Storage Pond – Dome Mine	12										
Porcupine Gold Mines	Owl Creek Discharge 1	0										
Porcupine Gold Mines	Owl Creek Discharge 2	4										
Porcupine Gold Mines	Pamour Mine Water	5										
Rabbit Lake Operation	Station 2.3.3	12										
Raglan (Mine)	DIR-HSA	0										
Raglan (Mine)	DIR-SPOON	3										
Raglan (Mine)	DIR-UT	6										
Raglan (Mine)	DIR-Z3	6										
Red Lake Mine	G1	0										
Red Lake Mine	G2	4										
Red Lake Mine	Shaft 3 Mine Water Settling Pond	0										
Redstone Mine	RSD-2	4										
Restigouche Mine	Mixing Structure Discharge	0										
Rice Lake Gold Mine	FDP1 – End of Pipe	2										
Santoy 7 Mine	Santoy 7 Settling Pond	1							1			
Santoy 8 Mine	S8SP Final Discharge Point	2										
Scozinc Mine – Mill	Polishing Pond Outlet	12										
Seabee Gold Mine	Final Discharge Point 1.2	12										
Seabee Gold Mine	Final Discharge Point 1.3	0										



**Table D1: Summary of Exceedances for Mines Subject to the MMER in 2012: Prescribed Parameters and pH (cont'd)**

Site Identification		Number of Months of Discharge	As	Cu	CN	Pb	Ni	Zn	TSS	Ra-226	pH Low	pH High
Mine/Mill Name	Effluent Discharge Name		0.5 mg/L	0.3 mg/L	1 mg/L	0.2 mg/L	0.5 mg/L	0.5 mg/L	15 mg/L	0.37 Bq/L	6	9.5
Wabush Mines Joint Venture – Scully Mine	Knoll Lake Inflow	12							7			
Wabush Mines Joint Venture – Scully Mine	Loadout Ditch Discharge	0										
Wabush Mines Joint Venture – Scully Mine	Shops East Discharge	0										
Wabush Mines Joint Venture – Scully Mine	Shops South Discharge	0										
Wabush Mines Joint Venture – Scully Mine	Tailings Discharge	0										
Wabush Mines Joint Venture – Scully Mine	Tailings Line Emergency Dump Basin 1	11							8			
Wabush Mines Joint Venture – Scully Mine	West Pit Extension Settling Basin	12										
Williams Mine	Polishing Pond Discharge CP 400	0										
Williams Mine	Stormwater Pond CP 102	10										
Williams Mine	Stormwater Pond CP 0300	4										
Williams Mine	Stormwater Pond CP 400A	3							1			
Williams Mine	Treated Effluent CP 0201	5										
Wolverine Project	Wo.TSF – Tailings Storage Facility	0										
Xstrata Nickel Sudbury Smelter	Final Effluent at NIR Road	12										
Yellowjacket Gold Mine	Ye.TSF – Tailings Storage Facility	0										
Young-Davidson Mine	Mine Water Pond Final Discharge	11										
<b>Total Exceedances</b>			<b>2</b>	<b>3</b>	<b>5</b>	<b>0</b>	<b>5</b>	<b>4</b>	<b>51</b>	<b>1</b>	<b>2</b>	<b>1</b>

**Table D2: Performance Summary for Mines Subject to the MMER in 2012: Rainbow Trout (RT) Acute Lethality and *Daphnia magna* (DM) Monitoring Tests**

Site Identification		Number of Months of Discharge	RT Total	RT Fail	DM Total	DM Fail
Mine/Mill Name	Effluent Discharge Name					
Aurbel (Mine)	Aurbel Final Effluent	3	3		3	
Barry (Mine)	V-Notch	0				
Beaufor	Final Effluent	12	4		4	
Beaver Brook Mine	Site 16 – Polishing Pond Discharge	5	4		4	
Bell Creek Mine and Mill	Effluent Treatment Plant Discharge	0				
Bell Creek Mine and Mill	Phase 1 and 2 Seepage Collection Ditch	0				
Bell Creek Mine and Mill	Phase 3 Seepage Collection Ditch	0				
Bell Creek Mine and Mill	Polishing Pond	10	10		10	
Bellekeno Mine	Be.KV43 – Bellekeno 625 Treatment Pond Decant	12	13		13	
Birchtree Mine	Birchtree Effluent Treatment Plant	12	4		4	2
Black Fox Mine	Pike River Discharge Point	12	13		12	
Black Fox Mine	Salve Creek Transitional Period Discharge Point	0				
Brunswick No. 12	3333 Final Effluent	12	14		14	
Bucko Lake Mine	Settling Pond Discharge	9	7		7	6
Camflo (Mill)	Final Effluent	12	5		5	
Campbell Mine	WETOUT	4	5		5	
Canadian Malartic Mine	Final Effluent	7	6		6	
Cantung Mine	4-27-2 Culvert	12	4		4	
Cantung Mine	Polishing Pond Four	12	4		4	
Cantung Mine	Settling Pond 5-2	2	2		2	
Caribou Mine – Mill	Polishing Pond Effluent	12	12		12	
Casa Berardi (Mine)	Final Effluent – Point A	4	4		4	
Chisel North Mine	Chisel North Mine Discharge	12	5		5	
Cigar Lake Project	Station 2.2	12	6		6	
Clavos Mine	Clavos Mine Drainage Area	1	1		1	
Clavos Mine	Sediment Pond	0				
Complexe métallurgique Sorel-Tracy	Final Effluent QIT (Point 1.4)	12	12		12	
Complexe métallurgique Sorel-Tracy	EFF2.2-P84	12	12		12	
Con Mine	Surveillance Network Program Station 40-1	0				
Copper Cliff Complex	Copper Cliff Wastewater Treatment Plant	10	4		4	
Copper Cliff Complex	Nolin Creek Spillway	0				
Copper Cliff Complex	Nolin Creek Wastewater Treatment Plant	8	3		3	
Copper Mountain Mine	Co.SW07 – W. Dam Seepage	12	9		9	
Copper Mountain Mine	Co.SW09 – Level 6 Adit	12	9		9	
Copper Mountain Mine	Co.SW21 – D4 Dump Drainage	12	9		9	
Copper Mountain Mine	Co.SW27 – E Dam Seepage	2	2		2	
Copper Mountain Mine	Co.SW36 – Lost Horse Gulch Drainage	12	9		9	
Copper Mountain Mine	Co.SW37 – D2 Dump Drainage	12	9		9	
Copper Rand (Mine)	Final Discharge Point 2.1c	12	3		3	
Crean Hill Mine	Crean Hill Mine Waste Water Treatment System	12	4		4	
David Bell Mine	Sedimentation Pond Effluent	8	8		8	
Detour Lake Mine	T4	0				
Doyon	Pond A Final Effluent (D-203)	12	4		4	
Duck Pond Operations	Polishing Pond Effluent	9	9		9	3
Eagle River Mill	Eagle River Mill	2	2	1	2	1
Eagle River Mine	FDP 1	12	4		4	
Edwards Mine	Edwards Mine Effluent Discharge 1	6	5		5	



**Table D2: Performance Summary for Mines Subject to the MMER in 2012: Rainbow Trout (RT) Acute Lethality and *Daphnia magna* (DM) Monitoring Tests (cont'd)**

Site Identification		Number of Months of Discharge	RT Total	RT Fail	DM Total	DM Fail
Mine/Mill Name	Effluent Discharge Name					
Éléonore (Mine)	Final Effluent – Waste Rock Pile	3	2		2	
Endako Mines	En.A1 – Tailings Pond 1 South	12	4		4	
Endako Mines	En.H1 – Tailings Pond 2 Higginbotham	12	4		4	
Endako Mines	En.N1 – Tailings Pond 1 North	12	4		4	
Endako Mines	En.S2 – Tailings Pond 2 South	12	4		4	
Endako Mines	En.SBC – Endako Pit	12	4		4	
Endako Mines	En.W2 – Denak West Pit	8	3		3	
Fire Lake (Mine)	Beaver Pit – Spillway (FL-2)	12	12		12	
Fire Lake (Mine)	Main Pit (FL-1)	0				
Flin Flon Complex	North Weir Discharge	12	4		4	
Francoeur (Mine)	Francoeur Final Effluent	5	4		4	
Garson Mine	Garson Mine	12	4		4	
Géant Dormant (Mine)	GD-E01 Final Effluent – Mine Water Pond	12	5		5	
Géant Dormant (Mine)	GD-E03 Polishing Pond 2A	4	3		3	
Giant Mine	Surveillance Network Program Station 43-1	5	5		5	
Gibraltar Mine	Gi.ESAD – East Saddle Dam	12	13		13	1
Gibraltar Mine	Gi.FRD – Fraser River Diffuser	8	8		8	1
Golden Giant Mine	ITF Emergency Spillway	0				
Golden Giant Mine	Waste Water Treatment Plant Effluent	5	5		5	
Goldex (Mine)	Final Effluent	0				
Goldex (Mine)	Final Effluent – Goldex Tailings Pond	11	11		11	
Goldex (Mine)	Final Effluent – Shaft No. 2	0				
Haley Plant	FDP 1	9	3		3	
Hislop Mine	Sedimentation Pond	8	8		8	
Holloway Mine	Final Discharge Point	3	3		3	
Horne (Smelter)	Final Effluent – Pelletier Sector	12	4		4	
Huckleberry Mine	Hu.EZDD – East Zone Diversion Ditch	0				
Huckleberry Mine	Hu.SC3 – Sediment Control Structure 3	12	4		4	
Huckleberry Mine	Hu.SC4 – Sediment Control Structure 4	12	4		4	
Huckleberry Mine	HU.SC6 – Sediment Control Structure 6	0				
Huckleberry Mine	HU.SC7 – Sediment Control Structure 7	0				
Huckleberry Mine	HU.SC8 – Sediment Control Structure 8	3	2		2	
Huckleberry Mine	Hu.TMF2 – Tailings Management Facility 2 Supernatant/Hu.TRO – Tahtsa Reach Outfall	10	3		3	
Iron Ore Company of Canada – Carol Project	Hakim Culvert	12	12		12	
Iron Ore Company of Canada – Carol Project	Julienne Narrows	12	12		12	
Iron Ore Company of Canada – Carol Project	MD5	8	8		8	
Island Gold Project	IG-2	7	6		6	
James Mine	Ruth Pit Outlet	12	12		12	
Joe Mann	Polishing Pond Effluent – Point 10	0				
Jolu Mill	Mallard Tailings Management Facility – Cell C Outlet Berm	8	8		8	
Kemess South Mine	KS.WQ14 – Runoff	12	4		4	
Kemess South Mine	KS.WQBLX – Sedimentation Pond Decant	3	3		3	
Key Lake Operation	Station 1.2 – Dewatering Discharge to Horsefly Lake	12	4		4	

**Table D2: Performance Summary for Mines Subject to the MMER in 2012: Rainbow Trout (RT) Acute Lethality and *Daphnia magna* (DM) Monitoring Tests (cont'd)**

Site Identification		Number of Months of Discharge	RT Total	RT Fail	DM Total	DM Fail
Mine/Mill Name	Effluent Discharge Name					
Key Lake Operation	Station 1.4 – Mill Effluent to Wolf Lake	12	4		4	
Kidd Metallurgical Division	Final Effluent Monitoring Point	12	4		4	
Kidd Mining Division	Treatment Pond Final Effluent	9	5		5	
Kiena (Mine)	Final Effluent	7	6		6	
Lac Bachelor	Parshall Flume	12	8		8	
Lac Bloom (Mine)	Mill Site – Surface Drainage Pond Effluent	0				
Lac Bloom (Mine)	Mine Site – Surface Drainage Sedimentation Pond B2 Effluent	0				
Lac Bloom (Mine)	Recycling Water Pond Treatment Effluent	6	6		6	
Lac Bloom (Mine)	EFF-MIN	9	9		9	
Lac des Iles Mine	FDP 1	9	9		9	
Lac des Iles Mine	Final Discharge Point 2	4	5		5	
Lac Herbin (Mine)	Final Effluent 1	0				
Lac Herbin (Mine)	Final Effluent 2	12	4		4	
Langlois (Mine)	Main Final Effluent	12	13		13	
Lapa (Project)	Final Effluent – Sedimentation Pond	12	12		12	
Laronde (Mine)	Final Effluent 3A	12	13		13	
Lockerby Mine	Number 4 Pond Effluent	12	4		4	
Lupin Operations	Tailings Polishing Pond No. 2	1	1		1	
Macassa Mine	C Dam	12	12		12	
Magnacon Mine (part of Eagle River Mill)	Magnacon Mine	0				
Matagami Mine (Xstrata Zinc Canada Division)	Final Effluent (WLD)	12	14	1	14	3
MAX Molybdenum Mine and Mill	MM.SiteD – Mine Portal Settling Pond	0				
MAX Molybdenum Mine and Mill	MM.SiteI – Settling Ponds Decant	12	2		1	
MAX Molybdenum Mine and Mill	MM.TP – Tailings Pond Discharge	2				
McAlpine Mill	Polishing Pond	12	4		10	3
McArthur River Operation	Station 2.1	12	4		4	
McArthur River Operation	Station 2.1B	0				
McArthur River Operation	Station 2.7	10	3		3	
McClellan Lake Operation	CM01-B (JEB Water Treatment Plant)	12	4		4	
McClellan Lake Operation	CM03	0				
McClellan Lake Operation	SC01 (SUE Water Treatment Plant Effluent)	0	3		3	
McClellan Lake Operation	SP01	0				
McWatters Mine	MWD-2	12	12		12	
Meadowbank Mine	Attenuation Pond Discharge	4	3		3	
Meadowbank Mine	Dewatering Final Discharge 1	2	1		1	
Ming Mine	Wastewater Treatment System Discharge	7	5		5	1
Minto Project	Mi.W3 – Runoff Main Water Dam	12	9		9	1
Mishi Pit (part of Eagle River Mill)	Mishi Pit	8	8	1	8	1
Montcalm Project	Montcalm Final Effluent	3	3		3	
Mont-Wright (Mine)	HS-1	12	5		5	
Mont-Wright (Mine)	MS-2	6	6		6	2
Mouska (Mine)	Final Effluent	12	4		4	
Musselwhite Mine	FDP 1	5	5		5	
Myra Falls Operations	MF.11A – Runoff Myra Ponds Effluent	12	4		4	
Niobec (Mine)	Final Effluent	12	4		3	2
Nugget Pond Mine	Polishing Pond Effluent	10	13		13	

**Table D2: Performance Summary for Mines Subject to the MMER in 2012: Rainbow Trout (RT) Acute Lethality and *Daphnia magna* (DM) Monitoring Tests (cont'd)**

Site Identification		Number of Months of Discharge	RT Total	RT Fail	DM Total	DM Fail
Mine/Mill Name	Effluent Discharge Name					
Nunavik Nickel (Project)	Expo Final Effluent	2	1		1	
Pine Cove Property	Tailings Pond Discharge	9	5		5	
Podolsky Mine	Norman North Bog Outlet	12	4		4	
Porcupine Gold Mines	Mine Effluent Treatment Plant – Dome Mine	3	3		3	
Porcupine Gold Mines	Mine Water Storage Pond – Dome Mine	12	4		4	
Porcupine Gold Mines	Owl Creek Discharge 1	0				
Porcupine Gold Mines	Owl Creek Discharge 2	4	5		5	
Porcupine Gold Mines	Pamour Mine Water	5	3		3	
Rabbit Lake Operation	Station 2.3.3	12	4		4	
Raglan (Mine)	DIR-HSA	0				
Raglan (Mine)	DIR-SPOON	3	3		3	
Raglan (Mine)	DIR-UT	6	6		6	
Raglan (Mine)	DIR-Z3	6	6		6	
Red Lake Mine	G1	0				
Red Lake Mine	G2	4	4		4	
Red Lake Mine	Shaft 3 Mine Water Settling Pond	0				
Redstone Mine	RSD-2	4	4		4	
Restigouche Mine	Mixing Structure Discharge	0				
Rice Lake Gold Mine	FDP1 – End of Pipe	2	5		5	
Santoy 7 Mine	Santoy 7 Settling Pond	1	1		1	
Santoy 8 Mine	S8SP Final Discharge Point	2	4		4	
Scozinc Mine – Mill	Polishing Pond Outlet	12	8		8	
Seabee Gold Mine	Final Discharge Point 1.2	12	4		4	
Seabee Gold Mine	Final Discharge Point 1.3	0				
Seabee Gold Mine	Final Discharge Point 1.5	3	4		4	
Shakespeare Nickel Mine	MISA Weir	3	3		3	
Sigma	Final Effluent EFF1	10	4		4	
Snow Lake Mill	Anderson Lake Discharge	8	6		6	
Snow Lake Mine	SWM-03 (Birch Lake Outlet Embankment Decant Discharge)	1	2		2	
Stock Mine and Mill Complex	Direct Tailings Pond Effluent	0				
Stock Mine and Mill Complex	Polishing Pond Effluent	7	8		8	
Strathcona Tailings Treatment System	Fecunis RR Bridge	12	5		5	
Tanco Mine	East Discharge (Phreatic Flow)	0				
Tanco Mine	West Discharge (Compliance Point)	12	4		4	
Thompson Complex	Misery Weir	12	4		4	
Thompson Complex	Station B	12	7		7	
Timmins West Complex	TR-1	12	12		12	
Tio (Mine)	Switch South	12	12		12	
Tio (Mine)	ELAC168/E-Lac 166	9	9		9	
Tio (Mine)	Lake 211.4	9	9		9	
Tio (Mine)	Grondin Effluent (formerly Grondin Lake)	0				
Tio (Mine)	Resurgence Leo	12	12		12	
Totten Mine	Totten Discharge	9	3		3	
Trout Lake Mine	Trout Lake Surface Sump Discharge	8	3		3	2
Vezza (Mine)	Polishing Pond	3	11	6	11	
Voisey's Bay Mine – Mill	Port Site Sedimentation Pond	1	1		1	
Voisey's Bay Mine – Mill	Sedimentation Pond A Discharge	0				

**Table D2: Performance Summary for Mines Subject to the MMER in 2012: Rainbow Trout (RT) Acute Lethality and *Daphnia magna* (DM) Monitoring Tests (cont'd)**

Site Identification		Number of Months of Discharge	RT Total	RT Fail	DM Total	DM Fail
Mine/Mill Name	Effluent Discharge Name					
Voisey's Bay Mine – Mill	Sedimentation Pond B	0				
Voisey's Bay Mine – Mill	South of Ovoid Final Discharge Point	0				
Voisey's Bay Mine – Mill	South Sedimentation Pond	0				
Voisey's Bay Mine – Mill	Treated Effluent Final Discharge Point	10	11		11	11
Wabush Mines Joint Venture – Scully Mine	East Pit Dewatering East	0				
Wabush Mines Joint Venture – Scully Mine	East Pit No. 1 Dewatering	0				
Wabush Mines Joint Venture – Scully Mine	East Pit No. 2 Dewatering	12	4		4	1
Wabush Mines Joint Venture – Scully Mine	Flora Lake Discharge	12	4		4	
Wabush Mines Joint Venture – Scully Mine	Knoll Lake Inflow	12	4		4	
Wabush Mines Joint Venture – Scully Mine	Loadout Ditch Discharge	0				
Wabush Mines Joint Venture – Scully Mine	Shops East Discharge	0				
Wabush Mines Joint Venture – Scully Mine	Shops South Discharge	0				
Wabush Mines Joint Venture – Scully Mine	Tailings Discharge	0				
Wabush Mines Joint Venture – Scully Mine	Tailings Line Emergency Dump Basin 1	11	10		10	
Wabush Mines Joint Venture – Scully Mine	West Pit Extension Settling Basin	12	4		4	
Williams Mine	Polishing Pond Discharge CP 400	0				
Williams Mine	Stormwater Pond CP 102	10	10		10	
Williams Mine	Stormwater Pond CP 0300	4	4		4	
Williams Mine	Stormwater Pond CP 400A	3	3		3	
Williams Mine	Treated Effluent CP 0201	5	5		5	
Wolverine Project	Wo.TSF – Tailings Storage Facility	0				
Xstrata Nickel Sudbury Smelter	Final Effluent at NIR Road	12	4		4	
Yellowjacket Gold Mine	Ye.TSF – Tailings Storage Facility	0				
Young-Davidson Mine	Mine Water Pond Final Discharge	11	13	2	13	2
<b>Summary</b>			<b>942</b>	<b>11</b>	<b>945</b>	<b>43</b>

## Appendix E: Effluent Quality Data for Mines in 2012

### Note to the Reader

The tables presented in this appendix show the summary of the monthly monitoring results (monthly means) of each final discharge point identified pursuant to sections 9 and 10 of the *Metal Mining Effluent Regulations* (MMER). Effluent results were provided to Environment Canada pursuant to section 22 of the Regulations, which requires mines to submit annual reports to Environment Canada. The format for these reports is specified in Schedule 6 of the Regulations. Data are presented as provided by the owners or operators of the mines except where comments indicate that some data were added for completeness based on quarterly reports.

Supporting information includes:

- Mine/Mill Name
- Mine/Mill Operator Name
- Mine/Mill Product(s)
- Mine/Mill Address
- Identification of Final Effluent Discharge Point
- Parameter Limits
- Monthly Mean Concentrations of the Deleterious Substances
- Monthly pH Range (Low and High)
- Monthly Effluent Volume
- Results of Rainbow Trout Acute Lethality Tests
- Results of *Daphnia magna* Monitoring Tests
- Comments (if applicable)

Highlighted data indicate that a Monthly Effluent Quality Standard was exceeded for a given month. A “Pass” for the rainbow trout acute lethality test and the *Daphnia magna* monitoring test indicates that the percentage of mortality was less than or equal to 50%. A “Fail” indicates that the percentage of mortality was greater than 50%. Tables are sorted in alphabetical order based on mine/mill name.

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Aurbel (Mine)												
Operator Name		Alexis Minerals Corporation - QMX Gold Corporation												
Product(s)		Gold												
Address		1900 Brador Road, Val-d'Or, Quebec J9P 0A4												
Effluent Discharge Point		Aurbel Final Effluent												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	0.0045	ND	ND	ND	0.0639	0.0958	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	0.0239	ND	ND	ND	0.0327	0.0370	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	0.0064	ND	ND	ND	0.0445	0.0044	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	0.0072	ND	ND	ND	0.0007	0.0018	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	0.0034	ND	ND	ND	0.0060	0.0087	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	0.0061	ND	ND	ND	0.0051	0.0084	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	6.00	ND	ND	ND	5.00	5.75	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	0.0288	ND	ND	ND	0.0010	0.0015	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	8.0	ND	ND	ND	8.1	7.6	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	8.2	ND	ND	ND	8.4	8.0	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	32,016	ND	ND	ND	63,788	29,637	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	1	ND	ND	ND	1	1	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	1	ND	ND	ND	1	1	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		As of August 2012 the company name changed from Alexis Minerals Corporation to QMX Gold Corporation.												
Notes: ND: No Deposit		NMR: No Measurement Required				Pass: ≤50% Mortality				Fail: >50% Mortality				
Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.														
A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Barry (Mine)													
<b>Operator Name</b>	Ressources Métanor Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	200 Mine Road, Desmaraisville, Quebec J0Y 1H0													
<b>Effluent Discharge Point</b>	V-Notch													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Beaufor												
Operator Name		Mines Richmond Inc.												
Product(s)		Gold												
Address		776 Perron Road, Val-d'Or, Quebec J9P 0C3												
Effluent Discharge Point		Final Effluent												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0003	0.0003	0.0007	0.0010	0.0003	0.0008	0.0003	0.0007	0.0003	0.0004	0.0004	0.0005	
Cu (mg/L)	0.3	0.0103	0.0092	0.0120	0.0149	0.0096	0.0080	0.0090	0.0120	0.0076	0.0103	0.0061	0.0149	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0029	0.0283	0.0002	0.0018	0.0008	0.0002	0.0009	0.0006	0.0028	0.0015	0.0005	0.0007	
Ni (mg/L)	0.5	0.0037	0.0037	0.0045	0.0045	0.0039	0.0106	0.0040	0.0034	0.0040	0.0038	0.0035	0.0039	
Zn (mg/L)	0.5	0.0090	0.0165	0.0076	0.0072	0.0028	0.0029	0.0028	0.0070	0.0129	0.0068	0.0060	0.0071	
TSS (mg/L)	15	7.75	5.50	12.60	5.60	5.25	3.25	2.00	1.90	3.25	7.20	7.00	9.13	
Ra-226 (Bq/L)	0.37	0.0070	NMR	NMR	NMR	0.0060	NMR	0.0050	NMR	NMR	0.0040	NMR	NMR	
pH low	≥ 6.0	7.0	7.2	7.1	7.0	7.0	7.7	7.3	7.5	7.5	7.3	7.5	7.4	
pH high	≤ 9.5	7.9	7.8	7.8	7.9	7.9	8.0	7.8	8.1	7.9	7.9	8.0	7.6	
Flow (m <sup>3</sup> /month)	—	18,974	17,065	27,566	20,325	20,356	20,067	19,187	22,058	19,641	18,086	15,644	22,732	
Rainbow Trout	Pass	1	NMR	NMR	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Beaver Brook Mine												
<b>Operator Name</b>	Beaver Brook Antimony Mine Inc.												
<b>Product(s)</b>	Antimony												
<b>Address</b>	P.O. Box 160, Glenwood, Newfoundland and Labrador A0G 2K0												
<b>Effluent Discharge Point</b>	Site 16 - Polishing Pond Discharge												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	-	-	0.0823	0.0828	0.0870	ND	ND	0.0987	0.1067	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	-	-	0.0010	0.0010	0.0010	ND	ND	0.0010	0.0010	ND	ND	ND
<b>CN</b> (mg/L)	1.0	-	-	NMR	NMR	NMR	ND	ND	NMR	NMR	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	-	-	0.0072	0.0056	0.0024	ND	ND	0.0043	0.0062	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	-	-	0.0295	0.0240	0.0250	ND	ND	0.0140	0.0200	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	-	-	0.0034	0.0025	0.0125	ND	ND	0.0033	0.0043	ND	ND	ND
<b>TSS</b> (mg/L)	15	-	-	19.00	18.00	11.00	ND	ND	15.33	24.00	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	-	-	0.0050	0.0071	0.0025	ND	ND	0.0117	0.0267	ND	ND	ND
<b>pH low</b>	≥ 6.0	-	-	8.0	8.1	8.4	ND	ND	7.9	8.2	ND	ND	ND
<b>pH high</b>	≤ 9.5	-	-	8.2	8.3	8.5	ND	ND	8.3	8.3	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	43,716	45,588	133	ND	ND	36,845	43,773	ND	ND	ND
<b>Rainbow Trout</b>	Pass	-	-	1	1	-	ND	ND	1	1	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	-	-	1	1	-	ND	ND	1	1	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	The mine became subject to the MMER in March 2012. No toxicity test results were provided for May.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Bell Creek Mine and Mill													
<b>Operator Name</b>	Lake Shore Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 1067, 8215 Highway 101 West, Timmins, Ontario P4N 7H9													
<b>Effluent Discharge Point</b>	Effluent Treatment Plant Discharge													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Bell Creek Mine and Mill											
<b>Operator Name</b>		Lake Shore Gold Corporation											
<b>Product(s)</b>		Gold											
<b>Address</b>		P.O. Box 1067, 8215 Highway 101 West, Timmins, Ontario P4N 7H9											
<b>Effluent Discharge Point</b>		Phase 1 and 2 Seepage Collection Ditch											
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Bell Creek Mine and Mill													
<b>Operator Name</b>	Lake Shore Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 1067, 8215 Highway 101 West, Timmins, Ontario P4N 7H9													
<b>Effluent Discharge Point</b>	Phase 3 Seepage Collection Ditch													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Bell Creek Mine and Mill													
<b>Operator Name</b>	Lake Shore Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 1067, 8215 Highway 101 West, Timmins, Ontario P4N 7H9													
<b>Effluent Discharge Point</b>	Polishing Pond													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	0.0238	0.0225	0.0198	0.0193	0.0135	ND	0.0192	0.0151	0.0191	0.0238	0.0266	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	0.0083	0.0039	0.0034	0.0123	0.0162	ND	0.0049	0.0111	0.0065	0.0028	0.0035	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	0.0240	0.0194	0.0025	0.0082	0.0275	ND	0.0105	0.0195	0.0165	0.0060	0.0062	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	0.0005	0.0007	0.0003	0.0003	0.0002	ND	0.0001	0.0002	0.0002	0.0003	0.0002	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	0.0135	0.0135	0.0091	0.0157	0.0225	ND	0.0102	0.0213	0.0161	0.0130	0.0144	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	0.0040	0.0098	0.0056	0.0050	0.0050	ND	0.0080	0.0043	0.0020	0.0015	0.0023	
<b>TSS</b> (mg/L)	<b>15</b>	ND	11.00	8.50	4.75	2.00	3.00	ND	2.00	1.75	5.00	3.00	2.67	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	NMR	0.0050	NMR	NMR	0.0025	ND	0.0050	NMR	0.0050	NMR	0.0050	
<b>pH low</b>	<b>≥ 6.0</b>	ND	8.2	8.0	8.3	6.5	6.5	ND	8.2	7.0	8.1	8.0	7.5	
<b>pH high</b>	<b>≤ 9.5</b>	ND	8.2	8.4	8.4	8.2	7.6	ND	8.4	8.2	8.2	8.1	8.9	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	5,198	149,001	55,302	51,158	69,659	ND	58,934	151,227	19,709	71,151	63,118	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	1	1	1	1	1	ND	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	1	1	1	1	1	ND	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Bellekeno Mine												
Operator Name		Alexco Keno Hill Mining Corporation												
Product(s)		Silver-Lead-Zinc												
Address		P.O. Box 7, Site 2, Elsa, Yukon Y0B 1J0												
Effluent Discharge Point		Be.KV43 - Bellekeno 625 Treatment Pond Decant												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0014	0.0026	0.0027	0.0039	0.0007	0.0008	0.0004	0.0013	0.0017	0.0099	0.0111	0.0138	
Cu (mg/L)	0.3	0.0008	0.0007	0.0016	0.0037	0.0010	0.0009	0.0014	0.0019	0.0006	0.0009	0.0005	0.0005	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0069	0.0307	0.0134	0.0436	0.0074	0.0076	0.0322	0.0171	0.0184	0.0636	0.0213	0.0179	
Ni (mg/L)	0.5	0.0045	0.0039	0.0037	0.0049	0.0019	0.0024	0.0015	0.0023	0.0021	0.0080	0.0087	0.0101	
Zn (mg/L)	0.5	0.0061	0.0164	0.0147	0.0345	0.0091	0.0210	0.0089	0.0306	0.0088	0.0301	0.0135	0.0184	
TSS (mg/L)	15	0.95	3.82	6.33	13.38	2.40	1.45	0.77	7.70	1.48	4.05	1.92	1.03	
Ra-226 (Bq/L)	0.37	NMR	0.0100	NMR	NMR	0.0050	NMR	0.0050	NMR	NMR	0.0200	0.0200	NMR	
pH low	≥ 6.0	8.3	8.0	8.7	7.3	7.2	7.2	7.7	7.7	8.1	7.4	7.4	7.7	
pH high	≤ 9.5	9.2	9.5	9.5	8.8	9.1	8.2	9.2	8.5	8.6	7.8	7.9	8.0	
Flow (m <sup>3</sup> /month)	—	7,522	6,563	8,376	13,856	15,435	14,800	16,231	13,877	14,140	13,093	8,946	8,147	
Rainbow Trout	Pass	2	1	1	1	1	1	1	1	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	2	1	1	1	1	1	1	1	1	1	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Birchtree Mine												
<b>Operator Name</b>	Vale Inco Ltd.												
<b>Product(s)</b>	Nickel-Copper												
<b>Address</b>	P.O. Box 5000, Thompson, Manitoba R8N 1P3												
<b>Effluent Discharge Point</b>	Birchtree Effluent Treatment Plant												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	0.0257	0.0434	0.0410	0.0107	0.0588	0.0312	0.0272	0.0367	0.0084	0.0097	0.0097	0.0040
<b>Cu</b> (mg/L)	0.3	0.0320	0.0300	0.0425	0.0325	0.0360	0.0325	0.0317	0.0350	0.0250	0.0300	0.0275	0.0300
<b>CN</b> (mg/L)	1.0	NMR	0.0054	NMR	NMR	0.0010	NMR	0.0046	NMR	NMR	0.0087	NMR	NMR
<b>Pb</b> (mg/L)	0.2	0.0150	0.0150	0.0150	0.0150	0.0184	0.0198	0.0150	0.0150	0.0150	0.0004	0.0005	0.0005
<b>Ni</b> (mg/L)	0.5	0.0380	0.0275	0.0275	0.0363	0.0140	0.0100	0.0350	0.0300	0.0475	0.0300	0.0300	0.0300
<b>Zn</b> (mg/L)	0.5	0.0298	0.0135	0.0143	0.0233	0.0134	0.0050	0.0062	0.0050	0.0575	0.0088	0.0050	0.0082
<b>TSS</b> (mg/L)	15	3.60	2.60	2.40	0.80	1.68	0.70	0.67	1.40	0.90	0.56	0.70	0.24
<b>Ra-226</b> (Bq/L)	0.37	0.0840	0.0675	0.0625	0.1200	0.1640	0.1400	0.1500	0.1875	0.1425	0.0830	0.0650	0.0420
<b>pH low</b>	≥ 6.0	6.7	6.7	6.6	6.9	6.7	7.0	6.7	6.8	6.9	6.7	6.8	6.7
<b>pH high</b>	≤ 9.5	7.0	7.1	7.0	7.2	7.1	7.1	7.0	7.0	7.0	7.1	7.1	7.2
<b>Flow</b> (m <sup>3</sup> /month)	—	32,538	25,767	26,916	50,498	33,753	39,608	31,832	29,047	35,588	34,125	33,240	28,371
<b>Rainbow Trout</b>	Pass	NMR	1	NMR	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	NMR	-	NMR	NMR	-	NMR	1	NMR	NMR	1	NMR	NMR
<b>Monitoring Test</b>	Fail	-	1	-	-	1	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Black Fox Mine												
Operator Name		Brigus Gold Corporation												
Product(s)		Gold												
Address		Highway 101, P.O. Box 605, Matheson, Ontario P0K 1N0												
Effluent Discharge Point		Pike River Discharge Point												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0926	0.0519	0.0646	0.0751	0.0715	0.0740	0.0619	0.0738	0.0824	0.0914	0.1608	0.1523	
Cu (mg/L)	0.3	0.0032	0.0093	0.0032	0.0021	0.0027	0.0031	0.0019	0.0026	0.0024	0.0043	0.0032	0.0038	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0005	0.0007	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
Ni (mg/L)	0.5	0.0791	0.0774	0.0624	0.0499	0.0353	0.0273	0.0158	0.0210	0.0203	0.0283	0.0560	0.0679	
Zn (mg/L)	0.5	0.0146	0.0142	0.0224	0.0165	0.0179	0.0231	0.0221	0.0310	0.0172	0.0344	0.0187	0.0361	
TSS (mg/L)	15	1.46	1.00	1.91	1.51	1.03	1.41	3.83	0.66	2.19	1.15	0.96	0.62	
Ra-226 (Bq/L)	0.37	0.0050	NMR	NMR	NMR	0.0050	NMR	NMR	0.0060	NMR	0.0060	NMR	NMR	
pH low	≥ 6.0	6.7	7.2	7.1	7.3	7.3	7.2	6.9	7.1	6.6	6.9	7.3	7.1	
pH high	≤ 9.5	7.1	7.4	7.3	7.4	7.6	7.3	7.7	7.7	7.7	7.6	7.6	7.5	
Flow (m <sup>3</sup> /month)	—	13,994	11,295	56,774	67,191	6,729	31,531	17,790	36,524	27,244	58,390	52,610	35,129	
Rainbow Trout	Pass	1	1	2	1	1	1	1	1	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Black Fox Mine											
<b>Operator Name</b>		Brigus Gold Corporation											
<b>Product(s)</b>		Gold											
<b>Address</b>		Highway 101, P.O. Box 605, Matheson, Ontario P0K 1N0											
<b>Effluent Discharge Point</b>		Salve Creek Transitional Period Discharge Point											
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Brunswick No. 12												
Operator Name		Xstrata Canada Corporation – Xstrata Zinc Canada Division												
Product(s)		Lead-Zinc-Copper-Silver												
Address		P.O. Box 3000, Bathurst, New Brunswick E2A 3Z8												
Effluent Discharge Point		3333 Final Effluent												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0155	0.0200	0.0200	0.0152	0.0200	
Cu (mg/L)	0.3	0.0140	0.0100	0.0063	0.0083	0.0100	0.0100	0.0175	0.0078	0.0100	0.0100	0.0224	0.0720	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0076	0.0133	0.0100	0.0081	0.0120	
Ni (mg/L)	0.5	0.0090	0.0100	0.0100	0.0100	0.0100	0.0050	0.0100	0.0076	0.0100	0.0120	0.0079	0.0140	
Zn (mg/L)	0.5	0.0940	0.1675	0.2200	0.1867	0.0940	0.0900	0.0950	0.0650	0.1000	0.0780	0.1218	0.1480	
TSS (mg/L)	15	1.76	2.00	2.55	4.33	2.16	3.60	2.45	1.30	3.53	2.72	3.90	3.44	
Ra-226 (Bq/L)	0.37	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0100	NMR	
pH low	≥ 6.0	9.1	9.1	9.1	9.1	8.9	9.2	9.1	8.6	9.1	9.1	9.1	9.1	
pH high	≤ 9.5	9.2	9.2	9.2	9.3	9.2	9.2	9.2	9.1	9.1	9.1	9.3	9.2	
Flow (m <sup>3</sup> /month)	—	605,975	610,132	1,674,127	1,055,345	1,452,773	575,303	948,696	935,002	680,858	1,517,530	2,489,007	1,012,201	
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	1	1	2	2	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	1	1	2	2	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Bucko Lake Mine													
<b>Operator Name</b>	CaNickel Mining Ltd.													
<b>Product(s)</b>	Nickel													
<b>Address</b>	P.O. 239, 371 Flemming Drive, Wadowden, Manitoba R0B 1S0													
<b>Effluent Discharge Point</b>	Settling Pond Discharge													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0007	0.0004	ND	-	ND	ND	0.0010	0.0020	0.0018	0.0006	0.0006	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0016	0.0005	ND	-	ND	ND	0.0027	0.0011	0.0025	0.0042	0.0026	0.0020	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	ND	NMR	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0008	0.0002	ND	-	ND	ND	0.0003	0.0001	0.0001	0.0003	0.0002	0.0002	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0854	0.0383	ND	-	ND	ND	0.1532	0.0391	0.0505	0.0513	0.0786	0.0631	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0135	0.0040	ND	-	ND	ND	0.0040	0.0043	0.0080	0.0045	0.0072	0.0043	
<b>TSS</b> (mg/L)	<b>15</b>	9.44	11.40	ND	-	ND	ND	32.30	19.17	17.10	8.74	12.40	9.68	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0119	0.0100	ND	-	ND	ND	0.3600	0.2657	0.1733	0.2060	0.1950	0.1160	
<b>pH low</b>	<b>≥ 6.0</b>	7.4	9.1	ND	-	ND	ND	7.5	7.3	6.9	7.4	7.4	7.4	
<b>pH high</b>	<b>≤ 9.5</b>	7.8	9.1	ND	-	ND	ND	7.7	7.8	7.8	7.8	7.6	7.5	
<b>Flow</b> (m <sup>3</sup> /month)	—	21,290	8,994	ND	1,205	ND	ND	17,129	28,006	17,207	23,252	17,272	18,643	
<b>Rainbow Trout</b>	<b>Pass</b>	1	-	ND	-	ND	ND	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	-	-	ND	-	ND	ND	-	1	-	-	-	-	
<b>Monitoring Test</b>	<b>Fail</b>	1	-	-	-	-	-	1	-	1	1	1	1	
<b>Comments:</b>	No toxicity test results were provided for February and April. Only flow measurement was provided for April since the mine reported discharge of effluent during only one day for that month.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Camflo (Mill)											
Operator Name		Mines Richmond Inc.											
Product(s)		Gold											
Address		100 Road 117, P.O. Box 640, Malartic, Quebec J0Y 1Z0											
Effluent Discharge Point		Final Effluent											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
As (mg/L)	0.5	0.0005	0.0006	0.0005	0.0008	0.0005	0.0050	0.0078	0.0034	0.0029	0.0012	0.0013	0.0006
Cu (mg/L)	0.3	0.0041	0.0029	0.0057	0.0071	0.0112	0.0070	0.0034	0.0034	0.0048	0.0041	0.0051	0.0061
CN (mg/L)	1.0	0.0700	0.0785	0.0535	0.0190	0.0675	0.0743	0.0698	0.0718	0.0678	0.0344	0.0284	0.0699
Pb (mg/L)	0.2	0.0014	0.0090	0.0007	0.0004	0.0026	0.0005	0.0002	0.0007	0.0005	0.0004	0.0029	0.0010
Ni (mg/L)	0.5	0.0094	0.0097	0.0093	0.0044	0.0135	0.0091	0.0109	0.0091	0.0116	0.0064	0.0076	0.0112
Zn (mg/L)	0.5	0.0080	0.0138	0.0064	0.0049	0.0178	0.0009	0.0017	0.0051	0.0022	0.0043	0.0049	0.0071
TSS (mg/L)	15	2.50	1.00	2.00	8.20	3.50	5.00	4.50	2.75	2.60	5.80	3.13	0.88
Ra-226 (Bq/L)	0.37	0.0030	NMR	NMR	0.0020	NMR	NMR	0.0070	NMR	NMR	0.0030	NMR	NMR
pH low	≥ 6.0	7.2	7.5	7.3	7.3	7.4	7.5	7.4	7.5	7.6	7.4	7.4	7.2
pH high	≤ 9.5	7.5	7.8	7.6	7.9	7.7	7.7	7.8	7.8	7.8	7.8	8.1	7.7
Flow (m <sup>3</sup> /month)	—	16,338	29,441	59,371	167,098	15,847	15,984	6,428	9,151	18,058	144,098	106,920	18,302
Rainbow Trout	Pass	1	NMR	NMR	NMR	1	NMR	1	NMR	1	1	NMR	NMR
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<i>Daphnia magna</i>	Pass	1	NMR	NMR	NMR	1	NMR	1	NMR	1	1	NMR	NMR
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Campbell Mine												
<b>Operator Name</b>	Goldcorp Inc.												
<b>Product(s)</b>	Gold												
<b>Address</b>	P.O. Box 2000, 10 Mine Road, Balmertown, Ontario P0V 1C0												
<b>Effluent Discharge Point</b>	WETOUT												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	0.0202	0.0301	0.0404	0.0272	ND	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	0.0091	0.0074	0.0068	0.0068	ND	ND	ND	ND
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	0.0083	0.0061	0.0048	0.0088	ND	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	0.0002	0.0001	0.0004	0.0008	ND	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	0.0666	0.0755	0.0561	0.0585	ND	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	0.0215	0.0098	0.0427	0.0848	ND	ND	ND	ND
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	1.88	2.05	2.42	3.48	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	0.0025	0.0025	0.0100	0.0060	ND	ND	ND	ND
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	7.5	6.4	6.5	6.2	ND	ND	ND	ND
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	7.9	7.5	7.2	6.7	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	61,859	280,936	372,728	337,479	ND	ND	ND	ND
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	1	1	1	2	ND	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	1	1	1	2	ND	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Canadian Malartic Mine												
Operator Name		Corporation minière Osisko												
Product(s)		Gold												
Address		100 Mourier Lake Road, Malartic, Quebec J0Y 1Z0												
Effluent Discharge Point		Final Effluent												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0013	0.0008	0.0005	0.0007	ND	ND	ND	ND	ND	0.0005	0.0005	0.0006	
Cu (mg/L)	0.3	0.0700	0.0770	0.1023	0.0280	ND	ND	ND	ND	ND	0.0185	0.0563	0.0505	
CN (mg/L)	1.0	0.4254	0.6100	0.4767	0.0867	ND	ND	ND	ND	ND	0.0050	0.3775	0.3150	
Pb (mg/L)	0.2	0.0005	0.0005	0.0007	0.0025	ND	ND	ND	ND	ND	0.0005	0.0005	0.0005	
Ni (mg/L)	0.5	0.0352	0.0460	0.0177	0.0113	ND	ND	ND	ND	ND	0.0190	0.0138	0.0131	
Zn (mg/L)	0.5	0.0126	0.0067	0.0093	0.0083	ND	ND	ND	ND	ND	0.0078	0.0035	0.0049	
TSS (mg/L)	15	1.80	0.67	8.67	21.17	ND	ND	ND	ND	ND	1.65	1.70	1.40	
Ra-226 (Bq/L)	0.37	0.0087	0.0040	NMR	-	ND	ND	ND	ND	ND	NMR	NMR	0.0030	
pH low	≥ 6.0	7.5	7.4	7.0	7.9	ND	ND	ND	ND	ND	7.7	6.8	6.5	
pH high	≤ 9.5	7.7	7.7	7.8	8.1	ND	ND	ND	ND	ND	8.0	8.2	7.8	
Flow (m <sup>3</sup> /month)	—	524,589	253,202	612,870	22,287	ND	ND	ND	ND	ND	100,439	1,126,570	572,672	
Rainbow Trout	Pass	1	1	1	1	ND	ND	ND	ND	ND	NMR	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	ND	ND	ND	ND	ND	NMR	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		No radium 226 test results were provided for the second quarter.												
Notes:		ND: No Deposit				NMR: No Measurement Required				Pass: ≤50% Mortality				Fail: >50% Mortality
		Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.												
		A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.												

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Cantung Mine													
<b>Operator Name</b>	North American Tungsten Corporation Ltd.													
<b>Product(s)</b>	Tungsten													
<b>Address</b>	P.O. Box 848, Watson Lake, Yukon Y0A 1C0													
<b>Effluent Discharge Point</b>	4-27-2 Culvert													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	0.0003	0.0003	0.0077	0.0004	0.0005	0.0005	0.0006	0.0004	0.0005	0.0016	0.0004	0.0004	
<b>Cu</b> (mg/L)	0.3	0.0007	0.0006	0.0005	0.0013	0.0004	0.0007	0.0014	0.0003	0.0007	0.0003	0.0007	0.0008	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	0.0000	0.0000	0.0000	0.0001	0.0001	0.0001	0.0002	0.0000	0.0000	0.0000	0.0000	0.0000	
<b>Ni</b> (mg/L)	0.5	0.0008	0.0006	0.0010	0.0007	0.0009	0.0008	0.0010	0.0007	0.0008	0.0006	0.0008	0.0007	
<b>Zn</b> (mg/L)	0.5	0.0036	0.0045	0.0056	0.0037	0.0031	0.0043	0.0052	0.0030	0.0040	0.0048	0.0041	0.0023	
<b>TSS</b> (mg/L)	15	0.60	2.25	1.50	3.60	1.63	2.13	4.38	0.63	2.50	0.88	0.50	1.20	
<b>Ra-226</b> (Bq/L)	0.37	0.0070	NMR	NMR	0.0100	NMR	NMR	0.0100	NMR	NMR	0.0050	NMR	NMR	
<b>pH low</b>	≥ 6.0	7.9	7.9	7.8	8.0	8.1	8.0	8.0	8.0	8.1	8.0	8.0	8.0	
<b>pH high</b>	≤ 9.5	8.2	8.0	8.2	8.2	8.2	8.2	8.1	8.1	8.2	8.1	8.1	8.0	
<b>Flow</b> (m <sup>3</sup> /month)	—	49,664	36,572	35,489	33,877	153,821	237,729	136,467	63,981	84,569	75,806	87,388	76,743	
<b>Rainbow Trout</b>	Pass	1	NMR	NMR	1	NMR	NMR	NMR	1	NMR	1	NMR	NMR	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	1	NMR	NMR	1	NMR	NMR	NMR	1	NMR	1	NMR	NMR	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Cantung Mine												
Operator Name		North American Tungsten Corporation Ltd.												
Product(s)		Tungsten												
Address		P.O. Box 848, Watson Lake, Yukon Y0A 1C0												
Effluent Discharge Point		Polishing Pond Four												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0003	0.0003	0.0003	0.0003	0.0005	0.0005	0.0005	0.0004	0.0004	0.0005	0.0005	0.0006	
Cu (mg/L)	0.3	0.0011	0.0005	0.0009	0.0005	0.0003	0.0003	0.0005	0.0003	0.0011	0.0003	0.0003	0.0005	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	0.0020	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.0000	
Ni (mg/L)	0.5	0.0072	0.0070	0.0062	0.0063	0.0064	0.0073	0.0079	0.0066	0.0060	0.0063	0.0082	0.0051	
Zn (mg/L)	0.5	0.0104	0.0103	0.0080	0.0082	0.0098	0.0125	0.0174	0.0108	0.0086	0.0070	0.0105	0.0066	
TSS (mg/L)	15	1.50	2.25	1.88	3.20	2.13	1.25	1.10	0.50	0.50	0.63	1.13	0.60	
Ra-226 (Bq/L)	0.37	0.0060	NMR	NMR	0.0100	NMR	NMR	-	-	-	0.0100	NMR	NMR	
pH low	≥ 6.0	7.9	8.0	7.9	8.0	8.0	7.9	7.9	8.0	8.0	8.0	8.1	8.0	
pH high	≤ 9.5	8.1	8.1	8.2	8.1	8.1	8.1	8.1	8.1	8.2	8.1	8.1	8.1	
Flow (m <sup>3</sup> /month)	—	145,004	123,424	106,476	109,320	125,022	133,536	97,604	93,798	94,363	84,351	87,397	89,220	
Rainbow Trout	Pass	1	NMR	NMR	1	NMR	NMR	NMR	1	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	1	NMR	NMR	NMR	1	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		No radium 226 results were provided for the third quarter.												
Notes:		ND: No Deposit			NMR: No Measurement Required			Pass: ≤50% Mortality			Fail: >50% Mortality			
		Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.												
		A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.												



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Cantung Mine												
<b>Operator Name</b>		North American Tungsten Corporation Ltd.												
<b>Product(s)</b>		Tungsten												
<b>Address</b>		P.O. Box 848, Watson Lake, Yukon Y0A 1C0												
<b>Effluent Discharge Point</b>		Settling Pond 5-2												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0005	0.0009	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	0.0055	0.0026	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	NMR	NMR	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	0.0003	0.0002	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0010	0.0017	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0140	0.0075	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	8.25	5.00	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	0.0050	-	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	8.0	7.8	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	8.2	8.1	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	6,468	4,845	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	1	1	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	1	1	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		No radium 226 results were provided for the third quarter.												
Notes:		ND: No Deposit			NMR: No Measurement Required			Pass: ≤50% Mortality			Fail: >50% Mortality			
		Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.												
		A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.												

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Caribou Mine – Mill												
Operator Name		Maple Minerals Corporation / Trevali Mining Corporation												
Product(s)		Zinc-Lead-Silver-Copper-Gold												
Address		385 Pleasant St., Suite 4, Miramichi, New Brunswick E1V 1X4												
Effluent Discharge Point		Polishing Pond Effluent												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0018	0.0020	0.0018	0.0018	0.0022	0.0028	0.0018	0.0020	0.0015	0.0016	0.0018	0.0033	
Cu (mg/L)	0.3	0.0069	0.0070	0.0080	0.0060	0.0052	0.0055	0.0055	0.0044	0.0033	0.0064	0.0048	0.0020	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0055	0.0063	0.0052	0.0084	0.0150	0.0031	0.0024	0.0020	0.0013	0.0029	0.0039	0.0012	
Ni (mg/L)	0.5	0.0007	0.0009	0.0009	0.0005	0.0005	0.0006	0.0006	0.0005	0.0005	0.0005	0.0005	0.0006	
Zn (mg/L)	0.5	0.2012	0.2365	0.2443	0.2550	0.2254	0.0883	0.1323	0.0824	0.0555	0.1232	0.2145	0.1435	
TSS (mg/L)	15	1.90	1.00	1.00	1.00	1.40	2.50	1.00	1.40	1.00	1.00	1.25	1.50	
Ra-226 (Bq/L)	0.37	0.0025	0.0058	0.0025	0.0036	0.0025	0.0058	0.0036	NMR	NMR	0.0100	NMR	NMR	
pH low	≥6.0	7.5	7.4	7.3	7.3	7.2	7.1	7.1	7.2	7.3	7.2	7.1	6.8	
pH high	≤9.5	7.7	7.6	7.6	7.5	7.5	7.5	7.5	7.6	7.5	7.6	7.4	7.2	
Flow (m <sup>3</sup> /month)	—	100,048	82,220	236,295	325,887	220,127	15,946	145,045	29,668	5,631	134,029	464,483	16,011	
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	In November 2012, the ownership of Caribou Mine – Mill was transferred from Maple Minerals Corporation to Trevali Mining Corporation.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Casa Berardi (Mine)												
<b>Operator Name</b>	Mines Aurizon Ltée												
<b>Product(s)</b>	Gold												
<b>Address</b>	659 2nd Street East, La Sarre, Quebec J9Z 2Y9												
<b>Effluent Discharge Point</b>	Final Effluent – Point A												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	0.0611	0.1035	ND	ND	ND	ND	0.1302	0.1399
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	0.0208	0.0130	ND	ND	ND	ND	0.0100	0.0512
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	0.0285	0.0136	ND	ND	ND	ND	0.0120	0.0563
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	0.0002	0.0002	ND	ND	ND	ND	0.0005	0.0003
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	0.0113	0.0116	ND	ND	ND	ND	0.0105	0.0271
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	0.0035	0.0021	ND	ND	ND	ND	0.0020	0.0092
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	2.50	4.25	ND	ND	ND	ND	2.00	1.00
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	0.0025	0.0020	ND	ND	ND	ND	0.0015	0.0027
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	7.8	6.9	ND	ND	ND	ND	7.6	7.3
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	8.0	8.2	ND	ND	ND	ND	7.8	7.7
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	590,627	235,608	ND	ND	ND	ND	262,019	364,105
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	1	1	ND	ND	ND	ND	1	1
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	1	1	ND	ND	ND	ND	1	1
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Chisel North Mine												
Operator Name		Hudson Bay Mining and Smelting Co. Ltd.												
Product(s)		Zinc												
Address		P.O. Box 130, Snow Lake, Manitoba R0B 1M0												
Effluent Discharge Point		Chisel North Mine Discharge												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
Cu (mg/L)	0.3	0.0051	0.0045	0.0050	0.0056	0.0064	0.0044	0.0006	0.0039	0.0024	0.0017	0.0015	0.0040	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0053	0.0046	0.0078	0.0068	0.0063	0.0051	0.0035	0.0058	0.0035	0.0054	0.0035	0.0100	
Ni (mg/L)	0.5	0.0088	0.0093	0.0090	0.0048	0.0097	0.0090	0.0098	0.0125	0.0090	0.0160	0.0153	0.0180	
Zn (mg/L)	0.5	0.2380	0.3038	0.2248	0.3328	0.2767	0.1870	0.2922	0.1960	0.1757	0.2856	0.3018	0.3837	
TSS (mg/L)	15	0.45	2.33	2.34	1.74	5.40	4.96	1.90	1.88	0.45	0.76	1.73	1.50	
Ra-226 (Bq/L)	0.37	0.0660	0.0500	0.0450	0.0800	0.1333	0.1575	0.1720	0.1650	0.1233	0.0540	0.0500	0.0533	
pH low	≥ 6.0	6.7	7.4	8.6	6.9	7.7	8.3	8.3	8.5	7.8	8.2	8.2	8.0	
pH high	≤ 9.5	8.2	8.8	8.7	8.4	8.7	9.0	8.7	8.7	8.7	9.2	9.2	8.6	
Flow (m <sup>3</sup> /month)	—	143,107	99,149	121,186	129,816	78,564	141,269	165,078	61,787	75,927	129,704	101,521	120,855	
Rainbow Trout	Pass	NMR	NMR	1	1	NMR	NMR	NMR	1	1	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	NMR	NMR	1	1	NMR	NMR	NMR	1	1	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Cigar Lake Project													
<b>Operator Name</b>	Cameco Corporation													
<b>Product(s)</b>	Uranium													
<b>Address</b>	2121-11th Street West, Saskatoon, Saskatchewan S7M 1J3													
<b>Effluent Discharge Point</b>	Station 2.2													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	0.5	0.0005	0.0006	0.0006	0.0005	0.0006	0.0005	0.0008	0.0011	0.0010	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	0.3	0.0014	0.0017	0.0015	0.0013	0.0040	0.0017	0.0020	0.0018	0.0023	0.0009	0.0011	0.0013	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
<b>Ni</b> (mg/L)	0.5	0.0034	0.0037	0.0057	0.0042	0.0060	0.0033	0.0031	0.0043	0.0042	0.0018	0.0039	0.0036	
<b>Zn</b> (mg/L)	0.5	0.0200	0.0146	0.0145	0.0135	0.0109	0.0124	0.0157	0.0159	0.0101	0.0078	0.0146	0.0118	
<b>TSS</b> (mg/L)	15	1.25	1.20	0.63	1.38	0.60	0.80	1.44	1.79	0.60	0.62	0.60	0.63	
<b>Ra-226</b> (Bq/L)	0.37	0.0025	0.0025	0.0025	0.0025	0.0025	0.0054	0.0033	0.0034	0.0038	0.0031	0.0039	0.0034	
<b>pH low</b>	≥ 6.0	7.1	7.0	7.3	7.2	7.1	6.9	6.9	7.2	6.9	7.1	7.0	7.2	
<b>pH high</b>	≤ 9.5	7.5	7.4	7.3	7.4	7.5	7.2	7.6	7.4	7.3	7.4	7.6	7.7	
<b>Flow</b> (m <sup>3</sup> /month)	—	19,025	20,511	17,245	29,390	47,169	16,476	23,831	24,082	62,550	67,470	26,786	23,132	
<b>Rainbow Trout</b>	Pass	1	NMR	NMR	NMR	1	NMR	1	1	1	1	NMR	NMR	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	1	NMR	NMR	NMR	1	NMR	1	1	1	1	NMR	NMR	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Clavos Mine												
<b>Operator Name</b>		St Andrew Goldfields Ltd. / Sage Gold Inc.												
<b>Product(s)</b>		Gold												
<b>Address</b>		Rural Route 2, Matheson, Ontario P0K 1N0												
<b>Effluent Discharge Point</b>		Clavos Mine Drainage Area												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	0.0395	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	0.0022	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	NMR	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	0.0005	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	0.0027	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	0.0050	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	1.00	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	0.0050	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	7.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	7.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	27,862	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		In September 2012, the ownership of Calvos Mine was transferred from St Andrew Goldfield Ltd to Sage Gold Inc.												
Notes: ND: No Deposit		NMR: No Measurement Required				Pass: ≤50% Mortality				Fail: >50% Mortality				
Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.														
A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Clavos Mine													
<b>Operator Name</b>	St Andrew Goldfields Ltd. / Sage Gold Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	Rural Route 2, Matheson, Ontario P0K 1N0													
<b>Effluent Discharge Point</b>	Sediment Pond													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	In September 2012, the ownership of Calvos Mine was transferred from St Andrew Goldfield Ltd to Sage Gold Inc.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Complexe métallurgique Sorel-Tracy												
Operator Name		QIT-Fer et Titane Inc.												
Product(s)		Iron-Titanium												
Address		1625 Marie-Victorin Road, Sorel-Tracy, Quebec J3R 1M6												
Effluent Discharge Point		Final Effluent QIT (Point 1.4)												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0029	0.0033	0.0030	0.0030	0.0022	0.0029	0.0030	0.0022	0.0028	0.0025	0.0023	0.0036	
Cu (mg/L)	0.3	0.0111	0.0113	0.0122	0.0122	0.0069	0.0033	0.0043	0.0079	0.0055	0.0046	0.0088	0.0063	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0564	0.0089	0.0150	0.0066	0.0062	0.0080	0.0119	0.0065	0.0072	0.0080	0.0083	0.0119	
Ni (mg/L)	0.5	0.0214	0.0253	0.0315	0.0260	0.0206	0.0221	0.0108	0.0152	0.0145	0.0148	0.0218	0.0238	
Zn (mg/L)	0.5	0.2206	0.1223	0.2000	0.1338	0.0714	0.0978	0.0794	0.0478	0.0703	0.0666	0.0615	0.1490	
TSS (mg/L)	15	30.80	32.95	13.75	9.10	9.00	12.80	11.82	12.10	4.45	8.50	20.85	39.15	
Ra-226 (Bq/L)	0.37	0.0046	0.0069	0.0045	0.0144	0.0042	0.0028	0.0042	0.0025	0.0019	0.0019	0.0020	0.0015	
pH low	≥ 6.0	7.3	7.2	7.4	7.5	7.0	7.5	7.7	7.7	7.7	7.5	7.0	6.5	
pH high	≤ 9.5	7.6	7.5	7.7	7.7	7.6	8.1	8.1	8.1	7.9	7.8	7.2	7.8	
Flow (m <sup>3</sup> /month)	—	5,215,031	4,965,119	5,445,886	5,243,730	5,679,677	5,354,235	5,765,120	5,734,171	5,459,576	5,056,809	4,318,208	4,066,069	
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Complexe métallurgique Sorel-Tracy												
<b>Operator Name</b>		QIT-Fer et Titane Inc.												
<b>Product(s)</b>		Iron-Titanium												
<b>Address</b>		1625 Marie-Victorin Road, Sorel-Tracy, Quebec J3R 1M6												
<b>Effluent Discharge Point</b>		EFF2.2-P84												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	0.0019	0.0012	0.0016	0.0023	0.0017	0.0017	0.0016	0.0012	0.0007	0.0005	0.0012	0.0010	
<b>Cu</b> (mg/L)	0.3	0.0102	0.0049	0.0149	0.0180	0.0126	0.0087	0.0079	0.0055	0.0033	0.0059	0.0092	0.0084	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	0.0013	0.0007	0.0015	0.0027	0.0014	0.0009	0.0005	0.0005	0.0007	0.0020	0.0022	0.0017	
<b>Ni</b> (mg/L)	0.5	0.0108	0.0071	0.0131	0.0163	0.0122	0.0125	0.0086	0.0040	0.0055	0.0132	0.0143	0.0145	
<b>Zn</b> (mg/L)	0.5	0.0753	0.0203	0.0136	0.0439	0.0123	0.0147	0.0094	0.0045	0.0044	0.0134	0.0148	0.0290	
<b>TSS</b> (mg/L)	15	4.18	3.30	4.50	7.13	6.66	3.73	2.12	1.28	2.15	1.22	2.20	4.48	
<b>Ra-226</b> (Bq/L)	0.37	0.0075	0.0045	0.0036	0.0031	0.0030	0.0018	0.0045	0.0070	0.0023	0.0014	0.0013	0.0010	
<b>pH low</b>	≥ 6.0	8.1	7.8	7.9	8.9	8.0	8.2	8.1	8.6	7.9	7.8	7.5	7.5	
<b>pH high</b>	≤ 9.5	8.6	8.1	9.3	9.2	9.1	8.6	8.7	8.8	8.6	8.4	8.3	7.6	
<b>Flow</b> (m <sup>3</sup> /month)	—	7,164	5,618	17,372	12,224	15,936	6,117	3,687	2,571	1,801	4,409	2,709	3,279	
<b>Rainbow Trout</b>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Con Mine													
<b>Operator Name</b>	Miramar Northern Mining Ltd.													
<b>Product(s)</b>	Gold													
<b>Address</b>	75 Con Road, P.O. Box 2000, Yellowknife, Northwest Territories X1A 2M1													
<b>Effluent Discharge Point</b>	Surveillance Network Program Station 40-1													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Copper Cliff Complex													
<b>Operator Name</b>	Vale Canada Ltd.													
<b>Product(s)</b>	Nickel-Copper-Cobalt-Platinum													
<b>Address</b>	155 Balsam Street, Copper Cliff, Ontario P0M 1N0													
<b>Effluent Discharge Point</b>	Copper Cliff Wastewater Treatment Plant													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0148	0.0046	0.0070	0.0018	0.0025	ND	ND	0.0073	0.0070	0.0017	0.0010	0.0013	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.2628	0.2574	0.2078	0.1393	0.1380	ND	ND	0.0327	0.0720	0.0943	0.1613	0.1950	
<b>CN</b> (mg/L)	<b>1.0</b>	0.0090	0.0098	0.0080	0.0045	0.0090	ND	ND	0.0117	0.0020	0.0018	0.0023	0.0018	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0310	0.0310	0.0310	0.0310	0.0310	ND	ND	0.0310	0.0310	0.0310	0.0310	0.0310	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.1568	0.3326	0.0993	0.0775	0.0965	ND	ND	0.0167	0.0290	0.0320	0.1578	0.1670	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0268	0.0296	0.0090	0.0135	0.0180	ND	ND	0.0050	0.0050	0.0050	0.0050	0.0050	
<b>TSS</b> (mg/L)	<b>15</b>	1.95	3.32	1.70	2.30	1.00	ND	ND	1.47	2.20	1.33	2.55	2.45	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0100	NMR	NMR	0.0160	NMR	ND	ND	0.0050	NMR	0.0080	NMR	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	7.6	8.0	7.3	8.3	8.0	ND	ND	8.3	9.0	6.8	7.0	6.1	
<b>pH high</b>	<b>≤ 9.5</b>	8.5	8.4	8.9	9.0	9.2	ND	ND	8.6	9.0	8.7	8.6	8.3	
<b>Flow</b> (m <sup>3</sup> /month)	—	3,974,123	3,781,507	4,749,293	4,059,225	831,644	ND	ND	2,309,688	438,370	1,828,809	2,990,601	3,316,969	
<b>Rainbow Trout</b>	<b>Pass</b>	1	NMR	NMR	1	NMR	ND	ND	1	NMR	1	NMR	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	NMR	NMR	1	NMR	ND	ND	1	NMR	1	NMR	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Copper Cliff Complex													
<b>Operator Name</b>	Vale Canada Ltd.													
<b>Product(s)</b>	Nickel-Copper-Cobalt-Platinum													
<b>Address</b>	155 Balsam Street, Copper Cliff, Ontario P0M 1N0													
<b>Effluent Discharge Point</b>	Nolin Creek Spillway													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Copper Cliff Complex												
<b>Operator Name</b>		Vale Canada Ltd.												
<b>Product(s)</b>		Nickel-Copper-Cobalt-Platinum												
<b>Address</b>		155 Balsam Street, Copper Cliff, Ontario P0M 1N0												
<b>Effluent Discharge Point</b>		Nolin Creek Wastewater Treatment Plant												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0010	0.0010	0.0010	0.0010	0.0010	ND	ND	ND	ND	0.0010	0.0010	0.0010	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0898	0.0922	0.1220	0.0545	0.0733	ND	ND	ND	ND	0.0640	0.1063	0.1045	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	ND	ND	ND	ND	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0080	0.0098	0.0080	0.0080	0.0080	ND	ND	ND	ND	0.0080	0.0080	0.0105	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.2760	0.3048	0.3608	0.1685	0.1913	ND	ND	ND	ND	0.1790	0.3043	0.3325	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0133	0.0172	0.0083	0.0054	0.0075	ND	ND	ND	ND	0.0025	0.0034	0.0053	
<b>TSS</b> (mg/L)	<b>15</b>	2.90	2.44	2.75	1.60	2.27	ND	ND	ND	ND	2.36	2.95	2.85	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0100	NMR	NMR	0.0060	NMR	ND	ND	ND	ND	0.0140	NMR	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	8.3	8.3	8.5	8.5	8.6	ND	ND	ND	ND	8.4	8.4	8.3	
<b>pH high</b>	<b>≤ 9.5</b>	8.7	8.7	8.8	9.2	9.3	ND	ND	ND	ND	8.7	8.5	8.4	
<b>Flow</b> (m <sup>3</sup> /month)	—	330,793	385,439	722,966	718,920	319,086	ND	ND	ND	ND	477,690	327,628	200,911	
<b>Rainbow Trout</b>	<b>Pass</b>	1	NMR	NMR	1	NMR	ND	ND	ND	ND	1	NMR	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	NMR	NMR	1	NMR	ND	ND	ND	ND	1	NMR	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Copper Mountain Mine												
Operator Name		Similco Mines Ltd.												
Product(s)		Copper-Gold-Silver												
Address		P.O. Box 1400, Princeton, British Columbia V0X 1W0												
Effluent Discharge Point		Co.SW07 - W. Dam Seepage												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0010	0.0010	0.0015	0.0010	0.0010	0.0009	0.0010	0.0012	0.0011	0.0010	0.0010	0.0010	
Cu (mg/L)	0.3	0.0023	0.0029	0.0027	0.0044	0.0028	0.0020	0.0023	0.0033	0.0035	0.0030	0.0031	0.0048	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0000	0.0001	0.0000	0.0002	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Ni (mg/L)	0.5	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0004	0.0003	0.0003	0.0003	0.0003	
Zn (mg/L)	0.5	0.0029	0.0027	0.0019	0.0040	0.0029	0.0019	0.0019	0.0019	0.0047	0.0015	0.0038	0.0015	
TSS (mg/L)	15	3.00	5.22	1.75	6.05	1.32	0.63	0.50	1.02	0.53	1.24	0.83	0.65	
Ra-226 (Bq/L)	0.37	NMR	0.0070	NMR	NMR	0.0025	NMR	NMR	0.0041	NMR	NMR	0.0041	NMR	
pH low	≥ 6.0	7.9	8.1	7.8	8.0	7.8	7.7	7.6	7.9	8.0	8.0	7.8	7.9	
pH high	≤ 9.5	8.3	8.3	8.0	8.3	8.2	8.3	8.1	8.1	8.0	8.1	8.0	8.0	
Flow (m <sup>3</sup> /month)	—	44,662	58,982	110,551	31,280	32,027	21,185	66,960	66,960	19,594	27,883	74,780	93,744	
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Copper Mountain Mine													
<b>Operator Name</b>	Similco Mines Ltd.													
<b>Product(s)</b>	Copper-Gold-Silver													
<b>Address</b>	P.O. Box 1400, Princeton, British Columbia V0X 1W0													
<b>Effluent Discharge Point</b>	Co.SW09 - Level 6 Adit													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0019	0.0019	0.0020	0.0017	0.0017	0.0016	0.0015	0.0016	0.0018	0.0017	0.0015	0.0018	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0190	0.0184	0.0204	0.0194	0.0204	0.0211	0.0213	0.0209	0.0206	0.0203	0.0216	0.0223	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0001	0.0000	0.0001	0.0001	0.0001	0.0000	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0008	0.0008	0.0008	0.0010	0.0012	0.0010	0.0013	0.0012	0.0012	0.0011	0.0011	0.0005	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0030	0.0032	0.0030	0.0030	0.0030	0.0033	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	
<b>TSS</b> (mg/L)	<b>15</b>	3.00	3.00	1.75	0.70	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR	0.0042	NMR	NMR	0.0088	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	8.0	8.0	7.9	8.1	7.9	7.9	7.9	8.0	8.0	8.0	7.9	8.0	
<b>pH high</b>	<b>≤ 9.5</b>	8.2	8.2	8.1	8.2	8.2	8.3	8.1	8.1	8.1	8.2	8.1	8.1	
<b>Flow</b> (m <sup>3</sup> /month)	—	12,240	10,229	14,397	32,210	32,604	17,905	17,099	18,636	12,468	11,676	21,694	19,158	
<b>Rainbow Trout</b>	<b>Pass</b>	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Copper Mountain Mine												
Operator Name		Similco Mines Ltd.												
Product(s)		Copper-Gold-Silver												
Address		P.O. Box 1400, Princeton, British Columbia V0X 1W0												
Effluent Discharge Point		Co.SW21 - D4 Dump Drainage												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0005	0.0005	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0009	0.0010	0.0009	0.0011	
Cu (mg/L)	0.3	0.0031	0.0030	0.0032	0.0044	0.0049	0.0048	0.0053	0.0052	0.0065	0.0066	0.0069	0.0096	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0001	0.0001	0.0001	0.0000	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
Ni (mg/L)	0.5	0.0007	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0028	
Zn (mg/L)	0.5	0.0030	0.0030	0.0030	0.0026	0.0030	0.0030	0.0030	0.0030	0.0048	0.0030	0.0030	0.0030	
TSS (mg/L)	15	3.03	3.06	1.75	0.50	0.90	0.78	0.50	0.60	2.33	0.60	0.75	0.85	
Ra-226 (Bq/L)	0.37	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR	0.0087	NMR	NMR	0.0030	NMR	
pH low	≥ 6.0	8.0	8.1	8.1	8.1	7.9	8.1	8.1	8.2	8.2	8.0	8.1	8.2	
pH high	≤ 9.5	8.2	8.2	8.2	8.2	8.3	8.4	8.2	8.2	8.3	8.3	8.2	8.2	
Flow (m <sup>3</sup> /month)	—	676	376	723	3,585	1,736	980	1,554	1,883	1,789	1,463	1,827	1,718	
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Copper Mountain Mine													
<b>Operator Name</b>	Similco Mines Ltd.													
<b>Product(s)</b>	Copper-Gold-Silver													
<b>Address</b>	P.O. Box 1400, Princeton, British Columbia V0X 1W0													
<b>Effluent Discharge Point</b>	Co.SW27 - E Dam Seepage													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	0.0008	0.0008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	0.0022	0.0018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	NMR	NMR	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	0.0000	0.0000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	0.0006	0.0007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	0.0015	0.0033	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	3.00	3.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	NMR	0.0050	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	7.8	8.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	8.1	8.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	62,942	3,629	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Copper Mountain Mine												
Operator Name		Similco Mines Ltd.												
Product(s)		Copper-Gold-Silver												
Address		P.O. Box 1400, Princeton, British Columbia V0X 1W0												
Effluent Discharge Point		Co.SW36 - Lost Horse Gulch Drainage												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0007	0.0008	0.0007	0.0010	0.0007	0.0008	0.0009	0.0009	0.0009	0.0008	0.0007	0.0009	
Cu (mg/L)	0.3	0.0122	0.0139	0.0161	0.0779	0.0165	0.0141	0.0136	0.0138	0.0138	0.0129	0.0128	0.0154	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0001	0.0001	0.0001	0.0002	0.0000	0.0000	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
Ni (mg/L)	0.5	0.0011	0.0013	0.0012	0.0015	0.0006	0.0008	0.0011	0.0011	0.0012	0.0008	0.0011	0.0011	
Zn (mg/L)	0.5	0.0030	0.0030	0.0030	0.0042	0.0027	0.0026	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	
TSS (mg/L)	15	3.15	3.16	2.13	26.93	2.54	1.25	0.88	1.04	0.68	0.50	0.78	0.50	
Ra-226 (Bq/L)	0.37	NMR	0.0025	NMR	NMR	0.0050	NMR	NMR	0.0077	NMR	NMR	0.0039	NMR	
pH low	≥ 6.0	8.1	8.1	8.0	8.1	8.1	8.0	8.1	8.2	8.1	8.1	8.0	8.1	
pH high	≤ 9.5	8.3	8.2	8.2	8.3	8.3	8.3	8.2	8.2	8.2	8.3	8.2	8.2	
Flow (m <sup>3</sup> /month)	—	9,974	7,815	21,130	32,716	21,852	13,180	13,150	12,056	9,007	8,556	12,009	11,550	
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Copper Mountain Mine													
<b>Operator Name</b>	Similco Mines Ltd.													
<b>Product(s)</b>	Copper-Gold-Silver													
<b>Address</b>	P.O. Box 1400, Princeton, British Columbia V0X 1W0													
<b>Effluent Discharge Point</b>	Co.SW37 - D2 Dump Drainage													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	0.0007	0.0007	0.0008	0.0007	0.0007	0.0007	0.0008	0.0008	0.0009	0.0008	0.0014	0.0014	
<b>Cu</b> (mg/L)	0.3	0.0059	0.0053	0.0063	0.0106	0.0082	0.0075	0.0072	0.0070	0.0076	0.0077	0.0270	0.0387	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	0.0001	0.0001	0.0001	0.0000	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	
<b>Ni</b> (mg/L)	0.5	0.0007	0.0005	0.0007	0.0005	0.0005	0.0004	0.0005	0.0005	0.0005	0.0005	0.0016	0.0019	
<b>Zn</b> (mg/L)	0.5	0.0030	0.0030	0.0030	0.0026	0.0027	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	
<b>TSS</b> (mg/L)	15	3.30	4.00	2.15	4.25	1.42	0.78	1.05	1.00	0.90	13.98	100.30	14.95	
<b>Ra-226</b> (Bq/L)	0.37	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR	0.0006	NMR	NMR	0.0035	NMR	
<b>pH low</b>	≥ 6.0	8.1	8.1	8.1	8.2	8.1	8.2	8.2	8.3	8.2	8.2	8.1	8.1	
<b>pH high</b>	≤ 9.5	8.3	8.2	8.2	8.3	8.3	8.4	8.3	8.3	8.3	8.3	8.2	8.3	
<b>Flow</b> (m <sup>3</sup> /month)	—	3,147	1,730	4,754	14,625	9,069	5,543	5,351	5,770	4,266	4,649	4,969	2,582	
<b>Rainbow Trout</b>	Pass	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	1	1	1	1	1	1	1	1	NMR	NMR	1	NMR	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Copper Rand (Mine)												
Operator Name		Resources Campbell Inc. / CBay Minerals Inc.												
Product(s)		Copper-Gold-Silver												
Address		P.O. Box 400, Chibougamau, Quebec G8P 2X8												
Effluent Discharge Point		Final Discharge Point 2.1c												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0003	NMR	NMR	NMR	NMR	0.0018	NMR	NMR	0.0003	0.0018	NMR	0.0010	
Cu (mg/L)	0.3	0.0214	0.0096	0.0081	0.0114	0.0108	0.0062	0.0051	0.0072	0.0068	0.0056	0.0104	0.0046	
CN (mg/L)	1.0	0.0500	NMR	NMR	NMR	NMR	0.0025	NMR	NMR	0.0025	0.0090	NMR	NMR	
Pb (mg/L)	0.2	0.0011	NMR	NMR	NMR	NMR	0.0034	NMR	NMR	0.0028	0.0002	NMR	0.0033	
Ni (mg/L)	0.5	0.0013	NMR	NMR	NMR	NMR	0.0043	NMR	NMR	0.0065	0.0064	NMR	0.0052	
Zn (mg/L)	0.5	0.0040	NMR	NMR	NMR	NMR	0.0005	NMR	NMR	0.0010	0.0610	NMR	0.0030	
TSS (mg/L)	15	0.88	1.10	1.75	2.00	1.50	1.17	2.00	0.88	1.63	1.10	1.83	0.80	
Ra-226 (Bq/L)	0.37	0.0010	NMR	NMR	NMR	NMR	0.0010	NMR	NMR	0.0010	0.0040	NMR	NMR	
pH low	≥ 6.0	7.5	7.7	7.3	7.3	7.5	7.8	6.9	7.7	7.6	7.6	6.8	7.5	
pH high	≤ 9.5	7.8	7.8	7.6	7.6	8.1	7.8	7.9	8.1	7.9	8.0	7.8	7.9	
Flow (m <sup>3</sup> /month)	—	10,282	10,063	9,238	15,720	22,475	4,320	4,746	8,370	8,745	10,087	16,780	14,837	
Rainbow Trout	Pass	1	NMR	NMR	NMR	NMR	1	-	-	-	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	NMR	NMR	1	-	-	-	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	In November 2011, the ownership of Copper Rand (Mine) was transferred from Resources Campbell Inc. to CBay Minerals Inc. Toxicity test results were not provided for the third quarter.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Crean Hill Mine													
<b>Operator Name</b>	Vale Canada Ltd.													
<b>Product(s)</b>	Nickel-Copper-Cobalt-Platinum													
<b>Address</b>	337 Power Street, Copper Cliff, Ontario P0M 1N0													
<b>Effluent Discharge Point</b>	Crean Hill Mine Waste Water Treatment System													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0327	0.0320	0.0298	0.0068	0.0064	0.0060	0.0043	0.0070	0.0060	0.0302	0.0218	0.0215	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0310	0.0380	0.0310	0.0310	0.0310	0.0310	0.0310	0.0310	0.0310	0.0310	0.0310	0.0370	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.2907	0.1876	0.2528	0.1138	0.0794	0.0638	0.0563	0.0636	0.0818	0.2060	0.2665	0.3413	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0077	0.0064	0.0050	0.0063	0.0060	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	
<b>TSS</b> (mg/L)	<b>15</b>	1.73	1.00	1.35	1.30	1.20	1.00	1.00	1.00	1.00	1.20	1.25	2.10	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0250	0.0201	0.0200	0.0143	NMR	NMR	0.0050	NMR	NMR	0.0310	NMR	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	8.2	8.4	7.6	8.3	8.0	8.3	8.2	7.8	7.8	7.6	7.9	7.7	
<b>pH high</b>	<b>≤ 9.5</b>	8.4	8.6	8.5	8.8	8.6	8.5	8.4	8.3	8.3	8.6	8.3	8.0	
<b>Flow</b> (m <sup>3</sup> /month)	—	43,533	38,239	220,573	64,215	53,215	73,328	18,505	14,490	21,030	94,380	95,670	99,913	
<b>Rainbow Trout</b>	<b>Pass</b>	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	David Bell Mine													
<b>Operator Name</b>	Barrick Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	Teck-Corona Road, P.O. Bag 11, Marathon, Ontario J9X 5C8													
<b>Effluent Discharge Point</b>	Sedimentation Pond Effluent													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	0.0011	0.0014	0.0014	0.0017	0.0018	ND	ND	0.0073	0.0014	0.0014	
<b>Cu</b> (mg/L)	0.3	ND	ND	0.0046	0.0037	0.0026	0.0008	0.0015	ND	ND	0.0158	0.0037	0.0080	
<b>CN</b> (mg/L)	1.0	ND	ND	0.0027	0.0045	0.0030	0.0018	0.0020	ND	ND	0.0055	0.0131	0.0016	
<b>Pb</b> (mg/L)	0.2	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	ND	ND	0.0031	0.0005	0.0005	
<b>Ni</b> (mg/L)	0.5	ND	ND	0.0072	0.0067	0.0055	0.0037	0.0038	ND	ND	0.0111	0.0079	0.0064	
<b>Zn</b> (mg/L)	0.5	ND	ND	0.1092	0.0878	0.0783	0.0158	0.0405	ND	ND	0.0815	0.0946	0.0630	
<b>TSS</b> (mg/L)	15	ND	ND	11.90	2.47	2.13	2.60	3.60	ND	ND	60.40	2.63	5.20	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	0.0050	0.0050	0.0050	0.0050	0.0050	ND	ND	0.0050	0.0063	0.0050	
<b>pH low</b>	≥ 6.0	ND	ND	7.2	7.8	7.6	7.5	7.8	ND	ND	7.3	7.8	7.8	
<b>pH high</b>	≤ 9.5	ND	ND	7.7	8.0	7.8	7.6	7.8	ND	ND	7.3	8.0	7.8	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	11,152	2,871	3,712	4,521	1,373	ND	ND	6,467	6,023	3,288	
<b>Rainbow Trout</b>	Pass	ND	ND	1	1	1	1	1	ND	ND	1	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	1	1	1	1	1	ND	ND	1	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Detour Lake Mine												
<b>Operator Name</b>	Detour Gold Corporation												
<b>Product(s)</b>	Gold												
<b>Address</b>	86 2nd Street, P.O. Box 1325, Cochrane, Ontario P0L 1C0												
<b>Effluent Discharge Point</b>	T4												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Doyon												
Operator Name		Gestion IAMGOLD Québec Inc.												
Product(s)		Gold												
Address		P.O. Box 970, Rouyn-Noranda, Quebec J9X 5C8												
Effluent Discharge Point		Pond A Final Effluent (D-203)												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0003	NMR	NMR	0.0009	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR	NMR	
Cu (mg/L)	0.3	0.0097	0.0153	0.0318	0.0091	0.0073	0.0143	0.0088	0.0205	0.0110	0.0260	0.0208	0.0128	
CN (mg/L)	1.0	0.0392	0.0203	0.0113	0.0155	0.0168	0.0058	0.0065	0.0095	0.0073	0.0078	0.0070	0.0053	
Pb (mg/L)	0.2	0.0002	NMR	NMR	0.0002	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR	NMR	
Ni (mg/L)	0.5	0.0182	0.0189	0.0254	0.0189	0.0209	0.0138	0.0020	0.0023	0.0030	0.0032	0.0043	0.0032	
Zn (mg/L)	0.5	0.0060	NMR	NMR	0.0020	NMR	NMR	0.0060	NMR	NMR	0.0140	NMR	NMR	
TSS (mg/L)	15	2.30	1.75	6.50	6.75	3.00	2.40	2.34	5.50	2.37	4.44	3.80	4.43	
Ra-226 (Bq/L)	0.37	0.0020	NMR	NMR	0.0010	NMR	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR	
pH low	≥ 6.0	7.0	7.2	7.0	7.1	6.4	6.9	6.8	7.0	6.5	6.3	6.7	7.8	
pH high	≤ 9.5	7.5	8.1	7.8	7.9	7.5	7.3	8.2	8.1	7.2	8.1	8.3	8.2	
Flow (m <sup>3</sup> /month)	—	363,239	245,117	542,700	605,150	300,372	98,977	353,116	148,922	141,004	434,591	755,089	671,489	
Rainbow Trout	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Duck Pond Operations												
<b>Operator Name</b>		Teck Resources Ltd.												
<b>Product(s)</b>		Copper-Zinc-Silver-Gold												
<b>Address</b>		30-32 Route 370, Box 9, Millertown, Newfoundland and Labrador A0H 1V0												
<b>Effluent Discharge Point</b>		Polishing Pond Effluent												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	0.0030	0.0067	0.0075	0.0057	0.0040	0.0063	0.0060	0.0080	0.0107	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	0.0495	0.1410	0.2693	0.2683	0.2117	0.2193	0.2360	0.2284	0.2757	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	0.0015	0.0010	0.0013	0.0037	0.0050	0.0050	0.0042	0.0050	0.0050	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	0.0103	0.0673	0.0443	0.0480	0.0400	0.0503	0.0516	0.0388	0.0283	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	0.0015	0.0033	0.0028	0.0023	0.0025	0.0015	0.0016	0.0040	0.0043	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	0.0745	0.1023	0.0888	0.0943	0.1417	0.0940	0.1388	0.1820	0.1247	
<b>TSS</b> (mg/L)	15	ND	ND	ND	2.00	4.00	3.50	4.33	4.67	5.00	1.60	2.00	1.00	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	0.0100	NMR	NMR	0.0300	NMR	0.0400	NMR	0.0400	0.0200	
<b>pH low</b>	≥ 6.0	ND	ND	ND	7.3	6.3	7.1	7.2	7.0	7.4	7.5	7.2	7.7	
<b>pH high</b>	≤ 9.5	ND	ND	ND	7.4	6.9	7.3	7.4	7.5	7.6	7.6	7.6	7.8	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	124,832	180,687	373,570	244,689	172,935	437,770	312,269	408,239	176,477	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	-	-	-	1	1	1	1	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	1	1	1	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Eagle River Mill												
Operator Name		Wesdome Gold Mines Ltd.												
Product(s)		Gold												
Address		93 Mission Road, P.O. Box 1520, Wawa, Ontario P0S 1K0												
Effluent Discharge Point		Eagle River Mill												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	ND	0.0088	0.0182	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Cu (mg/L)	0.3	ND	0.0850	2.1427	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CN (mg/L)	1.0	ND	0.2175	12.2611	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Pb (mg/L)	0.2	ND	0.0006	0.0026	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Ni (mg/L)	0.5	ND	0.0420	0.5074	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Zn (mg/L)	0.5	ND	0.0143	0.3847	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TSS (mg/L)	15	ND	1.88	22.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Ra-226 (Bq/L)	0.37	ND	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	
pH low	≥ 6.0	ND	7.0	7.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	
pH high	≤ 9.5	ND	7.0	8.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Flow (m <sup>3</sup> /month)	—	ND	3,449	29,086	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Rainbow Trout	Pass	ND	1	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Acute Lethality Test	Fail	-	-	1	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	ND	1	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Monitoring Test	Fail	-	-	1	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		No radium 226 results were provided for the first quarter.												
Notes:		ND: No Deposit			NMR: No Measurement Required			Pass: ≤50% Mortality			Fail: >50% Mortality			
		Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.												
		A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.												

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Eagle River Mine												
<b>Operator Name</b>	Wesdome Gold Mines Ltd.												
<b>Product(s)</b>	Gold												
<b>Address</b>	93 Mission Road, P.O. Box 1520, Wawa, Ontario P0S 1K0												
<b>Effluent Discharge Point</b>	FDP 1												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	0.0003	0.0002	0.0002	0.0002	0.0003	0.0004	0.0002	0.0002	0.0001	0.0002	0.0003	0.0007
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0016	0.0014	0.0017	0.0014	0.0013	0.0012	0.0009	0.0009	0.0007	0.0014	0.0021	0.0017
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0001	0.0001	0.0003	0.0001	0.0001	0.0000	0.0000	0.0000	0.0000	0.0001	0.0004	0.0005
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0021	0.0020	0.0016	0.0017	0.0019	0.0023	0.0013	0.0011	0.0011	0.0014	0.0019	0.0021
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0035	0.0044	0.0034	0.0019	0.0017	0.0010	0.0004	0.0005	0.0010	0.0028	0.0056	0.0050
<b>TSS</b> (mg/L)	<b>15</b>	0.75	1.25	3.38	3.05	1.85	1.83	2.10	2.54	0.59	4.42	6.68	3.24
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	NMR	NMR	0.0050	NMR	0.0050	NMR	0.0050	0.0050	NMR	0.0050	0.0050	NMR
<b>pH low</b>	<b>≥ 6.0</b>	7.5	7.4	7.5	6.9	6.9	6.9	6.9	6.9	6.9	6.9	7.3	7.0
<b>pH high</b>	<b>≤ 9.5</b>	7.6	7.6	7.7	7.3	7.4	7.1	7.2	7.3	7.2	7.4	7.6	7.5
<b>Flow</b> (m <sup>3</sup> /month)	—	12,739	12,749	14,130	25,147	18,850	12,704	11,334	14,187	15,827	29,862	27,449	25,034
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	NMR	1	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	NMR	1	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Edwards Mine												
<b>Operator Name</b>	Strike Minerals Inc.												
<b>Product(s)</b>	Gold												
<b>Address</b>	P.O. Box 488, Jacobson, Ontario P0S 1B0												
<b>Effluent Discharge Point</b>	Edwards Mine Effluent Discharge 1												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	-	-	-	-	ND	ND	0.0019	0.0010	-	-	0.1685	0.4619
<b>Cu</b> (mg/L)	0.3	-	-	-	-	ND	ND	0.0035	0.0020	-	-	0.3350	0.4410
<b>CN</b> (mg/L)	1.0	-	-	-	-	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR
<b>Pb</b> (mg/L)	0.2	-	-	-	-	ND	ND	0.0003	0.0001	-	-	0.0671	0.0864
<b>Ni</b> (mg/L)	0.5	-	-	-	-	ND	ND	0.0016	0.0010	-	-	0.3348	0.3610
<b>Zn</b> (mg/L)	0.5	-	-	-	-	ND	ND	0.0061	0.0030	-	-	2.6780	2.8723
<b>TSS</b> (mg/L)	15	-	-	-	-	ND	ND	7.75	17.09	22.40	4.10	3.06	3.04
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	ND	ND	-	-	-	4.5500	-	-
<b>pH low</b>	≥ 6.0	-	-	-	-	ND	ND	8.1	7.9	7.1	6.9	7.5	7.9
<b>pH high</b>	≤ 9.5	-	-	-	-	ND	ND	8.3	8.2	8.3	7.5	8.3	8.7
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	ND	ND	31,000	31,000	30,000	31,000	30,000	31,000
<b>Rainbow Trout</b>	Pass	-	-	-	-	ND	ND	1	-	1	1	1	1
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	ND	ND	-	1	1	1	1	1
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	The mine became subject to the MMER on May 25, 2012. No radium 226 results were provided for July, August, September, November and December. No results for As, Cu, Pb, Ni and Zn were provided for September and October. No test results for rainbow trout acute lethality were provided for August. No test results for <i>Daphnia Magna</i> monitoring were provided for the month of July.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Éléonore (Mine)												
<b>Operator Name</b>	Les Mines Opinaca Ltée												
<b>Product(s)</b>	Gold												
<b>Address</b>	853 Rideau Boulevard, Rouyn-Noranda, Quebec J9Y 0G3												
<b>Effluent Discharge Point</b>	Final Effluent - Waste Rock Pile												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	0.0180	0.0110	0.0095
<b>Cu</b> (mg/L)	0.3	-	-	-	-	-	-	-	-	-	0.0045	0.0055	0.0256
<b>CN</b> (mg/L)	1.0	-	-	-	-	-	-	-	-	-	NMR	NMR	NMR
<b>Pb</b> (mg/L)	0.2	-	-	-	-	-	-	-	-	-	0.0002	0.0009	0.0004
<b>Ni</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	0.0255	0.0188	0.0175
<b>Zn</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	0.0070	0.0105	0.0088
<b>TSS</b> (mg/L)	15	-	-	-	-	-	-	-	-	-	4.50	6.25	3.00
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	-	-	-	0.1765	0.2210	0.2015
<b>pH low</b>	≥ 6.0	-	-	-	-	-	-	-	-	-	6.8	6.5	6.7
<b>pH high</b>	≤ 9.5	-	-	-	-	-	-	-	-	-	6.9	8.0	7.1
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	-	-	-	41,141	45,889	42,494
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	-	-	-	-	1	1
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	-	-	-	-	1	1
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	The mine became subject to the MMER in October 2012. No toxicity test results were provided for October												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Endako Mines												
<b>Operator Name</b>		Thompson Creek Mining Ltd.												
<b>Product(s)</b>		Molybdenum												
<b>Address</b>		Bag 4001, Fraser Lake, British Columbia V0J 1S0												
<b>Effluent Discharge Point</b>		En.A1 – Tailings Pond 1 South												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	NMR	0.0003	NMR	NMR	0.0002	NMR	NMR	0.0003	NMR	NMR	0.0001	NMR	
<b>Cu</b> (mg/L)	0.3	NMR	0.0013	NMR	NMR	0.0005	NMR	NMR	0.0013	NMR	NMR	0.0005	NMR	
<b>CN</b> (mg/L)	1.0	NMR	0.0253	NMR	NMR	0.0145	NMR	NMR	0.0109	NMR	NMR	0.0152	NMR	
<b>Pb</b> (mg/L)	0.2	NMR	0.0001	NMR	NMR	0.0001	NMR	NMR	0.0001	NMR	NMR	0.0001	NMR	
<b>Ni</b> (mg/L)	0.5	NMR	0.0013	NMR	NMR	0.0011	NMR	NMR	0.0013	NMR	NMR	0.0014	NMR	
<b>Zn</b> (mg/L)	0.5	NMR	0.0025	NMR	NMR	0.0030	NMR	NMR	0.0150	NMR	NMR	0.0025	NMR	
<b>TSS</b> (mg/L)	15	2.65	1.73	2.55	4.73	2.20	1.60	1.34	4.37	1.68	1.80	1.30	0.50	
<b>Ra-226</b> (Bq/L)	0.37	NMR	0.0025	NMR	NMR	0.0050	NMR	NMR	0.0045	NMR	NMR	0.0044	NMR	
<b>pH low</b>	≥ 6.0	7.8	7.8	7.9	7.8	7.9	7.9	7.7	8.0	8.0	8.0	8.0	7.9	
<b>pH high</b>	≤ 9.5	8.0	8.1	8.0	8.0	8.1	8.1	8.0	8.1	8.1	8.1	8.0	8.0	
<b>Flow</b> (m <sup>3</sup> /month)	—	96,581	45,640	88,528	140,760	123,175	98,595	100,304	11,059	12,743	22,746	912	2,208	
<b>Rainbow Trout</b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Endako Mines												
<b>Operator Name</b>	Thompson Creek Mining Ltd.												
<b>Product(s)</b>	Molybdenum												
<b>Address</b>	Bag 4001, Fraser Lake, British Columbia V0J 1S0												
<b>Effluent Discharge Point</b>	En.H1 - Tailings Pond 2 Higginbotham												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	NMR	0.0003	NMR	NMR	0.0003	NMR	NMR	0.0003	NMR	NMR	0.0001	NMR
<b>Cu</b> (mg/L)	0.3	NMR	0.0013	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR
<b>CN</b> (mg/L)	1.0	NMR	0.0692	NMR	NMR	0.0272	NMR	NMR	0.0359	NMR	NMR	0.0468	NMR
<b>Pb</b> (mg/L)	0.2	NMR	0.0001	NMR	NMR	0.0003	NMR	NMR	0.0001	NMR	NMR	0.0001	NMR
<b>Ni</b> (mg/L)	0.5	NMR	0.0013	NMR	NMR	0.0012	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR
<b>Zn</b> (mg/L)	0.5	NMR	0.0025	NMR	NMR	0.0030	NMR	NMR	0.0030	NMR	NMR	0.0025	NMR
<b>TSS</b> (mg/L)	15	3.45	5.55	6.65	9.73	13.02	7.95	9.58	12.38	9.93	6.10	4.10	4.00
<b>Ra-226</b> (Bq/L)	0.37	NMR	0.0200	NMR	NMR	0.0070	NMR	NMR	0.0044	NMR	NMR	0.0094	NMR
<b>pH low</b>	≥ 6.0	7.8	7.9	8.0	8.0	7.8	6.6	7.6	7.9	8.0	8.0	7.9	7.8
<b>pH high</b>	≤ 9.5	8.1	8.0	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0	8.0
<b>Flow</b> (m <sup>3</sup> /month)	—	59,078	58,629	59,195	70,290	76,570	83,333	64,722	52,700	49,598	53,546	50,100	50,670
<b>Rainbow Trout</b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Endako Mines												
Operator Name		Thompson Creek Mining Ltd.												
Product(s)		Molybdenum												
Address		Bag 4001, Fraser Lake, British Columbia V0J 1S0												
Effluent Discharge Point		En.N1 – Tailings Pond 1 North												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	NMR	0.0003	NMR	NMR	0.0003	NMR	NMR	NMR	0.0003	NMR	0.0001	NMR	
Cu (mg/L)	0.3	NMR	0.0013	NMR	NMR	0.0134	NMR	NMR	NMR	0.0013	NMR	0.0005	NMR	
CN (mg/L)	1.0	NMR	0.0210	NMR	NMR	0.0076	NMR	NMR	NMR	0.0025	NMR	0.0149	NMR	
Pb (mg/L)	0.2	NMR	0.0001	NMR	NMR	0.0001	NMR	NMR	NMR	0.0001	NMR	0.0001	NMR	
Ni (mg/L)	0.5	NMR	0.0013	NMR	NMR	0.0040	NMR	NMR	NMR	0.0013	NMR	0.0005	NMR	
Zn (mg/L)	0.5	NMR	0.0025	NMR	NMR	0.0150	NMR	NMR	NMR	0.0150	NMR	0.0025	NMR	
TSS (mg/L)	15	0.68	0.98	0.67	1.58	0.70	0.85	1.18	1.10	0.50	0.64	1.10	0.50	
Ra-226 (Bq/L)	0.37	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR	NMR	0.0018	NMR	0.0083	NMR	
pH low	≥ 6.0	7.9	7.9	8.0	8.1	8.0	8.1	7.8	8.1	8.1	8.0	7.9	8.0	
pH high	≤ 9.5	8.1	8.1	8.1	8.1	8.1	8.2	8.1	8.2	8.1	8.2	8.1	8.1	
Flow (m <sup>3</sup> /month)	—	150,087	106,268	77,963	173,663	176,638	145,455	142,811	19,244	24,119	76,700	31,080	41,742	
Rainbow Trout	Pass	NMR	1	NMR	NMR	1	NMR	NMR	NMR	1	NMR	1	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	NMR	1	NMR	1	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Endako Mines												
<b>Operator Name</b>	Thompson Creek Mining Ltd.												
<b>Product(s)</b>	Molybdenum												
<b>Address</b>	Bag 4001, Fraser Lake, British Columbia V0J 1S0												
<b>Effluent Discharge Point</b>	En.S2 – Tailings Pond 2 South												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	NMR	0.0003	NMR	NMR	0.0001	NMR	NMR	0.0001	NMR	NMR	0.0001	NMR
<b>Cu</b> (mg/L)	0.3	NMR	0.0013	NMR	NMR	0.0012	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR
<b>CN</b> (mg/L)	1.0	NMR	0.0679	NMR	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR	0.0471	NMR
<b>Pb</b> (mg/L)	0.2	NMR	0.0001	NMR	NMR	0.0001	NMR	NMR	0.0001	NMR	NMR	0.0001	NMR
<b>Ni</b> (mg/L)	0.5	NMR	0.0013	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR
<b>Zn</b> (mg/L)	0.5	NMR	0.0025	NMR	NMR	0.0030	NMR	NMR	0.0030	NMR	NMR	0.0025	NMR
<b>TSS</b> (mg/L)	15	0.50	0.50	0.50	0.50	1.08	0.75	0.90	0.68	0.63	0.70	0.68	0.50
<b>Ra-226</b> (Bq/L)	0.37	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR	0.0042	NMR	NMR	0.0038	NMR
<b>pH low</b>	≥ 6.0	7.8	7.8	7.9	8.0	7.8	7.9	7.6	7.9	7.9	8.0	7.8	7.9
<b>pH high</b>	≤ 9.5	8.0	8.0	8.0	8.0	8.1	8.0	8.0	8.0	8.1	8.1	8.0	8.0
<b>Flow</b> (m <sup>3</sup> /month)	—	44,028	41,610	42,245	66,190	59,886	46,920	40,474	38,704	37,350	40,660	39,270	36,177
<b>Rainbow Trout</b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Endako Mines											
Operator Name		Thompson Creek Mining Ltd.											
Product(s)		Molybdenum											
Address		Bag 4001, Fraser Lake, British Columbia V0J 1S0											
Effluent Discharge Point		En.SBC – Endako Pit											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
As (mg/L)	0.5	NMR	0.0003	NMR	NMR	0.0003	NMR	NMR	0.0003	NMR	NMR	0.0003	NMR
Cu (mg/L)	0.3	NMR	0.0013	NMR	NMR	0.0013	NMR	NMR	0.0013	NMR	NMR	0.0018	NMR
CN (mg/L)	1.0	NMR	0.0267	NMR	NMR	0.0055	NMR	NMR	0.0025	NMR	NMR	0.0025	NMR
Pb (mg/L)	0.2	NMR	0.0001	NMR	NMR	0.0001	NMR	NMR	0.0001	NMR	NMR	0.0001	NMR
Ni (mg/L)	0.5	NMR	0.0013	NMR	NMR	0.0013	NMR	NMR	0.0013	NMR	NMR	0.0005	NMR
Zn (mg/L)	0.5	NMR	0.0025	NMR	NMR	0.0150	NMR	NMR	0.0150	NMR	NMR	0.0025	NMR
TSS (mg/L)	15	0.63	0.63	1.33	3.78	0.98	0.63	0.96	0.78	1.00	0.88	0.68	5.33
Ra-226 (Bq/L)	0.37	NMR	0.0025	NMR	NMR	0.0050	NMR	NMR	0.0041	NMR	NMR	0.0039	NMR
pH low	≥ 6.0	8.0	7.9	7.9	8.0	7.9	7.8	7.7	8.1	8.1	8.0	7.9	8.0
pH high	≤ 9.5	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.2	8.2	8.0	8.1
Flow (m <sup>3</sup> /month)	—	6,626	4,821	5,386	47,850	42,544	11,813	9,145	8,455	7,890	8,196	7,710	7,564
Rainbow Trout	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<i>Daphnia magna</i>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Endako Mines													
<b>Operator Name</b>	Thompson Creek Mining Ltd.													
<b>Product(s)</b>	Molybdenum													
<b>Address</b>	Bag 4001, Fraser Lake, British Columbia V0J 1S0													
<b>Effluent Discharge Point</b>	En.W2 – Denak West Pit													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	NMR	0.0003	NMR	NMR	0.0010	NMR	NMR	0.0003	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	NMR	0.0064	NMR	NMR	0.0013	NMR	NMR	0.0013	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	NMR	0.0092	NMR	NMR	0.0025	NMR	NMR	0.0025	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	NMR	0.0001	NMR	NMR	0.0001	NMR	NMR	0.0001	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	NMR	0.0013	NMR	NMR	0.0013	NMR	NMR	0.0013	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	NMR	0.0150	NMR	NMR	0.0150	NMR	NMR	0.0025	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	1.05	1.60	2.70	1.27	0.68	0.68	1.26	0.50	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	NMR	0.0025	NMR	NMR	0.0045	NMR	NMR	0.0076	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	7.7	8.0	7.6	7.7	7.9	8.0	7.9	8.0	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	8.0	8.2	8.1	8.1	8.2	8.1	8.2	8.0	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	9,968	12,251	3,810	1,331	1,790	1,260	1,996	108	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	NMR	1	NMR	NMR	1	NMR	NMR	1	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	NMR	1	NMR	NMR	1	NMR	NMR	1	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Fire Lake (Mine)												
Operator Name		ArcelorMittal Mines Canada												
Product(s)		Iron												
Address		P.O. Box 1817, Mont-Wright, Quebec G0G 1J0												
Effluent Discharge Point		Beaver Pit – Spillway (FL-2)												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
Cu (mg/L)	0.3	0.0005	0.0005	0.0023	0.0020	0.0022	0.0009	0.0016	0.0023	0.0005	0.0008	0.0013	0.0009	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
Ni (mg/L)	0.5	0.0008	0.0013	0.0018	0.0033	0.0026	0.0010	0.0021	0.0005	0.0005	0.0011	0.0018	0.0020	
Zn (mg/L)	0.5	0.0168	0.0260	0.0215	0.0058	0.0160	0.0400	0.0700	0.0285	0.0333	0.0448	0.0175	0.0310	
TSS (mg/L)	15	0.60	0.50	4.50	6.00	7.40	1.50	2.10	0.88	1.50	1.20	1.50	2.00	
Ra-226 (Bq/L)	0.37	0.0090	0.0025	0.0010	0.0100	0.0010	0.0010	0.0010	0.0030	0.0040	0.0010	0.0030	0.0030	
pH low	≥ 6.0	6.9	6.9	6.9	7.3	7.2	7.2	7.3	7.1	7.6	7.1	7.1	7.0	
pH high	≤ 9.5	7.0	7.5	7.4	7.8	7.8	7.5	7.7	7.7	7.9	7.7	7.7	7.5	
Flow (m <sup>3</sup> /month)	—	37,367	215,586	385,175	108,970	296,137	85,590	429,650	82,391	149,087	166,156	111,076	24,342	
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Fire Lake (Mine)												
<b>Operator Name</b>		ArcelorMittal Mines Canada												
<b>Product(s)</b>		Iron												
<b>Address</b>		P.O. Box 1817, Mont-Wright, Quebec G0G 1J0												
<b>Effluent Discharge Point</b>		Main Pit (FL-1)												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Flin Flon Complex												
Operator Name		Hudson Bay Mining and Smelting Co. Ltd.												
Product(s)		Copper-Lead-Zinc												
Address		P.O. Box 1500, Flin Flon, Manitoba R8A 1N9												
Effluent Discharge Point		North Weir Discharge												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0690	0.0680	0.1365	0.0180	0.0007	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0113	
Cu (mg/L)	0.3	0.0244	0.0176	0.0180	0.0121	0.0046	0.0043	0.0045	0.0053	0.0058	0.0046	0.0058	0.0168	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0035	0.0035	0.0035	0.0049	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0100	
Ni (mg/L)	0.5	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	0.0035	
Zn (mg/L)	0.5	0.0134	0.0095	0.0188	0.2208	0.0938	0.0515	0.0266	0.0325	0.0288	0.0306	0.2448	0.1133	
TSS (mg/L)	15	0.67	0.61	0.45	1.25	2.01	2.05	1.06	0.95	1.25	0.67	0.59	1.68	
Ra-226 (Bq/L)	0.37	NMR	NMR	0.0100	NMR	NMR	0.0200	NMR	NMR	0.0300	0.0300	NMR	NMR	
pH low	≥ 6.0	8.7	8.5	8.1	7.5	8.6	7.9	7.3	7.3	7.7	8.0	6.7	8.3	
pH high	≤ 9.5	9.0	9.0	8.6	8.8	9.3	8.2	8.5	8.3	8.7	9.1	8.9	9.1	
Flow (m <sup>3</sup> /month)	—	1,083,543	946,006	969,025	1,502,000	1,613,741	1,681,968	938,958	834,457	793,432	843,783	612,218	890,957	
Rainbow Trout	Pass	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Francoeur (Mine)													
<b>Operator Name</b>	Richmont Mines Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	199 Provencher Avenue, P.O. 39, Rouyn-Noranda, Quebec J0Z 1B0													
<b>Effluent Discharge Point</b>	Francoeur Final Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	-	-	-	-	-	-	-	0.0016	0.0005	0.0005	0.0007	0.0016	
<b>Cu</b> (mg/L)	<b>0.3</b>	-	-	-	-	-	-	-	0.0022	0.0022	0.0032	0.0028	0.0012	
<b>CN</b> (mg/L)	<b>1.0</b>	-	-	-	-	-	-	-	0.0000	0.0000	0.0000	0.0000	0.0000	
<b>Pb</b> (mg/L)	<b>0.2</b>	-	-	-	-	-	-	-	0.0002	0.0012	0.0022	0.0057	0.0039	
<b>Ni</b> (mg/L)	<b>0.5</b>	-	-	-	-	-	-	-	0.0075	0.0100	0.0064	0.0044	0.0059	
<b>Zn</b> (mg/L)	<b>0.5</b>	-	-	-	-	-	-	-	0.0740	0.0673	0.0734	0.0595	0.0408	
<b>TSS</b> (mg/L)	<b>15</b>	-	-	-	-	-	-	-	3.00	3.25	3.80	5.25	1.25	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	-	-	-	-	-	-	-	0.0040	0.0060	0.0014	0.0023	0.0020	
<b>pH low</b>	<b>≥ 6.0</b>	-	-	-	-	-	-	-	7.6	7.5	7.3	7.4	7.5	
<b>pH high</b>	<b>≤ 9.5</b>	-	-	-	-	-	-	-	7.6	7.8	7.6	7.6	8.0	
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	-	5,250	27,567	31,173	31,976	31,560	
<b>Rainbow Trout</b>	<b>Pass</b>	-	-	-	-	-	-	-	-	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	-	-	-	-	-	-	-	-	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	This mine became subject to the MMER in August 2012. No toxicity test results were provided for August.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Garson Mine												
Operator Name		Vale Canada Ltd.												
Product(s)		Nickel-Copper-Cobalt-Platinum												
Address		60 Mine Road, Garson, Ontario P3L 1A2												
Effluent Discharge Point		Garson Mine												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
Cu (mg/L)	0.3	0.0030	0.0033	0.0020	0.0015	0.0034	0.0053	0.0048	0.0044	0.0055	0.0102	0.0010	0.0110	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0310	0.0336	0.0310	0.0310	0.0310	0.0310	0.0310	0.0310	0.0310	0.0310	0.0310	0.0328	
Ni (mg/L)	0.5	0.1520	0.1938	0.1375	0.1090	0.0936	0.0498	0.0533	0.0708	0.1045	0.0838	0.0985	0.0888	
Zn (mg/L)	0.5	0.0205	0.0204	0.0080	0.0115	0.0162	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	
TSS (mg/L)	15	1.25	1.00	1.00	1.00	2.52	1.50	1.00	1.40	1.25	1.00	1.00	1.00	
Ra-226 (Bq/L)	0.37	0.0050	NMR	NMR	0.0120	NMR	NMR	0.0310	NMR	NMR	0.0090	NMR	NMR	
pH low	≥ 6.0	7.1	7.1	7.5	7.6	8.3	8.2	8.4	7.3	7.9	6.5	7.6	6.9	
pH high	≤ 9.5	8.4	7.9	8.3	8.4	8.5	8.6	8.4	8.2	8.5	8.3	8.3	8.0	
Flow (m <sup>3</sup> /month)	—	83,831	75,355	98,733	103,643	94,730	76,283	89,602	91,450	89,280	89,621	92,250	96,596	
Rainbow Trout	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Géant Dormant (Mine)												
<b>Operator Name</b>	Ressources Cadiscor Inc. / North American Palladium Ltd.												
<b>Product(s)</b>	Gold												
<b>Address</b>	Km 118, Road 109 North, Amos, Quebec J9T 3A3												
<b>Effluent Discharge Point</b>	GD-E01 Final Effluent – Mine Water Pond												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	0.0003	NMR	NMR	0.0033	NMR	0.0009	0.0003	0.0003	NMR	0.0351	NMR	NMR
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0084	0.0050	0.0046	0.0003	NMR	0.0028	0.0057	0.0054	0.0008	0.0024	0.0063	0.0066
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	0.0100	NMR	NMR	0.0060	0.0025	NMR	0.0050	NMR	NMR
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0002	NMR	NMR	0.0416	NMR	0.0002	0.0002	0.0002	NMR	0.0014	NMR	NMR
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0016	NMR	NMR	0.0022	NMR	0.0020	0.0042	0.0037	NMR	0.0020	NMR	NMR
<b>Zn</b> (mg/L)	<b>0.5</b>	0.1146	0.0988	0.0930	0.1290	0.1098	0.1305	0.1628	0.1620	0.2018	0.1768	0.1913	0.1345
<b>TSS</b> (mg/L)	<b>15</b>	3.20	1.50	2.25	2.50	2.10	2.13	1.70	1.00	0.63	5.10	2.00	1.63
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0090	NMR	NMR	0.0050	NMR	NMR	0.0120	NMR	NMR	0.0140	NMR	NMR
<b>pH low</b>	<b>≥ 6.0</b>	7.8	7.9	8.5	8.3	8.5	8.2	8.0	7.7	7.9	8.1	8.0	8.1
<b>pH high</b>	<b>≤ 9.5</b>	8.1	8.5	8.8	8.8	8.8	8.5	8.6	8.0	8.1	8.4	8.4	8.2
<b>Flow</b> (m <sup>3</sup> /month)	—	101,586	66,591	74,721	63,962	118,035	106,125	53,064	87,610	78,086	85,629	95,047	69,867
<b>Rainbow Trout</b>	<b>Pass</b>	1	NMR	NMR	1	NMR	NMR	1	1	NMR	1	NMR	NMR
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	NMR	NMR	1	NMR	NMR	1	1	NMR	1	NMR	NMR
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	In May 2009, the ownership of Géant Dormant Mine was transferred from Cadiscor Resources Inc. to North American Palladium Ltd.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Géant Dormant (Mine)												
Operator Name		Ressources Cadiscor Inc. / North American Palladium Ltd.												
Product(s)		Gold												
Address		Km 118, Road 109 North, Amos, Quebec J9T 3A3												
Effluent Discharge Point		GD-E03 Polishing Pond 2A												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	ND	ND	ND	0.0003	ND	ND	0.0003	ND	0.0003	0.0003	ND	ND	
Cu (mg/L)	0.3	ND	ND	ND	0.0144	ND	ND	0.0266	ND	0.0747	0.0610	ND	ND	
CN (mg/L)	1.0	ND	ND	ND	0.0025	ND	ND	0.0113	ND	0.0050	0.0038	ND	ND	
Pb (mg/L)	0.2	ND	ND	ND	0.0002	ND	ND	0.0010	ND	0.0045	0.0002	ND	ND	
Ni (mg/L)	0.5	ND	ND	ND	0.0093	ND	ND	0.0290	ND	0.0442	0.0544	ND	ND	
Zn (mg/L)	0.5	ND	ND	ND	0.0180	ND	ND	0.0235	ND	0.0970	0.1395	ND	ND	
TSS (mg/L)	15	ND	ND	ND	9.00	ND	ND	6.00	ND	5.00	4.50	ND	ND	
Ra-226 (Bq/L)	0.37	ND	ND	ND	0.0010	ND	ND	0.0010	ND	0.0010	-	ND	ND	
pH low	≥ 6.0	ND	ND	ND	7.7	ND	ND	7.6	ND	7.4	7.4	ND	ND	
pH high	≤ 9.5	ND	ND	ND	7.7	ND	ND	7.8	ND	7.4	8.4	ND	ND	
Flow (m <sup>3</sup> /month)	—	ND	ND	ND	42,537	ND	ND	76,686	ND	48,014	58,397	ND	ND	
Rainbow Trout	Pass	ND	ND	ND	1	ND	ND	1	ND	1	-	ND	ND	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	ND	ND	ND	1	ND	ND	1	ND	1	-	ND	ND	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	In May 2009, the ownership of Géant Dormant Mine was transferred from Cadiscor Resources Inc. to North American Palladium Ltd. No radium 226 and toxicity test results were provided for October.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Giant Mine													
<b>Operator Name</b>	Aboriginal Affairs and Northern Development Canada													
<b>Product(s)</b>	Gold													
<b>Address</b>	Giant Minesite, Box 2951, Yellowknife, Northwest Territories X1A 2R2													
<b>Effluent Discharge Point</b>	Surveillance Network Program Station 43-1													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.3480	0.2870	0.2373	0.2683	0.2868	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	0.0188	0.0121	0.0124	0.0129	0.0119	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	0.0025	0.0025	0.0025	0.0025	0.0025	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	0.0001	0.0001	0.0001	0.0001	0.0001	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0425	0.0319	0.0307	0.0377	0.0359	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0094	0.0061	0.0075	0.0069	0.0058	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	1.00	1.04	1.13	0.73	0.50	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	0.0025	0.0025	0.0100	0.0100	0.0100	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	8.2	7.7	8.2	8.3	8.2	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	8.2	8.3	8.3	8.4	8.4	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	58,393	259,371	177,582	89,170	73,196	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	1	1	1	1	1	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	1	1	1	1	1	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Gibraltar Mine												
Operator Name		Taseko Mines Ltd.												
Product(s)		Copper-Molybdenum												
Address		10251 Gibraltar Mine Road, P.O. Box 130, McLeese Lake, British Columbia V0L 1P0												
Effluent Discharge Point		Gi.ESAD - East Saddle Dam												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0003	0.0003	0.0003	0.0006	0.0005	0.0004	0.0005	0.0004	0.0004	0.0003	0.0003	0.0003	
Cu (mg/L)	0.3	0.0009	0.0007	0.0012	0.0052	0.0023	0.0017	0.0011	0.0008	0.0010	0.0009	0.0014	0.0016	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0001	0.0001	0.0001	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
Ni (mg/L)	0.5	0.0010	0.0009	0.0011	0.0025	0.0012	0.0012	0.0009	0.0007	0.0008	0.0006	0.0010	0.0007	
Zn (mg/L)	0.5	0.0025	0.0025	0.0025	0.0042	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	
TSS (mg/L)	15	2.38	0.50	1.30	11.84	1.58	2.18	1.54	0.70	0.93	0.70	0.68	0.63	
Ra-226 (Bq/L)	0.37	NMR	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR	0.0023	NMR	NMR	0.0041	
pH low	≥ 6.0	6.6	7.0	7.0	7.1	7.0	7.4	7.3	7.4	7.4	7.1	7.0	6.9	
pH high	≤ 9.5	7.5	8.0	7.6	7.3	7.6	7.6	7.7	7.6	7.7	8.0	7.4	7.5	
Flow (m <sup>3</sup> /month)	—	2,135	1,891	2,014	6,212	2,693	2,193	2,036	1,891	1,847	1,997	2,160	1,959	
Rainbow Trout	Pass	1	1	1	1	1	1	2	1	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	1	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Gibraltar Mine												
<b>Operator Name</b>		Taseko Mines Ltd.												
<b>Product(s)</b>		Copper-Molybdenum												
<b>Address</b>		10251 Gibraltar Mine Road, P.O. Box 130, McLeese Lake, British Columbia V0L 1P0												
<b>Effluent Discharge Point</b>		Gi.FRD – Fraser River Diffuser												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0003	0.0004	0.0003	0.0003	0.0003	0.0006	0.0004	0.0003	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	0.0029	0.0017	0.0016	0.0019	0.0024	0.0024	0.0023	0.0012	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0074	0.0008	0.0005	0.0011	0.0010	0.0006	0.0015	0.0005	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0025	0.0031	0.0025	0.0025	0.0025	0.0031	0.0032	0.0025	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	2.47	1.70	1.78	1.84	1.23	2.13	5.40	0.50	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	0.0100	NMR	NMR	0.0025	0.0033	NMR	0.0025	NMR	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	7.5	7.3	7.0	6.9	7.4	6.7	7.5	7.0	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	8.2	7.8	7.2	7.6	7.9	7.6	7.6	7.0	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	240,748	327,084	395,273	383,700	432,998	370,650	393,721	107,987	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	1	1	1	1	1	1	1	1	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	1	1	1	-	1	1	1	1	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	1	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Golden Giant Mine													
<b>Operator Name</b>	Newmont Canada Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	Yellow Brick Road, Hwy. 17, P.O. Box 40, Marathon, Ontario P0T 2E0													
<b>Effluent Discharge Point</b>	ITF Emergency Spillway													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Golden Giant Mine													
<b>Operator Name</b>	Newmont Canada Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	Yellow Brick Road, Hwy. 17, P.O. Box 40, Marathon, Ontario P0T 2E0													
<b>Effluent Discharge Point</b>	Waste Water Treatment Plant Effluent													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0009	ND	ND	0.0012	0.0017	0.0015	0.0009	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	0.0008	ND	ND	0.0001	0.0003	0.0005	0.0001	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	0.0397	ND	ND	0.0469	0.0496	0.0369	0.0268	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	0.0001	ND	ND	0.0001	0.0001	0.0001	0.0001	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0039	ND	ND	0.0053	0.0050	0.0069	0.0066	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0003	ND	ND	0.0003	0.0006	0.0003	0.0006	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	6.73	ND	ND	5.50	6.54	2.98	2.53	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	0.0067	ND	ND	0.0050	0.0096	0.0090	0.0110	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	7.3	ND	ND	7.3	7.2	7.2	7.4	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	7.4	ND	ND	7.6	7.4	7.4	7.4	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	27,817	ND	ND	31,391	36,723	39,190	32,211	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	1	ND	ND	1	1	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	1	ND	ND	1	1	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Goldex (Mine)													
<b>Operator Name</b>	Mines Agnico-Eagle Ltée													
<b>Product(s)</b>	Gold													
<b>Address</b>	1953 3rd Avenue West, P.O. Box 87, Val-d'Or, Quebec J9P 4N9													
<b>Effluent Discharge Point</b>	Final Effluent													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Goldex (Mine)													
<b>Operator Name</b>	Mines Agnico-Eagle Ltée													
<b>Product(s)</b>	Gold													
<b>Address</b>	1953 3rd Avenue West, P.O. Box 87, Val-d'Or, Quebec J9P 4N9													
<b>Effluent Discharge Point</b>	Final Effluent – Goldex Tailings Pond													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0005	0.0008	0.0006	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0010	0.0027	0.0015	0.0010	0.0026	0.0015	0.0012	0.0006	0.0009	0.0005	0.0006	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0129	0.0084	0.0011	0.0034	0.0025	0.0171	0.0016	0.0064	0.0002	0.0002	0.0003	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0058	0.0066	0.0071	0.0047	0.0052	0.0103	0.0043	0.0037	0.0081	0.0041	0.0041	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0226	0.0336	0.0150	0.0071	0.0116	0.0135	0.0154	0.0054	0.0048	0.0045	0.0034	ND	
<b>TSS</b> (mg/L)	<b>15</b>	3.80	1.20	2.25	2.10	3.50	2.13	1.80	3.50	1.63	1.20	8.75	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0016	0.0018	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	ND	
<b>pH low</b>	<b>≥ 6.0</b>	7.2	7.1	6.9	7.1	7.6	7.2	7.4	7.8	7.6	7.5	7.5	ND	
<b>pH high</b>	<b>≤ 9.5</b>	7.5	7.7	7.2	7.7	8.0	7.9	7.9	7.9	7.9	7.6	7.6	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	245,428	116,805	522,843	391,964	429,178	167,428	42,325	94,373	190,634	332,294	315,472	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Goldex (Mine)													
<b>Operator Name</b>	Mines Agnico-Eagle Ltée													
<b>Product(s)</b>	Gold													
<b>Address</b>	1953 3rd Avenue West, P.O. Box 87, Val-d'Or, Quebec J9P 4N9													
<b>Effluent Discharge Point</b>	Final Effluent – Shaft No. 2													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Haley Plant													
<b>Operator Name</b>	Timminco Ltd.													
<b>Product(s)</b>	Magnesium-Calcium-Strontium													
<b>Address</b>	962 Magnesium Road, Haley Station, Ontario K0J 1Y0													
<b>Effluent Discharge Point</b>	FDP 1													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	NMR	NMR	0.0005	NMR	0.0005	NMR	ND	ND	ND	0.0005	NMR	NMR	
<b>Cu</b> (mg/L)	0.3	NMR	NMR	0.0020	NMR	0.0020	NMR	ND	ND	ND	0.0020	NMR	NMR	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	ND	ND	ND	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	NMR	NMR	0.0005	NMR	0.0005	NMR	ND	ND	ND	0.0005	NMR	NMR	
<b>Ni</b> (mg/L)	0.5	NMR	NMR	0.0025	NMR	0.0025	NMR	ND	ND	ND	0.0025	NMR	NMR	
<b>Zn</b> (mg/L)	0.5	NMR	NMR	0.0050	NMR	0.0050	NMR	ND	ND	ND	0.0100	NMR	NMR	
<b>TSS</b> (mg/L)	15	3.20	1.00	1.00	3.75	3.60	4.00	ND	ND	ND	2.50	2.75	2.00	
<b>Ra-226</b> (Bq/L)	0.37	NMR	NMR	0.0050	NMR	0.0200	NMR	ND	ND	ND	0.0200	NMR	NMR	
<b>pH low</b>	≥ 6.0	7.4	7.5	7.5	7.2	6.6	6.2	ND	ND	ND	6.9	7.1	7.0	
<b>pH high</b>	≤ 9.5	7.7	7.7	7.8	7.8	7.0	8.0	ND	ND	ND	6.9	7.3	7.5	
<b>Flow</b> (m <sup>3</sup> /month)	—	3,360	1,385	16,841	30,390	53,289	26,415	ND	ND	ND	23,499	1,613	855	
<b>Rainbow Trout</b>	Pass	NMR	NMR	1	NMR	1	NMR	ND	ND	ND	1	NMR	NMR	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	NMR	NMR	1	NMR	1	NMR	ND	ND	ND	1	NMR	NMR	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Hislop Mine												
Operator Name		St Andrew Goldfields Ltd.												
Product(s)		Gold												
Address		Rural Route 2, Matheson, Ontario P0K 1N0												
Effluent Discharge Point		Sedimentation Pond												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	0.0012	0.0013	0.0014	0.0010	0.0010	0.0011	0.0018	0.0048	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	0.0015	0.0013	0.0065	0.0006	0.0013	0.0010	0.0021	0.0064	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	0.0102	0.0172	NMR	0.0060	0.0140	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	0.0005	0.0003	0.0005	0.0005	0.0003	0.0005	0.0008	0.0019	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	0.0027	0.0028	0.0021	0.0022	0.0023	0.0030	0.0041	0.0081	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	0.0014	0.0141	0.0010	0.0009	0.0009	0.0010	0.0010	0.0034	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	3.55	1.40	0.61	0.84	0.48	0.65	1.27	1.09	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	0.0150	0.0050	NMR	NMR	0.0180	0.0140	0.0140	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	7.2	7.7	7.8	7.8	6.8	6.8	7.3	7.6	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	8.1	8.0	7.9	8.1	7.9	7.9	8.2	8.1	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	18,600	49,782	56,469	62,447	67,914	77,857	74,436	66,981	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	2	1	1	1	1	1	1	-	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	2	1	1	1	1	1	1	-	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		No toxicity test results were provided for December.												
Notes:		ND: No Deposit			NMR: No Measurement Required			Pass: ≤50% Mortality			Fail: >50% Mortality			
		Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.												
		A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.												

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Holloway Mine													
<b>Operator Name</b>	Holloway Mining Company													
<b>Product(s)</b>	Gold													
<b>Address</b>	Highway 101E, P.O. Box 609, Matheson, Ontario P0K 1N0													
<b>Effluent Discharge Point</b>	Final Discharge Point													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0020	0.0032	0.0028	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0375	0.0560	0.0775	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0125	0.0074	0.0063	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	0.0005	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0300	0.0420	0.0750	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0009	0.0023	0.0023	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	2.98	0.77	0.57	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0025	0.0025	0.0025	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	7.1	7.1	7.2	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	7.4	7.5	7.3	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	1,098,924	1,056,249	436,119	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	1	1	1	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	1	1	1	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Horne (Smelter)												
Operator Name		Xstrata Canada Corporation												
Product(s)		Copper												
Address		P.O. Box 4000, Rouyn-Noranda, Quebec J9X 5B6												
Effluent Discharge Point		Final Effluent – Pelletier Sector												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	
Cu (mg/L)	0.3	0.0220	0.0118	0.0363	0.0268	0.0115	0.0093	0.0068	0.0075	0.0068	0.0260	0.0458	0.0288	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0050	0.0050	0.0063	0.0060	0.0063	0.0050	0.0050	0.0063	0.0063	0.0080	0.0113	0.0080	
Ni (mg/L)	0.5	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0050	0.0060	0.0075	0.0050	
Zn (mg/L)	0.5	0.1230	0.0618	0.1653	0.1088	0.0405	0.0238	0.0148	0.0103	0.0153	0.1860	0.3095	0.2884	
TSS (mg/L)	15	12.40	11.75	10.00	4.80	4.75	3.25	2.80	1.50	4.75	3.20	7.75	6.20	
Ra-226 (Bq/L)	0.37	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0050	NMR	
pH low	≥ 6.0	6.8	6.9	7.0	7.5	7.3	7.3	7.3	7.1	7.0	7.1	6.7	6.8	
pH high	≤ 9.5	6.9	7.1	9.0	7.7	7.6	7.7	7.7	8.0	7.7	7.5	7.3	7.2	
Flow (m <sup>3</sup> /month)	—	57,511	48,524	3,398,135	224,070	64,852	233,700	63,389	68,936	265,898	905,510	806,580	83,328	
Rainbow Trout	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Huckleberry Mine											
<b>Operator Name</b>		Huckleberry Mines Ltd.											
<b>Product(s)</b>		Copper-Molybdenum-Gold-Silver											
<b>Address</b>		P.O. Box 3000, Houston, British Columbia V0J 1Z0											
<b>Effluent Discharge Point</b>		Hu.EZDD – East Zone Diversion Ditch											
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	<b>—</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Huckleberry Mine												
Operator Name		Huckleberry Mines Ltd.												
Product(s)		Copper-Molybdenum-Gold-Silver												
Address		P.O. Box 3000, Houston, British Columbia V0J 1Z0												
Effluent Discharge Point		Hu.SC3 – Sediment Control Structure 3												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0011	0.0011	0.0009	0.0007	0.0011	0.0017	0.0019	0.0013	0.0012	0.0008	0.0009	0.0007	
Cu (mg/L)	0.3	0.0261	0.0215	0.0248	0.0349	0.0309	0.0215	0.0154	0.0150	0.0104	0.0110	0.0145	0.0141	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.0002	0.0000	0.0001	0.0000	0.0001	0.0000	
Ni (mg/L)	0.5	0.0008	0.0008	0.0111	0.0007	0.0006	0.0006	0.0009	0.0013	0.0030	0.0013	0.0009	0.0018	
Zn (mg/L)	0.5	0.0190	0.0173	0.0170	0.0148	0.0114	0.0113	0.0161	0.0110	0.0110	0.0104	0.0191	0.0179	
TSS (mg/L)	15	0.60	0.50	0.50	0.50	0.78	1.38	0.66	0.68	0.50	0.50	0.75	0.50	
Ra-226 (Bq/L)	0.37	-	-	-	NMR	NMR	0.0025	NMR	0.0090	NMR	NMR	0.0080	NMR	
pH low	≥ 6.0	7.7	7.7	7.7	7.6	7.6	7.8	7.7	7.9	7.8	7.8	7.8	7.8	
pH high	≤ 9.5	7.9	7.9	8.0	7.8	8.0	7.9	7.8	8.0	8.0	7.9	7.9	8.0	
Flow (m <sup>3</sup> /month)	—	12,505	13,384	21,551	57,284	87,500	38,049	8,627	7,942	4,878	10,659	10,283	10,553	
Rainbow Trout	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		No test results for radium 226 were provided for the first quarter.												
Notes:		ND: No Deposit			NMR: No Measurement Required			Pass: ≤50% Mortality			Fail: >50% Mortality			
		Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.												
		A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.												



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Huckleberry Mine													
<b>Operator Name</b>	Huckleberry Mines Ltd.													
<b>Product(s)</b>	Copper-Molybdenum-Gold-Silver													
<b>Address</b>	P.O. Box 3000, Houston, British Columbia V0J 1Z0													
<b>Effluent Discharge Point</b>	Hu.SC4 – Sediment Control Structure 4													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0008	0.0010	0.0007	0.0010	0.0011	0.0016	0.0013	0.0010	0.0010	0.0008	0.0008	0.0010	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0083	0.0080	0.0085	0.0471	0.0117	0.0095	0.0162	0.0092	0.0075	0.0139	0.0214	0.0119	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0003	0.0001	0.0001	0.0001	0.0001	0.0001	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0022	0.0022	0.0028	0.0140	0.0032	0.0025	0.0025	0.0024	0.0037	0.0030	0.0040	0.0029	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0042	0.0035	0.0038	0.0171	0.0050	0.0044	0.0108	0.0054	0.0065	0.0063	0.0069	0.0054	
<b>TSS</b> (mg/L)	<b>15</b>	0.84	0.50	0.65	3.36	1.85	2.05	0.86	0.90	0.65	0.86	0.75	0.65	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	-	-	-	NMR	NMR	0.0060	NMR	0.0025	NMR	NMR	0.0025	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	7.5	7.6	7.5	7.5	7.6	7.7	7.5	7.7	7.6	7.4	7.6	7.7	
<b>pH high</b>	<b>≤ 9.5</b>	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.8	
<b>Flow</b> (m <sup>3</sup> /month)	—	31,791	30,866	33,492	120,141	114,651	51,521	50,357	44,135	42,942	50,251	42,285	42,250	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	No test results for radium 226 were provided for the first quarter.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Huckleberry Mine													
<b>Operator Name</b>	Huckleberry Mines Ltd.													
<b>Product(s)</b>	Copper-Molybdenum-Gold-Silver													
<b>Address</b>	P.O. Box 3000, Houston, British Columbia V0J 1Z0													
<b>Effluent Discharge Point</b>	HU.SC6 - Sediment Control Structure 6													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	This new final discharge point became subject to the MMER in July 2012.													
Notes: ND: No Deposit      NMR: No Measurement Required      Pass: ≤50% Mortality      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Huckleberry Mine													
<b>Operator Name</b>	Huckleberry Mines Ltd.													
<b>Product(s)</b>	Copper-Molybdenum-Gold-Silver													
<b>Address</b>	P.O. Box 3000, Houston, British Columbia V0J 1Z0													
<b>Effluent Discharge Point</b>	HU.SC7 - Sediment Control Structure 7													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	This new final discharge point became subject to the MMER in July 2012.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Huckleberry Mine													
<b>Operator Name</b>	Huckleberry Mines Ltd.													
<b>Product(s)</b>	Copper-Molybdenum-Gold-Silver													
<b>Address</b>	P.O. Box 3000, Houston, British Columbia V0J 1Z0													
<b>Effluent Discharge Point</b>	HU.SC8 - Sediment Control Structure 8													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	-	-	-	-	-	-	ND	ND	ND	0.0021	0.0011	0.0011	
<b>Cu</b> (mg/L)	0.3	-	-	-	-	-	-	ND	ND	ND	0.0030	0.0039	0.0021	
<b>CN</b> (mg/L)	1.0	-	-	-	-	-	-	ND	ND	ND	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	-	-	-	-	-	-	ND	ND	ND	0.0002	0.0003	0.0001	
<b>Ni</b> (mg/L)	0.5	-	-	-	-	-	-	ND	ND	ND	0.0008	0.0007	0.0007	
<b>Zn</b> (mg/L)	0.5	-	-	-	-	-	-	ND	ND	ND	0.0015	0.0026	0.0013	
<b>TSS</b> (mg/L)	15	-	-	-	-	-	-	ND	ND	ND	7.26	7.73	2.00	
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	ND	ND	ND	-	0.0043	0.0035	
<b>pH low</b>	≥ 6.0	-	-	-	-	-	-	ND	ND	ND	7.6	7.6	7.6	
<b>pH high</b>	≤ 9.5	-	-	-	-	-	-	ND	ND	ND	8.0	7.9	7.9	
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	ND	ND	ND	30,965	16,305	7,533	
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	ND	ND	ND	-	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	ND	ND	ND	-	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	This new final discharge point became subject to the MMER in July 2012. No radium 226 and toxicity test results were provided for October.													
Notes: ND: No Deposit      NMR: No Measurement Required      Pass: ≤50% Mortality      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Huckleberry Mine												
<b>Operator Name</b>	Huckleberry Mines Ltd.												
<b>Product(s)</b>	Copper-Molybdenum-Gold-Silver												
<b>Address</b>	P.O. Box 3000, Houston, British Columbia V0J 1Z0												
<b>Effluent Discharge Point</b>	Hu.TMF2 – Tailings Management Facility 2 Supernatant / Hu.TRO - Tahtsa Reach Outfall												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	0.0022	0.0011	0.0013	0.0009	0.0012	0.0012	0.0013	0.0015	-	ND	ND	-
<b>Cu</b> (mg/L)	0.3	0.0086	0.0116	0.0117	0.0117	0.0360	0.0047	0.0043	0.0025	-	ND	ND	-
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	ND	ND	NMR
<b>Pb</b> (mg/L)	0.2	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0008	0.0001	-	ND	ND	-
<b>Ni</b> (mg/L)	0.5	0.0018	0.0022	0.0018	0.0024	0.0047	0.0007	0.0006	0.0003	-	ND	ND	-
<b>Zn</b> (mg/L)	0.5	0.0037	0.0029	0.0020	0.0025	0.0067	0.0014	0.0016	0.0015	-	ND	ND	-
<b>TSS</b> (mg/L)	15	4.49	3.38	4.40	2.98	3.53	5.53	8.74	8.80	-	ND	ND	-
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	NMR	NMR	0.0100	NMR	0.0080	NMR	ND	ND	-
<b>pH low</b>	≥ 6.0	7.6	7.6	7.5	7.2	7.5	7.3	6.7	7.2	-	ND	ND	-
<b>pH high</b>	≤ 9.5	7.9	7.9	7.6	7.6	8.1	7.6	7.5	9.4	-	ND	ND	-
<b>Flow</b> (m <sup>3</sup> /month)	—	454,089	273,924	465,429	441,101	380,725	287,259	279,695	294,683	48,326	ND	ND	40,039
<b>Rainbow Trout</b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	ND	ND	-
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	ND	ND	-
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No test results for radium 226 were provided for the first quarter. Only flow measurement was provided for September and December. This final discharge point has been renamed as “Hu.TRO - Tahtsa Reach Outfall”												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Iron Ore Company of Canada – Carol Project													
<b>Operator Name</b>	Iron Ore Company of Canada													
<b>Product(s)</b>	Iron													
<b>Address</b>	2 Avalon Drive, P.O. Box 1000, Labrador City, Newfoundland and Labrador A2V 2Y6													
<b>Effluent Discharge Point</b>	Hakim Culvert													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0010	0.0010	0.0010	0.0010	0.0018	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0007	0.0003	0.0003	0.0004	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0010	0.0010	0.0010	0.0016	0.0009	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0044	0.0025	0.0025	0.0031	0.0036	0.0025	0.0035	0.0025	0.0025	0.0034	0.0041	0.0025	
<b>TSS</b> (mg/L)	<b>15</b>	3.12	1.68	2.40	8.88	8.75	0.50	1.92	1.78	2.30	2.40	1.28	0.80	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	NMR	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0050	0.0050	0.0050	0.0050	0.0050	
<b>pH low</b>	<b>≥ 6.0</b>	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	8.1	8.2	8.1	8.1	
<b>pH high</b>	<b>≤ 9.5</b>	8.1	8.1	8.1	8.1	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	
<b>Flow</b> (m <sup>3</sup> /month)	—	480,243	374,167	568,553	756,898	664,432	671,085	779,297	832,974	539,607	460,267	661,462	629,491	
<b>Rainbow Trout</b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Iron Ore Company of Canada – Carol Project													
<b>Operator Name</b>	Iron Ore Company of Canada													
<b>Product(s)</b>	Iron													
<b>Address</b>	2 Avalon Drive, P.O. Box 1000, Labrador City, Newfoundland and Labrador A2V 2Y6													
<b>Effluent Discharge Point</b>	Julienne Narrows													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	0.3	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	0.0003	0.0003	0.0003	0.0004	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	
<b>Ni</b> (mg/L)	0.5	0.0010	0.0010	0.0010	0.0014	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
<b>Zn</b> (mg/L)	0.5	0.0026	0.0025	0.0025	0.0025	0.0025	0.0035	0.0032	0.0025	0.0053	0.0025	0.0047	0.0055	
<b>TSS</b> (mg/L)	15	0.70	0.50	0.88	0.50	1.18	2.53	0.94	1.15	1.93	1.14	0.80	0.76	
<b>Ra-226</b> (Bq/L)	0.37	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0080	0.0050	0.0100	0.0100	0.0050	0.0050	
<b>pH low</b>	≥ 6.0	7.8	7.8	7.7	7.9	7.7	7.7	7.9	7.9	8.0	7.9	7.9	7.8	
<b>pH high</b>	≤ 9.5	7.8	7.9	7.8	8.0	7.8	8.0	8.0	8.1	8.0	8.1	8.0	8.0	
<b>Flow</b> (m <sup>3</sup> /month)	—	146,856,672	91,790,496	76,704,019	34,047,216	128,357,499	166,512,024	113,513,267	118,214,524	100,733,550	96,583,104	88,361,280	78,852,096	
<b>Rainbow Trout</b>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Iron Ore Company of Canada – Carol Project													
<b>Operator Name</b>	Iron Ore Company of Canada													
<b>Product(s)</b>	Iron													
<b>Address</b>	2 Avalon Drive, P.O. Box 1000, Labrador City, Newfoundland and Labrador A2V 2Y6													
<b>Effluent Discharge Point</b>	MD5													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	0.0010	0.0010	0.0010	0.0010	0.0010	0.0025	0.0010	0.0010	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	0.0003	0.0003	0.0003	0.0003	0.0003	0.0008	0.0003	0.0003	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	0.0010	0.0010	0.0010	0.0010	0.0010	0.0018	0.0010	0.0010	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	0.0083	0.0042	0.0025	0.0036	0.0043	0.0088	0.0076	0.0084	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	5.70	3.53	2.86	3.65	1.50	10.64	8.10	1.55	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	0.0025	0.0025	0.0100	0.0050	0.0050	0.0050	0.0050	0.0050	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	7.6	7.9	8.1	7.9	8.1	8.0	7.9	7.9	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	7.7	8.1	8.1	8.2	8.1	8.2	8.0	8.0	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	5,785	2,126	2,197	6,083	5,110	12,423	4,101	171	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Island Gold Project													
<b>Operator Name</b>	Richmont Mines Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	15 Goudreau Road, P.O. Box 456, Dubreuilville, Ontario P0S 1B0													
<b>Effluent Discharge Point</b>	IG-2													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0008	0.0010	ND	0.0040	0.0034	ND	0.0156	0.0113	0.0049	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	0.0019	0.0022	ND	0.0022	0.0027	ND	0.0084	0.0063	0.0047	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	0.0009	0.0005	ND	0.0023	0.0023	ND	0.0200	0.0153	0.0095	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	0.0001	0.0001	ND	0.0001	0.0003	ND	0.0003	0.0003	0.0012	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0012	0.0034	ND	0.0010	0.0019	ND	0.0084	0.0062	0.0055	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0027	0.0027	ND	0.0014	0.0035	ND	0.0030	0.0032	0.0075	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	5.58	6.13	ND	6.16	22.13	ND	12.50	9.72	39.70	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	0.0050	NMR	ND	NMR	0.0100	ND	NMR	0.0050	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	7.7	8.2	ND	8.0	8.2	ND	8.5	7.9	7.9	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	8.0	8.4	ND	8.3	8.3	ND	8.5	8.1	7.9	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	320,371	166,376	ND	267,115	183,995	ND	33,778	516,383	40,410	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	1	1	ND	1	1	ND	-	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	1	1	ND	1	1	ND	-	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	No toxicity test results were provided for October.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		James Mine												
<b>Operator Name</b>		Labrador Iron Mines Ltd.												
<b>Product(s)</b>		Iron												
<b>Address</b>		700-200 Bay Street, Toronto, Ontario M5J 2W4												
<b>Effluent Discharge Point</b>		Ruth Pit Outlet												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	<b>0.5</b>	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0050	0.0025	0.0025	0.0025	0.0025	0.0025	0.0018	0.0010	0.0010	0.0010	0.0010	0.0009	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0004	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0010	0.0010	0.0011	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0043	0.0040	0.0035	0.0272	0.0066	0.0066	0.0039	0.0045	0.0035	0.0048	0.0035	0.0048	
<b>TSS</b> (mg/L)	<b>15</b>	1.00	3.75	3.00	3.40	4.75	1.50	1.25	2.50	1.75	4.60	2.20	1.25	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0050	0.0050	0.0050	0.0050	0.0043	0.0010	0.0020	0.0013	0.0025	0.0014	0.0010	0.0010	
<b>pH low</b>	<b>≥ 6.0</b>	7.6	7.6	7.5	7.2	6.8	7.1	7.9	7.8	7.7	6.9	7.0	7.0	
<b>pH high</b>	<b>≤ 9.5</b>	7.8	7.8	7.6	7.6	7.5	7.8	8.0	8.0	7.8	8.1	8.0	7.8	
<b>Flow</b> (m <sup>3</sup> /month)	—	153,807	77,501	92,047	119,181	226,726	229,901	195,472	346,534	281,703	291,525	320,014	287,813	
<b>Rainbow Trout</b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Joe Mann											
<b>Operator Name</b>		Legault Métal Inc.											
<b>Product(s)</b>		Gold-Copper											
<b>Address</b>		P.O. Box 400, Chibougamau, Quebec G8P 2X8											
<b>Effluent Discharge Point</b>		Polishing Pond Effluent - Point 10											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>Cu</b> (mg/L)	0.3	-	-	-	-	-	-	-	-	-	-	-	-
<b>CN</b> (mg/L)	1.0	-	-	-	-	-	-	-	-	-	-	-	-
<b>Pb</b> (mg/L)	0.2	-	-	-	-	-	-	-	-	-	-	-	-
<b>Ni</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>Zn</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>TSS</b> (mg/L)	15	-	-	-	-	-	-	-	-	-	-	-	-
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	-	-	-	-	-	-
<b>pH low</b>	≥ 6.0	-	-	-	-	-	-	-	-	-	-	-	-
<b>pH high</b>	≤ 9.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	-	-	-	-	-	-
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	-	-	-	-	-	-
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	-	-	-	-	-	-
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>		As of October 25, 2011, the mine has received “Recognized Closed Mine Status” and therefore is no longer subject to the MMER.											
Notes: ND: No Deposit		NMR: No Measurement Required				Pass: ≤50% Mortality				Fail: >50% Mortality			
Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.													
A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Jolu Mill													
<b>Operator Name</b>	Golden Band Resources Inc.													
<b>Product(s)</b>	Gold-Copper													
<b>Address</b>	701 Cynthia Street, Suite 100, Saskatoon, Saskatchewan S7L 6B7													
<b>Effluent Discharge Point</b>	Mallard Tailings Management Facility - Cell C Outlet Berm													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0006	ND	ND	0.0005	0.0006	0.0007	0.0007	0.0008	ND	0.0007	0.0007	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0610	ND	ND	0.0543	0.0383	0.0350	0.0530	0.0575	ND	0.0436	0.0485	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	0.0053	ND	ND	0.0053	0.0050	0.0055	0.0106	0.0280	ND	0.0128	0.0255	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0004	ND	ND	0.0003	0.0004	0.0003	0.0005	0.0010	ND	0.0015	0.0016	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0044	ND	ND	0.0045	0.0044	0.0043	0.0044	0.0036	ND	0.0077	0.0051	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0117	ND	ND	0.0012	0.0015	0.0013	0.0031	0.0009	ND	0.0050	0.0047	ND	
<b>TSS</b> (mg/L)	<b>15</b>	2.33	ND	ND	0.67	4.33	5.67	4.70	10.50	ND	4.00	28.50	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0083	ND	ND	0.0050	0.0025	0.0025	0.0040	0.0025	ND	0.0060	0.0063	ND	
<b>pH low</b>	<b>≥ 6.0</b>	7.3	ND	ND	7.0	7.0	7.4	7.2	7.5	ND	7.4	7.4	ND	
<b>pH high</b>	<b>≤ 9.5</b>	7.5	ND	ND	7.3	7.8	7.5	7.4	7.5	ND	7.7	7.5	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	2,074	ND	ND	16,128	42,519	35,557	164,476	59,136	ND	112,794	69,968	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	1	ND	ND	1	1	1	1	1	ND	1	1	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	ND	ND	1	1	1	1	1	ND	1	1	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Kemess South Mine											
<b>Operator Name</b>		AuRico Gold Inc.											
<b>Product(s)</b>		Gold-Copper											
<b>Address</b>		P.O. Box 3519, Smithers, British Columbia V0J 2N0											
<b>Effluent Discharge Point</b>		KS.WQ14 - Runoff											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
As (mg/L)	0.5	0.0005	0.0004	0.0003	0.0006	0.0010	0.0008	0.0006	0.0004	0.0003	0.0003	0.0004	0.0003
Cu (mg/L)	0.3	0.0014	0.0014	0.0012	0.0022	0.0036	0.0023	0.0022	0.0016	0.0012	0.0015	0.0016	0.0012
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR
Pb (mg/L)	0.2	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
Ni (mg/L)	0.5	0.0002	0.0002	0.0002	0.0003	0.0004	0.0002	0.0002	0.0002	0.0002	0.0002	0.0012	0.0002
Zn (mg/L)	0.5	0.0005	0.0008	0.0003	0.0008	0.0016	0.0007	0.0008	0.0003	0.0005	0.0008	0.0046	0.0008
TSS (mg/L)	15	4.92	2.85	2.40	4.55	12.23	3.24	2.97	2.65	1.92	2.43	2.25	2.28
Ra-226 (Bq/L)	0.37	NMR	NMR	0.0025	NMR	0.0050	NMR	NMR	0.0050	NMR	0.0100	NMR	NMR
pH low	≥ 6.0	8.1	8.1	8.1	8.1	8.0	8.1	8.0	8.2	8.2	8.0	8.2	8.1
pH high	≤ 9.5	8.2	8.3	8.3	8.2	8.2	8.3	8.3	8.4	8.4	8.4	8.3	8.3
Flow (m <sup>3</sup> /month)	—	18,479	22,131	40,800	69,788	504,684	323,586	32,486	19,151	19,233	27,632	19,051	15,334
Rainbow Trout	Pass	NMR	NMR	1	NMR	1	NMR	NMR	1	NMR	1	NMR	NMR
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<i>Daphnia magna</i>	Pass	NMR	NMR	1	NMR	1	NMR	NMR	1	NMR	1	NMR	NMR
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Kemess South Mine												
<b>Operator Name</b>	AuRico Gold Inc.												
<b>Product(s)</b>	Gold-Copper												
<b>Address</b>	P.O. Box 3519, Smithers, British Columbia V0J 2N0												
<b>Effluent Discharge Point</b>	KS.WQBXL – Sedimentation Pond Decant												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	0.0003	0.0003	0.0004	ND	ND	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	0.0020	0.0030	0.0020	ND	ND	ND	ND	ND
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	NMR	NMR	NMR	ND	ND	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	0.0001	0.0002	0.0001	ND	ND	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	0.0002	0.0005	0.0004	ND	ND	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	0.0036	0.0046	0.0033	ND	ND	ND	ND	ND
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	4.33	6.10	4.38	ND	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	0.0050	0.0050	0.0025	ND	ND	ND	ND	ND
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	7.8	7.8	8.0	ND	ND	ND	ND	ND
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	8.0	8.2	8.2	ND	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	7,061	17,232	547	ND	ND	ND	ND	ND
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	1	1	1	ND	ND	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	1	1	1	ND	ND	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Key Lake Operation													
<b>Operator Name</b>	Cameco Corporation													
<b>Product(s)</b>	Uranium													
<b>Address</b>	2121-11th Street West, Saskatoon, Saskatchewan S7M 1J3													
<b>Effluent Discharge Point</b>	Station 1.2 – Dewatering Discharge to Horsefly Lake													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0234	0.0202	0.0303	0.0290	0.0183	0.0168	0.0200	0.0253	0.0230	0.0286	0.0320	0.0236	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0024	0.0015	0.0024	0.0019	0.0014	0.0012	0.0012	0.0020	0.0018	0.0018	0.0021	0.0016	
<b>TSS</b> (mg/L)	<b>15</b>	0.18	0.20	0.18	0.10	0.18	0.10	0.12	0.25	0.10	0.10	0.10	0.10	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0025	0.0025	0.0025	0.0034	0.0043	0.0025	0.0038	0.0039	0.0025	0.0025	0.0044	0.0051	
<b>pH low</b>	<b>≥ 6.0</b>	6.3	6.4	6.4	6.3	6.7	6.4	6.2	6.1	6.2	6.4	6.4	6.2	
<b>pH high</b>	<b>≤ 9.5</b>	6.9	6.7	6.7	6.8	6.9	6.7	6.6	6.7	6.8	6.7	6.7	6.7	
<b>Flow</b> (m <sup>3</sup> /month)	—	461,638	359,022	476,231	470,552	246,383	328,297	492,155	466,918	287,292	444,777	479,465	540,235	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Key Lake Operation												
Operator Name		Cameco Corporation												
Product(s)		Uranium												
Address		2121-11th Street West, Saskatoon, Saskatchewan S7M 1J3												
Effluent Discharge Point		Station 1.4 – Mill Effluent to Wolf Lake												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0057	0.0073	0.0084	0.0071	0.0076	0.0065	0.0056	0.0072	0.0083	0.0084	0.0109	0.0134	
Cu (mg/L)	0.3	0.0049	0.0041	0.0057	0.0033	0.0102	0.0052	0.0030	0.0064	0.0213	0.0114	0.0093	0.0076	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0005	0.0002	0.0003	0.0001	0.0003	0.0006	0.0002	0.0004	0.0013	0.0011	0.0003	0.0079	
Ni (mg/L)	0.5	0.0590	0.0385	0.0638	0.1155	0.0240	0.0203	0.0532	0.0345	0.0958	0.0938	0.0575	0.0620	
Zn (mg/L)	0.5	0.0061	0.0034	0.0049	0.0089	0.0098	0.0043	0.0064	0.0037	0.0085	0.0104	0.0029	0.0063	
TSS (mg/L)	15	3.95	5.05	1.65	2.80	5.23	5.10	2.36	1.58	1.65	2.60	1.25	1.54	
Ra-226 (Bq/L)	0.37	0.0200	0.0063	0.0088	0.0138	0.0088	0.0100	0.0100	0.0125	0.0050	0.0100	0.0138	0.0150	
pH low	≥ 6.0	6.3	6.2	6.1	6.4	6.2	6.1	6.4	6.3	6.3	6.2	6.1	6.0	
pH high	≤ 9.5	6.6	6.4	6.3	6.7	6.7	6.3	6.6	6.4	6.6	6.4	6.5	6.4	
Flow (m <sup>3</sup> /month)	—	83,045	54,146	122,968	50,675	93,209	55,020	119,300	113,415	113,680	86,401	140,505	113,370	
Rainbow Trout	Pass	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Kidd Metallurgical Division													
<b>Operator Name</b>	Xstrata Canada Corporation													
<b>Product(s)</b>	Zinc-Copper-Silver-Lead-Cadmium-Indium-Cobalt-Selenium-Palladium-Platinum													
<b>Address</b>	10050 Highway 101 East, P.O. Bag 2002, Hoyle Township, Timmins, Ontario P4N 7K1													
<b>Effluent Discharge Point</b>	Final Effluent Monitoring Point													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0003	0.0003	0.0005	0.0003	0.0008	0.0007	0.0011	0.0012	0.0018	0.0012	0.0008	0.0004	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0023	0.0077	0.0048	0.0052	0.0045	0.0073	0.0052	0.0080	0.0050	0.0054	0.0058	0.0016	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0010	0.0010	0.0013	0.0016	0.0010	0.0018	0.0012	0.0010	0.0013	0.0014	0.0010	0.0010	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0010	0.0013	0.0010	0.0012	0.0010	0.0013	0.0010	0.0013	0.0020	0.0042	0.0023	0.0016	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0900	0.0977	0.0433	0.0264	0.0355	0.0253	0.0278	0.0133	0.0120	0.0146	0.0240	0.0260	
<b>TSS</b> (mg/L)	<b>15</b>	1.33	1.00	1.25	1.20	1.25	2.25	2.20	2.25	2.25	1.40	1.50	2.00	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	NMR	0.0100	NMR	NMR	0.0050	NMR	NMR	0.0200	NMR	NMR	0.0050	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	7.9	7.8	7.3	7.7	7.7	7.9	7.5	8.1	7.7	7.7	7.5	7.4	
<b>pH high</b>	<b>≤ 9.5</b>	8.1	7.8	8.5	8.3	8.0	8.1	7.9	8.4	8.1	8.2	8.3	7.8	
<b>Flow</b> (m <sup>3</sup> /month)	—	203,100	660,650	3,992,820	1,224,450	503,350	537,810	520,600	885,400	1,047,510	1,335,670	1,881,730	861,830	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Kidd Mining Division													
<b>Operator Name</b>	Xstrata Canada Corporation													
<b>Product(s)</b>	Zinc-Copper-Silver-Lead-Cadmium-Indium-Cobalt-Selenium-Palladium-Platinum													
<b>Address</b>	Highway 655 North, P.O. Bag 2002, Timmins, Ontario P4N 7K1													
<b>Effluent Discharge Point</b>	Treatment Pond Final Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	0.0036	0.0019	0.0010	0.0011	0.0012	ND	0.0013	0.0016	0.0014	0.0013	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	0.0086	0.0097	0.0085	0.0100	0.0069	ND	0.0093	0.0050	0.0151	0.0174	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	NMR	NMR	NMR	NMR	NMR	ND	NMR	NMR	NMR	NMR	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	0.0023	0.0003	0.0002	0.0002	0.0002	ND	0.0003	0.0001	0.0003	0.0001	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	0.0085	0.0021	0.0023	0.0050	0.0029	ND	0.0027	0.0038	0.0026	0.0028	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	0.0885	0.0618	0.0700	0.0720	0.0540	ND	0.0885	0.0540	0.0880	0.1070	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	0.50	1.13	1.00	0.50	2.00	ND	0.88	1.00	1.00	1.00	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	0.0050	NMR	0.0050	NMR	NMR	ND	0.0050	NMR	0.0050	NMR	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	6.4	6.8	7.5	8.2	7.9	ND	7.2	6.9	6.8	7.0	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	7.7	8.3	7.9	8.2	7.9	ND	7.4	6.9	6.9	7.0	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	180,430	1,535,100	624,750	121,610	89,560	ND	333,780	150,710	93,243	199,100	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	1	NMR	1	NMR	1	ND	1	NMR	1	NMR	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	1	NMR	1	NMR	1	ND	1	NMR	1	NMR	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Kiena (Mine)												
<b>Operator Name</b>	Mines d'Or Wesdome Ltée												
<b>Product(s)</b>	Gold												
<b>Address</b>	950 Kienawisik Road, P.O. Box 268, Val-d'Or, Quebec J9P 4P3												
<b>Effluent Discharge Point</b>	Final Effluent												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	0.0005	0.0005	ND	0.0005	ND	0.0005	0.0005	0.0005	0.0005	ND
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	0.0105	0.0108	ND	0.0085	ND	0.0038	0.0030	0.0093	0.0090	ND
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	0.0110	0.0050	ND	0.0015	ND	0.0041	0.0023	0.0030	0.0060	ND
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	0.0005	0.0009	ND	0.0005	ND	0.0005	0.0005	0.0005	0.0005	ND
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	0.0305	0.0475	ND	0.0270	ND	0.0608	0.0450	0.0273	0.0270	ND
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	0.0130	0.0103	ND	0.0068	ND	0.0090	0.0035	0.0035	0.0035	ND
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	8.50	4.25	ND	3.00	ND	2.80	3.50	4.00	11.00	ND
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	0.0043	0.0045	ND	0.0010	ND	0.0020	NMR	0.0010	NMR	ND
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	7.1	7.4	ND	7.5	ND	7.6	7.8	7.6	7.4	ND
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	7.4	7.7	ND	7.6	ND	8.0	8.0	7.8	7.4	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	85,503	35,319	ND	17,361	ND	311,376	41,773	62,647	20,533	ND
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	-	1	ND	1	ND	1	1	1	1	ND
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	-	1	ND	1	ND	1	1	1	1	ND
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No toxicity test results were provided for March.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Lac Bachelor													
<b>Operator Name</b>	Ressources Métanor Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	200 Mine Road, Desmaraisville, Quebec J0Y 1H0													
<b>Effluent Discharge Point</b>	Parshall Flume													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	NMR	0.0005	NMR	NMR	0.0005	NMR	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	NMR	0.0020	NMR	NMR	0.0080	NMR	0.0060	0.0293	0.0260	0.0484	0.0128	0.0042	
<b>CN</b> (mg/L)	<b>1.0</b>	0.0542	0.0405	0.0328	0.0260	0.0300	0.0300	0.0128	0.0625	0.0963	0.1982	0.0793	0.0466	
<b>Pb</b> (mg/L)	<b>0.2</b>	NMR	0.0005	NMR	NMR	0.0010	NMR	0.0005	0.0010	0.0009	0.0012	0.0016	0.0008	
<b>Ni</b> (mg/L)	<b>0.5</b>	NMR	0.0005	NMR	NMR	0.0010	NMR	0.0007	0.0024	0.0025	0.0030	0.0025	0.0011	
<b>Zn</b> (mg/L)	<b>0.5</b>	NMR	0.0150	NMR	NMR	0.0220	NMR	0.0452	0.0235	0.0118	0.0118	0.0110	0.0092	
<b>TSS</b> (mg/L)	<b>15</b>	1.96	2.35	1.65	3.54	3.79	1.67	4.54	4.00	4.42	4.67	3.17	3.08	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	NMR	0.0320	NMR	NMR	0.0200	NMR	0.0120	NMR	NMR	NMR	0.0170	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	7.6	7.4	7.8	7.8	7.9	7.9	6.9	7.8	7.8	7.8	7.8	7.4	
<b>pH high</b>	<b>≤ 9.5</b>	8.0	8.2	8.2	8.1	8.2	8.2	8.1	8.2	8.4	8.2	8.2	8.1	
<b>Flow</b> (m <sup>3</sup> /month)	—	64,164	24,882	33,387	48,170	52,312	35,995	34,475	100,745	135,281	155,554	42,038	43,997	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	1	NMR	NMR	1	NMR	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	1	NMR	NMR	1	NMR	1	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Lac Bloom (Mine)													
<b>Operator Name</b>	Société en commandite de la mine de fer du Lac Bloom													
<b>Product(s)</b>	Iron													
<b>Address</b>	P.O. Box 880, Route 389, Fermont, Quebec G1G 1J0													
<b>Effluent Discharge Point</b>	Mill Site - Surface Drainage Pond Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Lac Bloom (Mine)												
<b>Operator Name</b>		Société en commandite de la mine de fer du Lac Bloom												
<b>Product(s)</b>		Iron												
<b>Address</b>		P.O. Box 880, Route 389, Fermont, Quebec G1G 1J0												
<b>Effluent Discharge Point</b>		Mine Site - Surface Drainage Sedimentation Pond B2 Effluent												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Lac Bloom (Mine)													
<b>Operator Name</b>	Société en commandite de la mine de fer du Lac Bloom													
<b>Product(s)</b>	Iron													
<b>Address</b>	P.O. Box 880, Route 389, Fermont, Quebec G1G 1J0													
<b>Effluent Discharge Point</b>	Recycling Water Pond Treatment Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	0.0025	0.0025	0.0021	0.0010	0.0013	0.0016	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	0.0045	0.0039	0.0019	0.0021	0.0024	0.0028	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	0.0150	0.0088	0.0047	0.0035	0.0035	0.0098	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	12.00	9.00	2.25	3.50	5.60	5.50	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	0.0010	0.0010	0.0028	0.0045	0.0196	0.0010	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	6.9	6.7	7.5	7.6	7.6	7.4	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	7.1	7.8	7.7	7.8	7.7	7.7	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	244,700	432,505	558,611	812,746	366,069	148,613	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	1	1	1	1	1	1	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	1	1	1	1	1	1	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Lac Bloom (Mine)													
<b>Operator Name</b>	Société en commandite de la mine de fer du Lac Bloom													
<b>Product(s)</b>	Iron													
<b>Address</b>	P.O. Box 880, Route 389, Fermont, Quebec G1G 1J0													
<b>Effluent Discharge Point</b>	EFF-MIN													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0005	ND	0.0005	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0025	ND	0.0025	ND	0.0025	0.0025	0.0021	0.0010	0.0010	0.0010	0.0010	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	ND	NMR	ND	NMR	NMR	NMR	NMR	NMR	NMR	NMR	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0005	ND	0.0005	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0044	ND	0.0057	ND	0.0040	0.0030	0.0031	0.0048	0.0032	0.0033	0.0051	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0460	ND	0.0180	ND	0.0147	0.0085	0.0035	0.0050	0.0035	0.0078	0.0051	ND	
<b>TSS</b> (mg/L)	<b>15</b>	8.00	ND	13.00	ND	13.33	12.25	10.00	6.75	7.50	2.25	14.67	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0200	ND	0.0050	ND	0.0025	0.0035	0.0028	0.0053	0.0033	0.0040	0.0067	ND	
<b>pH low</b>	<b>≥ 6.0</b>	7.1	ND	7.0	ND	6.7	7.2	7.4	7.5	7.2	6.7	6.8	ND	
<b>pH high</b>	<b>≤ 9.5</b>	7.1	ND	7.0	ND	7.4	8.0	8.9	7.8	8.1	7.3	7.8	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	29,752	ND	423	ND	319,770	490,223	514,625	564,570	190,736	63,875	89,924	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	1	ND	1	ND	1	1	1	1	1	1	1	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	ND	1	ND	1	1	1	1	1	1	1	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Lac des Iles Mine												
<b>Operator Name</b>	North American Palladium Ltd.												
<b>Product(s)</b>	Palladium-Platinum-Gold-Copper-Nickel-Cobalt												
<b>Address</b>	P.O. Box 10547, Thunder Bay, Ontario P7B 6T9												
<b>Effluent Discharge Point</b>	FDP 1												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0002	0.0002	0.0002	0.0002	0.0002	0.0009	0.0003	0.0003	0.0003
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	0.0015	0.0016	0.0013	0.0010	0.0010	0.0020	0.0008	0.0010	0.0012
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0000	0.0000	0.0001
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0128	0.0136	0.0113	0.0091	0.0084	0.0159	0.0118	0.0129	0.0138
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0006	0.0017	0.0002	0.0010	0.0007	0.0006	0.0003	0.0005	0.0003
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	8.20	8.76	10.13	11.03	6.92	9.38	10.58	5.68	6.60
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	0.0050	NMR	NMR	0.0050	0.0100	0.0050	0.0050	0.0050	0.0050
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	7.6	7.1	7.2	7.9	7.8	7.5	7.6	7.7	7.7
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	7.9	8.0	8.0	8.1	8.1	8.1	7.9	7.8	7.7
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	99,245	174,837	208,748	210,827	203,970	193,793	175,814	106,868	5,861
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	1	1	1	1	1	1	1	1	1
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	1	1	1	1	1	1	1	1	1
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Lac des Iles Mine												
<b>Operator Name</b>	North American Palladium Ltd.												
<b>Product(s)</b>	Palladium-Platinum-Gold-Copper-Nickel-Cobalt												
<b>Address</b>	P.O. Box 10547, Thunder Bay, Ontario P7B 6T9												
<b>Effluent Discharge Point</b>	Final Discharge Point 2												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	-	-	-	-	0.0002	0.0002	ND	0.0002	0.0004	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	-	-	-	-	0.0068	0.0042	ND	0.0126	0.0036	ND	ND	ND
<b>CN</b> (mg/L)	1.0	-	-	-	-	0.0000	0.0000	ND	0.0000	0.0000	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	-	-	-	-	0.0002	0.0001	ND	0.0007	0.0003	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	-	-	-	-	0.0352	0.0255	ND	0.0330	0.0231	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	-	-	-	-	0.0040	0.0015	ND	0.0050	0.0028	ND	ND	ND
<b>TSS</b> (mg/L)	15	-	-	-	-	35.00	11.13	ND	16.70	11.35	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	0.0050	0.0050	ND	0.0050	0.0100	ND	ND	ND
<b>pH low</b>	≥ 6.0	-	-	-	-	7.9	7.8	ND	7.9	7.2	ND	ND	ND
<b>pH high</b>	≤ 9.5	-	-	-	-	7.9	8.3	ND	7.9	8.0	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	2,230	23,600	ND	54,744	218,506	ND	ND	ND
<b>Rainbow Trout</b>	Pass	-	-	-	-	1	2	ND	1	1	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	1	2	ND	1	1	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	This new final discharge point became subject to the MMER in May 2012.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Lac Herbin (Mine)													
<b>Operator Name</b>	Alexis Minerals Corporation - QMX Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	1900 Brador Road, Val-d'Or, Quebec J9P 7A9													
<b>Effluent Discharge Point</b>	Final Effluent 1													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	As of August 2012 the company name changed from Alexis Minerals Corporation to QMX Gold Corporation.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Lac Herbin (Mine)													
<b>Operator Name</b>	Alexis Minerals Corporation - QMX Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	1900 Brador Road, Val-d'Or, Quebec J9P 7A9													
<b>Effluent Discharge Point</b>	Final Effluent 2													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	NMR	0.0003	NMR	NMR	0.0003	NMR	NMR	0.0010	NMR	NMR	0.0016	NMR	
<b>Cu</b> (mg/L)	0.3	NMR	0.0024	NMR	NMR	0.0036	NMR	NMR	0.0009	NMR	NMR	0.0010	NMR	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	NMR	0.0002	NMR	NMR	0.0011	NMR	NMR	0.0002	NMR	NMR	0.0011	NMR	
<b>Ni</b> (mg/L)	0.5	NMR	0.0024	NMR	NMR	0.0025	NMR	NMR	0.0027	NMR	NMR	0.0010	NMR	
<b>Zn</b> (mg/L)	0.5	NMR	0.0040	NMR	NMR	0.0100	NMR	NMR	0.0040	NMR	NMR	0.0035	NMR	
<b>TSS</b> (mg/L)	15	5.00	3.10	3.00	4.80	5.33	2.50	7.60	6.80	1.50	3.10	4.75	1.38	
<b>Ra-226</b> (Bq/L)	0.37	NMR	0.0010	NMR	NMR	0.0010	NMR	NMR	0.0030	NMR	NMR	0.0020	NMR	
<b>pH low</b>	≥ 6.0	7.3	7.1	7.1	7.3	7.2	7.2	7.1	7.0	7.1	7.1	7.0	6.9	
<b>pH high</b>	≤ 9.5	7.7	7.4	7.3	7.4	8.2	7.4	7.6	7.8	7.2	7.2	7.6	7.2	
<b>Flow</b> (m <sup>3</sup> /month)	—	31,963	32,343	44,764	32,113	37,300	38,226	38,438	37,757	35,516	37,929	38,267	39,664	
<b>Rainbow Trout</b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	As of August 2012 the company name changed from Alexis Minerals Corporation to QMX Gold Corporation.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Langlois (Mine)													
<b>Operator Name</b>	Ressources Breakwater Ltée / Nyrstar													
<b>Product(s)</b>	Zinc-Copper-Gold-Silver													
<b>Address</b>	P.O. Box 6000, Route 1000, Km. 42, Lebel-sur-Quévillon, Quebec J0Y 1X0													
<b>Effluent Discharge Point</b>	Main Final Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0005	0.0007	0.0005	0.0006	0.0009	0.0010	0.0010	0.0007	0.0011	0.0011	0.0015	0.0006	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0102	0.0140	0.0158	0.0093	0.0106	0.0103	0.0128	0.0080	0.0123	0.0130	0.0180	0.0152	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0015	0.0033	0.0148	0.0545	0.0804	0.0053	0.0028	0.0028	0.0015	0.0074	0.0098	0.0060	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0082	0.0005	0.0129	0.0114	0.0179	0.0050	0.0225	0.0005	0.0068	0.0010	0.0006	0.0016	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.2740	0.2033	0.1663	0.1193	0.1476	0.1807	0.1815	0.1880	0.1378	0.2346	0.2065	0.2254	
<b>TSS</b> (mg/L)	<b>15</b>	1.14	1.77	0.95	2.00	1.80	2.20	2.20	2.22	2.20	2.20	2.33	2.20	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	-	-	-	-	-	-	NMR	0.0025	NMR	NMR	0.0025	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	7.4	7.8	7.6	7.1	7.5	7.5	7.3	7.3	7.2	7.3	7.3	7.4	
<b>pH high</b>	<b>≤ 9.5</b>	8.0	8.2	8.1	7.8	7.7	7.7	7.5	7.7	7.7	7.4	7.7	7.5	
<b>Flow</b> (m <sup>3</sup> /month)	—	72,157	41,027	76,847	196,365	363,907	253,493	218,316	157,477	222,789	311,034	201,612	210,769	
<b>Rainbow Trout</b>	<b>Pass</b>	1	2	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	2	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	In August 2011, the ownership of Langlois Mine has been transferred from Ressources Breakwater Ltée to Nyrstar. No radium 226 test results were provided for the first and second quarters.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Lapa (Project)												
Operator Name		Mines Agnico-Eagle Ltée												
Product(s)		Gold												
Address		299 St.-Paul Boulevard North, Rivière-Éva, Quebec J0Y 2H0												
Effluent Discharge Point		Final Effluent – Sedimentation Pond												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0141	0.0134	0.0122	0.0071	0.0060	0.0036	0.0034	0.0131	0.0272	0.0150	0.0215	0.0346	
Cu (mg/L)	0.3	0.0071	0.0101	0.0069	0.0064	0.0070	0.0065	0.0051	0.0062	0.0061	0.0079	0.0044	0.0310	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0006	0.0040	0.0002	0.0052	0.0002	0.0013	0.0002	0.0016	0.0071	0.0002	0.0026	0.0018	
Ni (mg/L)	0.5	0.0112	0.0139	0.0151	0.0162	0.0141	0.0137	0.0137	0.0145	0.0168	0.0197	0.0206	0.0587	
Zn (mg/L)	0.5	0.0035	0.0060	0.0066	0.0040	0.0093	0.0027	0.0005	0.0020	0.0053	0.0096	0.0061	0.0033	
TSS (mg/L)	15	14.67	12.40	10.40	8.50	8.00	6.80	4.00	3.50	7.33	9.25	11.40	6.00	
Ra-226 (Bq/L)	0.37	NMR	0.0010	NMR	NMR	0.0015	NMR	0.0050	NMR	NMR	NMR	0.0020	NMR	
pH low	≥ 6.0	6.7	6.1	6.4	6.3	6.1	6.0	6.9	6.0	6.1	6.6	6.9	8.5	
pH high	≤ 9.5	7.6	8.3	7.4	8.4	7.1	7.5	6.9	6.2	6.3	8.3	8.6	8.7	
Flow (m <sup>3</sup> /month)	—	31,847	25,857	38,364	28,149	27,187	22,782	2,609	3,659	13,495	17,906	28,313	24,631	
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Laronde (Mine)												
<b>Operator Name</b>	Mines Agnico-Eagle Ltée												
<b>Product(s)</b>	Gold-Silver-Copper-Zinc												
<b>Address</b>	10200 Preissac Road, Rouyn-Noranda, Quebec J0Y 2H0												
<b>Effluent Discharge Point</b>	Final Effluent 3A												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	0.0038	0.0042	0.0030	0.0021	0.0026	0.0028	0.0030	0.0030	0.0034	0.0048	0.0020	0.0009
<b>Cu</b> (mg/L)	0.3	0.0173	0.0196	0.0353	0.0425	0.0588	0.0513	0.0302	0.0380	0.0415	0.0228	0.0320	0.0333
<b>CN</b> (mg/L)	1.0	0.0960	0.0694	0.0610	0.0443	0.0328	0.0178	0.0156	0.0210	0.0453	0.0588	0.0860	0.1033
<b>Pb</b> (mg/L)	0.2	0.0005	0.0005	0.0005	0.0054	0.0045	0.0006	0.0005	0.0005	0.0009	0.0005	0.0005	0.0005
<b>Ni</b> (mg/L)	0.5	0.1750	0.2540	0.2250	0.1603	0.0990	0.0578	0.0384	0.0685	0.0863	0.0924	0.1055	0.1138
<b>Zn</b> (mg/L)	0.5	0.0353	0.0230	0.0423	0.0405	0.0268	0.0218	0.0094	0.0160	0.0300	0.0058	0.0113	0.0040
<b>TSS</b> (mg/L)	15	5.95	3.91	7.10	12.15	14.76	10.45	6.46	8.68	9.60	7.38	4.98	4.20
<b>Ra-226</b> (Bq/L)	0.37	0.0060	NMR	NMR	0.0160	NMR	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR
<b>pH low</b>	≥ 6.0	7.0	6.9	6.7	6.9	6.6	6.8	7.0	6.9	7.0	6.9	6.8	6.7
<b>pH high</b>	≤ 9.5	7.6	7.5	7.9	7.5	7.2	7.2	7.7	7.1	7.2	7.1	7.4	7.0
<b>Flow</b> (m <sup>3</sup> /month)	—	120,914	127,509	265,142	251,555	234,449	206,367	190,690	230,049	281,895	310,098	281,284	191,038
<b>Rainbow Trout</b>	Pass	1	1	1	1	1	1	1	1	1	1	2	1
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	1	1	1	1	1	1	1	1	1	1	2	1
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Lockerby Mine													
<b>Operator Name</b>	First Nickel Inc.													
<b>Product(s)</b>	Copper-Nickel-Cobalt													
<b>Address</b>	Gordon Lake Road South, P.O. Box 5108, Chelmsford, Ontario P0M 1L0													
<b>Effluent Discharge Point</b>	Number 4 Pond Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0062	0.0060	0.0030	0.0024	0.0022	0.0022	0.0021	0.0013	0.0008	0.0011	0.0107	0.0017	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0085	0.0081	0.0111	0.0077	0.0074	0.0085	0.0167	0.0168	0.0065	0.0106	0.0127	0.0068	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0001	0.0001	0.0001	0.0005	0.0005	0.0005	0.0005	0.0004	0.0005	0.0005	0.0035	0.0004	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.1278	0.0895	0.1005	0.0782	0.0598	0.0405	0.0340	0.1363	0.0446	0.0690	0.0547	0.0563	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0038	0.0038	0.0051	0.0032	0.0028	0.0061	0.0030	0.0088	0.0022	0.0080	0.0147	0.0023	
<b>TSS</b> (mg/L)	<b>15</b>	2.00	2.17	2.13	0.83	2.13	0.95	1.24	2.90	1.00	1.16	1.61	1.06	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.1160	0.0623	0.0410	0.0867	0.0750	0.0675	0.0808	0.0645	0.0565	0.0704	0.0815	0.0883	
<b>pH low</b>	<b>≥ 6.0</b>	7.2	7.5	7.4	7.1	6.5	7.5	7.3	7.4	7.3	7.3	7.7	7.5	
<b>pH high</b>	<b>≤ 9.5</b>	7.8	7.8	7.9	7.7	7.5	7.9	7.8	7.8	8.0	7.7	7.8	7.8	
<b>Flow</b> (m <sup>3</sup> /month)	—	18,908	19,879	51,000	28,639	18,085	30,853	22,070	13,948	23,029	33,196	29,985	31,660	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Lupin Operations												
<b>Operator Name</b>		Lupin Mines Inc.												
<b>Product(s)</b>		Gold												
<b>Address</b>		1104-750 West Pender Street, Vancouver, British Columbia V6C 2T8												
<b>Effluent Discharge Point</b>		Tailings Polishing Pond No. 2												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0087	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0037	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0025	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0699	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.2318	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	3.00	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	0.0082	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	6.1	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	7.1	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	1,066,836	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Macassa Mine													
<b>Operator Name</b>	Kirkland Lake Gold Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	1350 Government Road West, P.O. Box 370, Kirkland Lake, Ontario P2N 3J1													
<b>Effluent Discharge Point</b>	C Dam													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0022	0.0025	0.0018	0.0006	0.0009	0.0013	0.0016	0.0025	0.0006	0.0005	0.0010	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0110	0.0115	0.0086	0.0103	0.0086	0.0093	0.0124	0.0175	0.0085	0.0074	0.0213	0.0073	
<b>CN</b> (mg/L)	<b>1.0</b>	0.0068	0.0055	0.0066	0.0040	0.0050	0.0164	0.0850	0.2208	0.0223	0.0056	0.0833	0.0078	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0036	0.0058	0.0068	0.0035	0.0034	0.0025	0.0022	0.0030	0.0020	0.0018	0.0035	0.0020	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0170	0.0090	0.0072	0.0075	0.0070	0.0045	0.0074	0.0030	0.0063	0.0037	0.0060	0.0045	
<b>TSS</b> (mg/L)	<b>15</b>	0.70	1.00	2.60	1.88	3.40	1.63	1.90	1.25	0.63	0.70	1.63	1.13	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	NMR	NMR	0.0050	NMR	NMR	0.0100	NMR	NMR	0.0050	NMR	0.0050	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	7.7	8.0	7.5	8.2	7.6	7.5	8.0	7.7	7.6	8.0	7.6	7.5	
<b>pH high</b>	<b>≤ 9.5</b>	8.2	8.2	8.3	8.3	8.3	8.3	8.2	8.1	8.0	8.2	8.1	7.7	
<b>Flow</b> (m <sup>3</sup> /month)	—	92,031	64,658	272,044	204,717	109,544	140,022	289,363	371,001	200,369	171,879	435,558	292,121	
<b>Rainbow Trout</b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Magnacon Mine (part of Eagle River Mill)													
<b>Operator Name</b>	Wesdome Gold Mines Ltd.													
<b>Product(s)</b>	Gold													
<b>Address</b>	93 Mission Road, P.O. Box 1520, Wawa, Ontario P0S 1K0													
<b>Effluent Discharge Point</b>	Magnacon Mine													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Matagami Mine (Xstrata Zinc Canada Division)												
Operator Name		Xstrata Canada Corporation												
Product(s)		Zinc-Copper												
Address		500 Industriel Boulevard, Matagami, Quebec J0Y 2A0												
Effluent Discharge Point		Final Effluent (WLD)												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0003	0.0009	0.0007	0.0003	0.0009	0.0004	0.0007	0.0011	0.0004	0.0008	0.0005	0.0005	
Cu (mg/L)	0.3	0.0009	0.0009	0.0017	0.0020	0.0007	0.0005	0.0003	0.0016	0.0040	0.0316	0.0006	0.0010	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0130	0.0020	0.0002	0.0004	0.0002	0.0022	0.0002	0.0010	0.0003	0.0003	0.0004	0.0005	
Ni (mg/L)	0.5	0.0026	0.0040	0.0046	0.0021	0.0029	0.0045	0.0045	0.0037	0.0056	0.0041	0.0020	0.0032	
Zn (mg/L)	0.5	0.0024	0.0103	0.0760	0.0440	0.0682	0.0380	0.0033	0.0280	0.0885	0.0726	0.0144	0.0179	
TSS (mg/L)	15	6.00	5.50	5.25	1.75	4.10	3.75	1.75	2.20	1.75	4.20	2.63	1.63	
Ra-226 (Bq/L)	0.37	0.0050	NMR	NMR	NMR	0.0010	NMR	0.0010	NMR	NMR	0.0040	NMR	NMR	
pH low	≥ 6.0	9.3	9.0	8.8	8.3	7.2	8.5	8.6	8.8	7.9	8.8	8.9	8.8	
pH high	≤ 9.5	9.4	9.4	9.3	8.7	9.5	8.9	9.0	9.4	9.4	9.2	9.4	9.4	
Flow (m <sup>3</sup> /month)	—	892,643	883,023	2,387,285	1,631,948	888,518	862,036	630,254	1,361,241	1,364,710	1,462,631	1,300,076	1,030,272	
Rainbow Trout	Pass	1	1	1	1	1	1	1	2	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	1	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	-	1	-	1	-	3	1	1	1	1	
Monitoring Test	Fail	-	-	1	-	1	-	1	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	MAX Molybdenum Mine and Mill													
<b>Operator Name</b>	FortyTwo Metals Inc.													
<b>Product(s)</b>	Molybdenum													
<b>Address</b>	42 Westside Road, Trout Lake, British Columbia V0G 1R0													
<b>Effluent Discharge Point</b>	MM.SiteD – Mine Portal Settling Pond													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	<b>—</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	MAX Molybdenum Mine and Mill												
<b>Operator Name</b>	FortyTwo Metals Inc.												
<b>Product(s)</b>	Molybdenum												
<b>Address</b>	42 Westside Road, Trout Lake, British Columbia V0G 1R0												
<b>Effluent Discharge Point</b>	MM.Site1 - Settling Ponds Decant												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	NMR	0.0008	0.0008	0.0006	NMR	NMR	0.0008	NMR	NMR	NMR	0.0007	NMR
<b>Cu</b> (mg/L)	0.3	NMR	0.0001	0.0008	0.0006	NMR	NMR	0.0001	NMR	NMR	NMR	0.0001	NMR
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR
<b>Pb</b> (mg/L)	0.2	NMR	0.0002	0.0002	0.0004	NMR	NMR	0.0002	NMR	NMR	NMR	0.0002	NMR
<b>Ni</b> (mg/L)	0.5	NMR	0.0012	0.0013	0.0012	NMR	NMR	0.0014	NMR	NMR	NMR	0.0010	NMR
<b>Zn</b> (mg/L)	0.5	NMR	0.0020	0.0060	0.0020	NMR	NMR	0.0020	NMR	NMR	NMR	0.0020	NMR
<b>TSS</b> (mg/L)	15	-	0.50	0.50	2.00	6.00	-	3.00	-	-	-	1.00	-
<b>Ra-226</b> (Bq/L)	0.37	NMR	NMR	0.0025	-	-	-	0.0100	NMR	NMR	NMR	0.0090	NMR
<b>pH low</b>	≥ 6.0	-	8.2	8.2	8.2	8.2	-	8.3	-	-	-	8.1	-
<b>pH high</b>	≤ 9.5	-	8.2	8.2	8.2	8.2	-	8.3	-	-	-	8.1	-
<b>Flow</b> (m <sup>3</sup> /month)	—	62,362	58,339	60,351	68,129	98,948	140,241	163,933	118,304	110,970	114,669	110,970	114,669
<b>Rainbow Trout</b>	Pass	NMR	NMR	1	-	-	-	1	NMR	NMR	-	-	-
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	1	NMR	NMR	-	-	-
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No <i>Daphnia Magna</i> monitoring results were provided for the first quarter. No toxicity test results were provided for the second and fourth quarters. No pH and TSS data were provided for January, June, August, September, October and December.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	MAX Molybdenum Mine and Mill													
<b>Operator Name</b>	FortyTwo Metals Inc.													
<b>Product(s)</b>	Molybdenum													
<b>Address</b>	42 Westside Road, Trout Lake, British Columbia V0G 1R0													
<b>Effluent Discharge Point</b>	MM.TP – Tailings Pond Discharge													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0012	-	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0006	-	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NMR	-	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	-	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0010	-	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0020	-	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00	-	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.4	-	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.4	-	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	10,998	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	Only flow data was provided for December. No Radium 226 test results were provided for November. No toxicity test results were provided for November and December.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		McAlpine Mill												
Operator Name		SMC (Canada) Ltd.												
Product(s)		Gold-Silver-Platinum-Palladium												
Address		Lot 4, Concession 4, P.O. Box 710, Coleman Road, Cobalt, Ontario P0J 1C0												
Effluent Discharge Point		Polishing Pond												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.2448	0.1805	0.3215	0.1964	0.1985	0.1320	0.3467	0.3667	0.2630	0.3122	0.2668	0.1500	
Cu (mg/L)	0.3	0.0054	0.0040	0.0298	0.0056	0.0045	0.0040	0.0037	0.0100	0.0028	0.0050	0.0048	0.0046	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0025	0.0025	0.0083	0.0062	0.0034	0.0025	0.0043	0.0077	0.0034	0.0039	0.0053	0.0089	
Ni (mg/L)	0.5	0.0332	0.0323	0.0325	0.0124	0.0100	0.0160	0.0080	0.0057	0.0020	0.0026	0.0173	0.0284	
Zn (mg/L)	0.5	0.0094	0.0063	0.0100	0.0054	0.0055	0.0090	0.0053	0.0103	0.0038	0.0026	0.0023	0.0032	
TSS (mg/L)	15	2.40	1.75	7.50	2.60	3.00	4.00	2.67	67.00	13.00	6.00	4.00	5.40	
Ra-226 (Bq/L)	0.37	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0100	NMR	
pH low	≥ 6.0	7.6	7.4	8.5	8.7	8.4	8.4	8.6	8.4	8.6	8.4	8.3	7.7	
pH high	≤ 9.5	8.1	8.5	9.0	9.0	8.9	8.4	8.9	9.2	8.7	8.6	8.5	8.5	
Flow (m <sup>3</sup> /month)	—	37,512	24,980	312,411	94,708	50,178	6,261	9,136	14,477	19,397	92,119	155,402	74,308	
Rainbow Trout	Pass	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	NMR	1	NMR	NMR	1	NMR	NMR	-	1	2	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	2	1	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	McArthur River Operation													
<b>Operator Name</b>	Cameco Corporation													
<b>Product(s)</b>	Uranium													
<b>Address</b>	2121-11th Street West, Saskatoon, Saskatchewan S7M 1J3													
<b>Effluent Discharge Point</b>	Station 2.1													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0012	0.0020	0.0027	0.0019	0.0025	0.0024	0.0016	0.0018	0.0019	0.0011	0.0020	0.0013	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0008	0.0014	0.0013	0.0013	0.0016	0.0014	0.0017	0.0013	0.0011	0.0011	0.0012	0.0011	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0010	0.0012	0.0016	0.0012	0.0012	0.0009	0.0007	0.0007	0.0010	0.0011	0.0014	0.0012	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0010	0.0012	0.0022	0.0013	0.0025	0.0011	0.0013	0.0013	0.0008	0.0009	0.0012	0.0011	
<b>TSS</b> (mg/L)	<b>15</b>	0.80	1.38	0.88	0.88	0.70	0.50	1.00	0.63	0.63	0.80	0.50	0.50	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0460	0.0440	0.0475	0.0525	0.0440	0.0600	0.1220	0.0575	0.0775	0.0340	0.0350	0.0475	
<b>pH low</b>	<b>≥ 6.0</b>	7.1	7.1	7.1	6.9	6.8	7.2	6.7	7.0	6.9	7.1	7.1	7.1	
<b>pH high</b>	<b>≤ 9.5</b>	7.8	7.5	7.4	7.5	7.3	7.3	7.2	7.2	7.4	7.5	7.3	7.3	
<b>Flow</b> (m <sup>3</sup> /month)	—	177,776	161,959	175,320	177,078	191,635	172,500	212,758	202,173	176,460	204,058	251,733	221,866	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	1	NMR	NMR	NMR	1	NMR	NMR	1	1	NMR	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	1	NMR	NMR	NMR	1	NMR	NMR	1	1	NMR	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	McArthur River Operation													
<b>Operator Name</b>	Cameco Corporation													
<b>Product(s)</b>	Uranium													
<b>Address</b>	2121-11th Street West, Saskatoon, Saskatchewan S7M 1J3													
<b>Effluent Discharge Point</b>	Station 2.1B													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	McArthur River Operation												
<b>Operator Name</b>	Cameco Corporation												
<b>Product(s)</b>	Uranium												
<b>Address</b>	2121-11th Street West, Saskatoon, Saskatchewan S7M 1J3												
<b>Effluent Discharge Point</b>	Station 2.7												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	0.0046	ND	ND
<b>Cu</b> (mg/L)	0.3	0.0002	0.0001	0.0002	0.0002	0.0004	0.0001	0.0004	0.0003	0.0001	0.0270	ND	ND
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	ND	ND
<b>Pb</b> (mg/L)	0.2	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0003	0.0001	0.0048	ND	ND
<b>Ni</b> (mg/L)	0.5	0.0016	0.0016	0.0016	0.0014	0.0014	0.0012	0.0015	0.0014	0.0012	0.0035	ND	ND
<b>Zn</b> (mg/L)	0.5	0.0276	0.0265	0.0250	0.0230	0.0120	0.0098	0.0086	0.0136	0.0088	0.1300	ND	ND
<b>TSS</b> (mg/L)	15	0.80	0.50	0.50	0.63	0.50	0.50	1.00	1.00	0.50	46.00	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	0.0880	0.0850	0.0875	0.0800	0.0800	0.0925	0.0940	0.1100	0.0900	0.1300	ND	ND
<b>pH low</b>	≥ 6.0	6.9	7.0	7.1	7.2	7.0	7.1	6.8	7.1	7.0	10.7	ND	ND
<b>pH high</b>	≤ 9.5	7.2	7.5	7.2	7.3	7.3	7.2	7.7	7.3	7.2	10.7	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	34,139	35,402	40,595	27,614	37,799	38,270	31,026	33,240	33,242	1,570	ND	ND
<b>Rainbow Trout</b>	Pass	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	-	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	-	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No toxicity test results were submitted for the fourth quarter. The mine reported discharge of effluent during only 2 days in October.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	McClellan Lake Operation													
<b>Operator Name</b>	AREVA Resources Canada Inc.													
<b>Product(s)</b>	Uranium													
<b>Address</b>	P.O. Box 9204, 817-45th Street West, Saskatoon, Saskatchewan S7K 3X5													
<b>Effluent Discharge Point</b>	CM01-B (JEB Water Treatment Plant)													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0010	0.0009	0.0014	0.0009	0.0085	0.0016	0.0018	0.0023	0.0031	0.0018	0.0010	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0020	0.0020	0.0014	0.0022	0.0018	0.0010	0.0012	0.0010	0.0013	0.0014	0.0023	0.0019	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0005	0.0005	0.0004	0.0005	0.0005	0.0004	0.0005	0.0005	0.0004	0.0005	0.0005	0.0004	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0308	0.0323	0.0198	0.0186	0.0375	0.0238	0.0444	0.0455	0.0554	0.0268	0.0125	0.0133	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0024	0.0030	0.0036	0.0036	0.0028	0.0020	0.0028	0.0035	0.0022	0.0028	0.0025	0.0028	
<b>TSS</b> (mg/L)	<b>15</b>	1.60	2.75	1.90	1.60	2.25	1.30	0.90	1.13	1.50	1.40	1.00	0.67	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0025	0.0044	0.0025	0.0025	0.0125	0.0025	0.0025	0.0025	0.0025	0.0030	0.0025	0.0033	
<b>pH low</b>	<b>≥ 6.0</b>	7.0	6.9	7.0	7.0	7.1	6.7	7.0	7.1	6.7	7.0	7.2	7.1	
<b>pH high</b>	<b>≤ 9.5</b>	7.1	7.1	7.2	7.3	7.4	7.2	7.5	7.4	7.4	7.4	7.3	7.4	
<b>Flow</b> (m <sup>3</sup> /month)	—	78,120	72,590	76,498	79,625	110,143	91,388	90,606	101,558	93,591	94,732	79,582	81,310	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		McClellan Lake Operation												
<b>Operator Name</b>		AREVA Resources Canada Inc.												
<b>Product(s)</b>		Uranium												
<b>Address</b>		P.O. Box 9204, 817-45th Street West, Saskatoon, Saskatchewan S7K 3X5												
<b>Effluent Discharge Point</b>		CM03												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	McClellan Lake Operation													
<b>Operator Name</b>	AREVA Resources Canada Inc.													
<b>Product(s)</b>	Uranium													
<b>Address</b>	P.O. Box 9204, 817-45th Street West, Saskatoon, Saskatchewan S7K 3X5													
<b>Effluent Discharge Point</b>	SC01 (SUE Water Treatment Plant Effluent)													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	0.0044	0.0026	0.0118	0.0060	0.0072	0.0077	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	0.0007	0.0005	0.0005	0.0004	0.0005	0.0004	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	0.0004	0.0006	0.0005	0.0004	0.0004	0.0004	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	0.0192	0.0564	0.0355	0.0720	0.0870	0.1158	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	0.0006	0.0006	0.0008	0.0006	0.0007	0.0010	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	0.50	0.50	0.50	0.50	0.58	0.63	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	0.0050	0.0035	0.0031	0.0030	0.0029	0.0038	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	6.9	7.0	7.0	6.7	6.9	7.0	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	7.6	7.3	7.5	7.5	7.1	7.0	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	84,255	130,872	122,426	142,590	122,086	43,216	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	1	NMR	NMR	1	NMR	1	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	1	NMR	NMR	1	NMR	1	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		McClellan Lake Operation												
<b>Operator Name</b>		AREVA Resources Canada Inc.												
<b>Product(s)</b>		Uranium												
<b>Address</b>		P.O. Box 9204, 817-45th Street West, Saskatoon, Saskatchewan S7K 3X5												
<b>Effluent Discharge Point</b>		SP01												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		McWatters Mine												
Operator Name		Liberty Mines Inc.												
Product(s)		Nickel												
Address		P.O. Box 398, South Porcupine, Ontario P0N 1H0												
Effluent Discharge Point		MWD-2												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0015	0.0011	0.0009	0.0009	0.0013	0.0026	0.0049	0.0068	0.0050	0.0050	0.0033	0.0028	
Cu (mg/L)	0.3	0.0061	0.0014	0.0013	0.0008	0.0016	0.0012	0.0013	0.0007	0.0013	0.0011	0.0010	0.0016	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0002	0.0002	0.0002	0.0002	0.0002	0.0001	0.0001	0.0000	0.0002	0.0001	0.0001	0.0001	
Ni (mg/L)	0.5	0.3110	0.3395	0.3033	0.2020	0.1145	0.0368	0.0251	0.0415	0.0845	0.2004	0.3378	0.3190	
Zn (mg/L)	0.5	0.0020	0.0010	0.0010	0.0016	0.0015	0.0013	0.0018	0.0010	0.0013	0.0010	0.0010	0.0010	
TSS (mg/L)	15	2.50	2.50	1.75	2.20	3.00	1.00	1.60	1.00	2.00	1.20	1.00	1.40	
Ra-226 (Bq/L)	0.37	0.0200	NMR	0.0100	NMR	NMR	0.0050	NMR	0.0050	NMR	0.0050	NMR	NMR	
pH low	≥ 6.0	9.2	9.0	6.7	7.9	7.7	8.0	8.0	8.2	9.0	8.8	8.8	8.8	
pH high	≤ 9.5	9.3	9.2	9.0	8.7	8.4	8.3	8.2	9.0	9.1	9.0	9.0	9.2	
Flow (m <sup>3</sup> /month)	—	4,383	24,551	23,868	15,678	11,581	11,221	8,895	5,930	7,604	10,325	9,549	5,721	
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Meadowbank Mine													
<b>Operator Name</b>	Agnico-Eagle Mines Ltd.													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 540, Baker Lake, Nunavut X0C 0A0													
<b>Effluent Discharge Point</b>	Attenuation Pond Discharge													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	-	-	-	-	-	-	-	-	0.0023	ND	0.0078	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	-	-	-	-	-	-	-	-	0.0071	ND	0.0067	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	-	-	-	-	-	-	-	-	0.1380	ND	0.2450	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	-	-	-	-	-	-	-	-	0.0099	ND	0.0002	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	-	-	-	-	-	-	-	-	0.0308	ND	0.0470	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	-	-	-	-	-	-	-	-	0.0090	ND	0.0005	ND	
<b>TSS</b> (mg/L)	<b>15</b>	-	-	-	-	-	-	3.75	4.40	3.25	ND	6.00	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	-	-	-	-	-	-	-	-	0.0500	ND	0.0480	ND	
<b>pH low</b>	<b>≥ 6.0</b>	-	-	-	-	-	-	7.0	6.9	7.3	ND	6.8	ND	
<b>pH high</b>	<b>≤ 9.5</b>	-	-	-	-	-	-	7.9	7.9	7.7	ND	6.8	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	340,841	136,572	132,300	ND	127,390	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	-	-	-	-	-	-	1	1	-	ND	1	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	-	-	-	-	-	-	1	1	-	ND	1	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	This new final discharge point became subject to the MMER in July 2012. No test results for As, Cu, CN, Pb, Ni, Zn and radium 226 were provided for July and August. Toxicity test results were not provided for September.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Meadowbank Mine													
<b>Operator Name</b>	Agnico-Eagle Mines Ltd.													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 540, Baker Lake, Nunavut X0C 0A0													
<b>Effluent Discharge Point</b>	Dewatering Final Discharge 1													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	0.0003	NMR	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	0.0049	NMR	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	0.0190	NMR	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	0.0002	NMR	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	0.0143	NMR	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	0.0050	NMR	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	10.33	6.00	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	0.0010	NMR	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	7.0	7.0	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	7.7	7.1	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	250,340	660,905	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	1	NMR	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	1	NMR	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Ming Mine													
<b>Operator Name</b>	Rambler Metals and Mining Canada Ltd.													
<b>Product(s)</b>	Copper-Gold													
<b>Address</b>	P.O. Box 610, Baie Verte, Newfoundland and Labrador A0K 1B0													
<b>Effluent Discharge Point</b>	Wastewater Treatment System Discharge													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0005	ND	0.0005	ND	0.0005	0.0016	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	0.0496	ND	0.0289	ND	0.0450	0.0569	0.0621	0.0690	0.0618	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	0.0083	ND	0.0077	ND	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	0.0003	ND	0.0003	ND	0.0003	0.0003	0.0003	0.0006	0.0003	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0030	ND	0.0288	ND	0.0707	0.0471	0.0227	0.1160	0.1085	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0800	ND	0.0417	ND	0.4330	0.4520	0.3375	2.0300	0.9860	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	7.20	ND	7.60	ND	7.20	6.00	10.00	9.00	8.20	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	0.0100	ND	0.0300	ND	-	0.0500	0.0600	0.0600	0.0250	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	8.1	ND	7.9	ND	8.5	9.0	8.6	8.0	7.9	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	8.1	ND	7.9	ND	8.5	9.0	9.0	8.0	8.4	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	2,567	ND	2,567	ND	2,996	2,996	4,354	2,177	30,437	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	1	ND	1	ND	1	1	-	1	-	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	1	ND	1	ND	1	-	-	1	-	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	1	-	-	-	
<b>Comments:</b>	No radium 226 test results were provided for August. No toxicity test results were provided for October and December.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Minto Project													
<b>Operator Name</b>	Minto Explorations Ltd.													
<b>Product(s)</b>	Copper-Gold-Silver													
<b>Address</b>	P.O. Box 33174, Whitehorse, Yukon Y1A 6S1													
<b>Effluent Discharge Point</b>	Mi.W3 – Runoff Main Water Dam													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0002	0.0002	0.0007	0.0004	0.0003	0.0003	0.0003	0.0002	0.0003	0.0003	0.0003	0.0003	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0031	0.0031	0.0024	0.0111	0.0073	0.0029	0.0025	0.0024	0.0031	0.0025	0.0019	0.0024	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0002	0.0001	0.0001	0.0003	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0009	0.0005	0.0005	0.0011	0.0013	0.0008	0.0007	0.0006	0.0011	0.0012	0.0010	0.0008	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0025	0.0025	0.0025	0.0025	0.0025	0.0031	0.0030	0.0025	0.0025	0.0025	0.0020	0.0033	
<b>TSS</b> (mg/L)	<b>15</b>	3.63	4.00	3.88	11.15	3.70	0.50	0.86	0.50	0.82	1.08	0.50	0.50	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	-	-	-	0.0050	NMR	0.0050	NMR	0.0050	NMR	0.0050	NMR	0.0050	
<b>pH low</b>	<b>≥ 6.0</b>	8.0	8.0	8.1	8.2	8.1	8.2	8.0	8.3	8.2	8.0	8.0	8.0	
<b>pH high</b>	<b>≤ 9.5</b>	8.2	8.4	8.3	8.3	8.4	8.4	8.5	8.4	8.3	8.3	8.2	8.3	
<b>Flow</b> (m <sup>3</sup> /month)	—	9,375	9,396	8,370	58,968	12,409	8,942	9,542	9,642	11,534	10,446	8,813	7,232	
<b>Rainbow Trout</b>	<b>Pass</b>	1	1	1	1	NMR	1	NMR	1	2	NMR	NMR	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	1	1	1	NMR	1	NMR	-	2	NMR	NMR	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	1	-	-	-	-	
<b>Comments:</b>	No radium 226 test results were submitted for the first quarter.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Mishi Pit (part of Eagle River Mill)													
<b>Operator Name</b>	Wesdome Gold Mines Ltd.													
<b>Product(s)</b>	Gold													
<b>Address</b>	93 Mission Road, P.O. Box 1520, Wawa, Ontario P0S 1K0													
<b>Effluent Discharge Point</b>	Mishi Pit													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	0.0011	0.0008	0.0009	0.0012	ND	ND	0.0004	0.0003	-	0.0010	
<b>Cu</b> (mg/L)	0.3	ND	ND	0.0010	0.0008	0.0013	0.0022	ND	ND	0.0003	0.0003	-	0.0008	
<b>CN</b> (mg/L)	1.0	ND	ND	NMR	NMR	NMR	NMR	ND	ND	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	ND	ND	0.0003	0.0001	0.0003	0.0002	ND	ND	0.0000	0.0000	-	0.0001	
<b>Ni</b> (mg/L)	0.5	ND	ND	0.0008	0.0010	0.0013	0.0014	ND	ND	0.0003	0.0003	-	0.0009	
<b>Zn</b> (mg/L)	0.5	ND	ND	0.0013	0.0009	0.0011	0.0040	ND	ND	0.0010	0.0005	-	0.0010	
<b>TSS</b> (mg/L)	15	ND	ND	3.05	1.00	1.00	5.80	ND	ND	2.10	3.80	4.60	4.50	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	0.0050	0.0075	0.0075	0.0050	ND	ND	0.0050	0.0050	-	0.0050	
<b>pH low</b>	≥ 6.0	ND	ND	6.2	6.7	6.8	6.7	ND	ND	7.1	7.0	7.1	6.8	
<b>pH high</b>	≤ 9.5	ND	ND	6.2	7.0	6.9	6.7	ND	ND	7.1	7.0	7.1	6.8	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	16,184	12,478	1,520	960	ND	ND	90	991	6,489	19,385	
<b>Rainbow Trout</b>	Pass	ND	ND	1	-	1	1	ND	ND	1	1	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	1	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	1	-	1	1	ND	ND	1	1	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	1	-	-	-	-	-	-	-	-	
<b>Comments:</b>	No results for As, Cu, Pb, Ni, Zn and radium 226 were submitted for November.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Montcalm Project													
<b>Operator Name</b>	Xstrata Canada Corporation													
<b>Product(s)</b>	Nickel-Copper-Cobalt													
<b>Address</b>	c/o P.O. Box 2002, Hwy. 655 North, Timmins, Ontario P4N 7K1													
<b>Effluent Discharge Point</b>	Montcalm Final Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0004	ND	ND	ND	ND	ND	ND	0.0001	0.0004	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	0.0038	ND	ND	ND	ND	ND	ND	0.0042	0.0014	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	NMR	ND	ND	ND	ND	ND	ND	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	0.0002	ND	ND	ND	ND	ND	ND	0.0001	0.0000	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0272	ND	ND	ND	ND	ND	ND	0.0457	0.0595	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0017	ND	ND	ND	ND	ND	ND	0.0015	0.0010	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	1.00	ND	ND	ND	ND	ND	ND	1.00	1.00	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	0.0083	ND	ND	ND	ND	ND	ND	0.0125	0.0183	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	7.0	ND	ND	ND	ND	ND	ND	7.8	7.2	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	7.9	8.6	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	86,436	ND	ND	ND	ND	ND	ND	31,497	117,068	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Mont-Wright (Mine)													
<b>Operator Name</b>	ArcelorMittal Mines Canada													
<b>Product(s)</b>	Iron													
<b>Address</b>	P.O. Box 1817, Mont-Wright, Quebec G0G 1J0													
<b>Effluent Discharge Point</b>	HS-1													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0006	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0030	0.0038	0.0030	0.0020	0.0030	0.0020	0.0012	0.0023	0.0134	0.0024	0.0015	0.0023	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0005	0.0005	0.0005	0.0006	0.0005	0.0005	0.0005	0.0006	0.0005	0.0005	0.0005	0.0005	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0202	0.0270	0.0188	0.0093	0.0130	0.0110	0.0092	0.0140	0.0353	0.0088	0.0088	0.0095	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0120	0.0140	0.0113	0.0295	0.0164	0.0115	0.0074	0.0059	0.0106	0.0089	0.0205	0.0123	
<b>TSS</b> (mg/L)	<b>15</b>	2.30	1.13	3.38	6.25	9.00	6.50	8.20	11.75	7.00	7.40	5.25	3.00	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	NMR	0.0090	NMR	NMR	0.0100	0.0060	0.0020	NMR	NMR	NMR	0.0050	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	6.7	6.6	6.7	7.2	6.8	7.4	6.8	7.2	7.5	7.3	7.2	7.1	
<b>pH high</b>	<b>≤ 9.5</b>	7.1	7.2	7.6	7.5	7.6	7.4	7.8	7.4	7.8	7.7	7.7	7.4	
<b>Flow</b> (m <sup>3</sup> /month)	—	498,635	547,977	5,320,034	5,306,105	8,640,218	11,602,904	11,508,043	8,050,229	12,782,429	5,664,512	6,737,812	2,248,836	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	1	NMR	NMR	1	1	1	NMR	NMR	NMR	1	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	1	NMR	NMR	1	1	1	NMR	NMR	NMR	1	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Mont-Wright (Mine)													
<b>Operator Name</b>	ArcelorMittal Mines Canada													
<b>Product(s)</b>	Iron													
<b>Address</b>	P.O. Box 1817, Mont-Wright, Quebec G0G 1J0													
<b>Effluent Discharge Point</b>	MS-2													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	0.0020	0.0018	0.0020	0.0019	0.0020	0.0020	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	0.0170	0.0160	0.0148	0.0195	0.0197	0.0188	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	0.0100	0.0238	0.0165	0.0153	0.0260	0.0120	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	4.00	9.25	8.00	17.00	9.75	5.80	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	0.1360	0.0010	0.1260	0.0840	0.1220	0.0610	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	6.4	6.3	6.4	6.7	6.9	7.0	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	6.4	6.7	7.6	7.0	7.3	7.2	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	8,013,974	8,022,564	8,436,308	8,351,138	8,289,024	8,647,114	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	1	1	1	1	1	1	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	-	-	1	1	1	1	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	1	1	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Mouska (Mine)												
<b>Operator Name</b>	Gestion IAMGOLD Québec Inc.												
<b>Product(s)</b>	Gold												
<b>Address</b>	P.O. Box 9999, 1075 3rd Ave. East, Val-d'Or, Quebec J9P 6M1												
<b>Effluent Discharge Point</b>	Final Effluent												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	0.0003	NMR	NMR	0.0003	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR	NMR
<b>Cu</b> (mg/L)	0.3	0.0192	NMR	NMR	0.0113	NMR	NMR	0.0280	NMR	NMR	0.0230	0.0310	0.0330
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR
<b>Pb</b> (mg/L)	0.2	0.0008	NMR	NMR	0.0002	NMR	NMR	0.0010	NMR	NMR	0.0020	NMR	NMR
<b>Ni</b> (mg/L)	0.5	0.0034	NMR	NMR	0.0040	NMR	NMR	0.0030	NMR	NMR	0.0030	NMR	NMR
<b>Zn</b> (mg/L)	0.5	0.0100	NMR	NMR	0.0090	NMR	NMR	0.0010	NMR	NMR	0.0340	NMR	NMR
<b>TSS</b> (mg/L)	15	5.60	4.50	4.50	8.50	5.80	9.35	6.66	6.88	5.83	5.66	4.68	3.10
<b>Ra-226</b> (Bq/L)	0.37	0.0060	NMR	NMR	0.0030	NMR	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR
<b>pH low</b>	≥ 6.0	7.9	7.9	7.9	7.9	7.8	7.7	6.9	7.9	7.9	7.9	7.9	7.8
<b>pH high</b>	≤ 9.5	8.0	8.2	8.0	8.1	8.0	8.0	8.0	8.0	8.1	8.0	8.0	8.0
<b>Flow</b> (m <sup>3</sup> /month)	—	101,833	100,266	108,576	100,656	110,225	122,828	155,472	190,390	197,294	237,288	206,928	174,163
<b>Rainbow Trout</b>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Musselwhite Mine													
<b>Operator Name</b>	Goldcorp Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 7500, Thunder Bay, Ontario P7E 6S8													
<b>Effluent Discharge Point</b>	FDP 1													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	0.0029	0.0024	0.0022	0.0015	0.0014	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	0.0024	0.0016	0.0024	0.0014	0.0011	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	0.0025	0.0008	0.0019	0.0019	0.0010	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	0.0000	0.0001	0.0000	0.0000	0.0001	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	0.0051	0.0047	0.0045	0.0037	0.0034	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	0.0003	0.0009	0.0003	0.0006	0.0007	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	1.30	1.16	1.15	1.00	2.08	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	0.0100	0.0100	0.0050	0.0065	0.0050	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	7.2	7.1	7.1	7.1	7.1	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	7.6	7.4	7.7	7.4	7.4	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	569,345	634,694	567,045	248,175	32,574	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	1	1	1	1	1	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	1	1	1	1	1	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Myra Falls Operations													
<b>Operator Name</b>	NVI Mining Ltd. / Nyrstar													
<b>Product(s)</b>	Copper-Zinc-Lead-Gold-Silver													
<b>Address</b>	P.O. Box 8000, Campbell River, British Columbia V9W 5E2													
<b>Effluent Discharge Point</b>	MF.11A – Runoff Myra Ponds Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0004	0.0005	0.0005	0.0008	0.0006	0.0004	0.0005	0.0006	0.0006	0.0005	0.0004	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0263	0.0199	0.0291	0.0193	0.0158	0.0172	0.0325	0.0187	0.0242	0.0178	0.0294	0.0277	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0135	0.0023	0.0152	0.0023	0.0015	0.0014	0.0021	0.0018	0.0013	0.0030	0.0019	0.0028	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0015	0.0011	0.0015	0.0008	0.0009	0.0009	0.0013	0.0007	0.0007	0.0005	0.0007	0.0014	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.3900	0.1986	0.3138	0.1830	0.1434	0.1393	0.1813	0.1059	0.1123	0.1035	0.1780	0.2370	
<b>TSS</b> (mg/L)	<b>15</b>	7.85	6.08	6.62	5.10	3.90	3.28	3.15	2.60	2.33	4.58	10.15	6.20	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0025	NMR	NMR	0.0050	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	9.0	8.9	8.9	9.1	9.0	9.0	9.0	8.9	9.0	8.9	8.8	8.9	
<b>pH high</b>	<b>≤ 9.5</b>	9.0	9.0	9.0	9.2	9.1	9.0	9.2	9.2	9.1	8.9	8.9	9.4	
<b>Flow</b> (m <sup>3</sup> /month)	—	1,384,392	1,073,831	1,090,581	1,038,107	1,082,259	1,021,698	986,633	990,235	847,529	935,311	1,270,458	1,255,537	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	In August 2011, the ownership of Myra Fall Operations was transferred from NVI Mining Ltd. to Nyrstar													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Niobec (Mine)													
<b>Operator Name</b>	Gestion IAMGOLD Québec Inc.													
<b>Product(s)</b>	Niobium													
<b>Address</b>	3400 Chemin du Columbium, St-Honoré de Chicoutimi, Quebec G0V 1L0													
<b>Effluent Discharge Point</b>	Final Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0005	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR	NMR	0.0013	NMR	NMR	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0030	NMR	NMR	0.0040	NMR	NMR	0.0030	NMR	NMR	0.0010	NMR	NMR	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0005	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR	NMR	0.0005	NMR	NMR	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0005	NMR	NMR	0.0230	NMR	NMR	0.0025	NMR	NMR	0.0089	NMR	NMR	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0192	0.0173	0.0170	0.0085	0.0520	0.0650	0.0490	0.0600	0.1213	0.0474	0.1185	0.0540	
<b>TSS</b> (mg/L)	<b>15</b>	8.60	11.50	9.25	10.75	11.40	4.75	6.60	6.25	10.25	10.60	10.53	9.00	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0672	0.1300	0.1103	0.0830	0.0686	0.1198	0.1128	0.1015	0.0748	0.1030	0.1098	0.0920	
<b>pH low</b>	<b>≥ 6.0</b>	7.4	7.2	7.2	6.5	6.6	6.8	6.7	6.3	7.4	6.7	6.7	7.0	
<b>pH high</b>	<b>≤ 9.5</b>	7.7	7.8	7.8	7.6	7.4	7.4	8.0	7.4	7.5	6.7	7.5	7.3	
<b>Flow</b> (m <sup>3</sup> /month)	—	390,253	235,214	215,349	257,693	312,922	393,660	459,612	435,510	424,005	431,545	366,480	247,651	
<b>Rainbow Trout</b>	<b>Pass</b>	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	-	NMR	NMR	-	NMR	NMR	1	NMR	NMR	-	-	-	
<b>Monitoring Test</b>	<b>Fail</b>	1	-	-	1	-	-	-	-	-	-	-	-	
<b>Comments:</b>	No <i>Daphnia magna</i> monitoring test results were provided for the fourth quarter.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Nugget Pond Mine												
<b>Operator Name</b>	Rambler Metals and Mining Canada Ltd.												
<b>Product(s)</b>	Gold												
<b>Address</b>	P.O. Box 291, Baie Verte, Newfoundland and Labrador A0K 1B0												
<b>Effluent Discharge Point</b>	Polishing Pond Effluent												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	ND	0.0016	ND	0.0016	0.0082	0.0058	0.0043	0.0043	0.0039	0.0055	0.0026	0.0023
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	0.0148	ND	0.0131	0.0542	0.0395	0.0312	0.0136	0.0129	0.0330	0.0146	0.0349
<b>CN</b> (mg/L)	<b>1.0</b>	ND	0.0790	ND	0.3967	1.7000	0.4100	0.7100	0.5150	0.1135	0.1100	0.1195	0.2200
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	0.0021	ND	0.0136	0.0719	0.0458	0.0213	0.0038	0.0024	0.0199	0.0040	0.0022
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	0.0010	ND	0.0020	0.0062	0.0051	0.0048	0.0030	0.0028	0.0040	0.0027	0.0026
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	0.0050	ND	0.0184	0.1140	0.0769	0.0542	0.0253	0.0286	0.0640	0.0589	0.0313
<b>TSS</b> (mg/L)	<b>15</b>	ND	0.85	ND	1.63	2.20	1.20	2.20	0.85	0.50	3.20	1.35	0.50
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	0.0050	ND	-	-	-	NMR	0.0050	0.0050	NMR	0.0100	NMR
<b>pH low</b>	<b>≥ 6.0</b>	ND	7.5	ND	7.1	7.7	7.6	7.8	7.8	7.8	7.6	7.7	7.6
<b>pH high</b>	<b>≤ 9.5</b>	ND	7.6	ND	7.3	7.7	7.6	7.8	7.9	7.8	7.6	7.8	7.6
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	177,500	ND	266,250	88,750	88,750	177,500	2,592	2,592	2,996	1,577	1,051
<b>Rainbow Trout</b>	<b>Pass</b>	ND	2	ND	3	1	1	1	1	1	1	1	1
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	2	ND	3	1	1	1	1	1	1	1	1
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No radium 226 test results were provided for the second quarter.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Nunavik Nickel (Project)													
<b>Operator Name</b>	Canadian Royalties Inc.													
<b>Product(s)</b>	Nickel-Copper-Cobalt-Platinum-Palladium													
<b>Address</b>	P.O. Box 238, Montréal, Quebec H3B 1X9													
<b>Effluent Discharge Point</b>	Expo Final Effluent													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	-	-	-	-	-	-	-	-	0.0005	0.0005	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	-	-	-	-	-	-	-	-	0.0025	0.0060	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	-	-	-	-	-	-	-	-	NMR	NMR	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	-	-	-	-	-	-	-	-	0.0005	0.0005	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	-	-	-	-	-	-	-	-	0.0410	0.0690	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	-	-	-	-	-	-	-	-	0.0150	0.0150	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	-	-	-	-	-	-	-	-	2.50	4.00	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	-	-	-	-	-	-	-	-	-	-	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	-	-	-	-	-	-	-	-	7.9	7.7	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	-	-	-	-	-	-	-	-	8.6	7.7	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	-	-	32,779	46,636	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	-	-	-	-	-	-	-	-	1	-	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	-	-	-	-	-	-	-	-	1	-	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	This mine became subject to the MMER in September 2012. No radium 226 test results were provided for September and October. No toxicity test results were provided for October.													
Notes: ND: No Deposit      NMR: No Measurement Required      Pass: ≤50% Mortality      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Pine Cove Property													
<b>Operator Name</b>	Anaconda Mining Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 238, Baie Verte, Newfoundland and Labrador A0K 1B0													
<b>Effluent Discharge Point</b>	Tailings Pond Discharge													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	-	ND	ND	0.0005	NMR	0.0005	ND	0.0005	-	NMR	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	-	ND	ND	0.0117	NMR	0.0113	ND	0.0063	-	NMR	0.0397	0.0642	
<b>CN</b> (mg/L)	<b>1.0</b>	1.6000	ND	ND	0.2440	0.5650	0.1800	ND	0.1100	-	2.1000	0.1100	1.2000	
<b>Pb</b> (mg/L)	<b>0.2</b>	-	ND	ND	0.0010	NMR	0.0003	ND	0.0003	-	NMR	0.0011	0.0003	
<b>Ni</b> (mg/L)	<b>0.5</b>	-	ND	ND	0.0010	NMR	0.0010	ND	0.0010	-	NMR	0.0010	0.0010	
<b>Zn</b> (mg/L)	<b>0.5</b>	-	ND	ND	0.0116	NMR	0.0025	ND	0.0025	-	NMR	0.0085	0.0025	
<b>TSS</b> (mg/L)	<b>15</b>	3.20	ND	ND	2.70	4.60	8.40	ND	2.60	-	18.00	5.40	4.00	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	-	ND	ND	NMR	NMR	0.0025	ND	-	-	-	-	-	
<b>pH low</b>	<b>≥ 6.0</b>	7.9	ND	ND	7.4	8.0	7.9	ND	8.2	-	-	8.1	8.0	
<b>pH high</b>	<b>≤ 9.5</b>	7.9	ND	ND	7.4	8.1	8.0	ND	8.2	-	-	8.1	8.0	
<b>Flow</b> (m <sup>3</sup> /month)	—	64	ND	ND	8,080	11,213	7,532	ND	15,688	39,220	17,702	4,602	23,602	
<b>Rainbow Trout</b>	<b>Pass</b>	1	ND	ND	NMR	NMR	1	ND	1	NMR	NMR	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	ND	ND	NMR	NMR	1	ND	1	NMR	NMR	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	Only flow measurement was provided for September. Test results for As, Cu, Pb, Ni, and Zn were not provided for the first quarter. Test results for radium 226 were not provided for the first, third or fourth quarter. Test results for pH were not provided for October.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Podolsky Mine													
<b>Operator Name</b>	FNX Mining Company Inc.													
<b>Product(s)</b>	Copper-Nickel-Palladium-Platinum-Gold													
<b>Address</b>	1300 Kelly Lake Road, Sudbury, Ontario P3E 5P4													
<b>Effluent Discharge Point</b>	Norman North Bog Outlet													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	0.0028	0.0040	0.0018	0.0012	0.0015	0.0011	0.0019	0.0008	0.0008	0.0008	0.0007	0.0011	
<b>Cu</b> (mg/L)	0.3	0.0088	0.0080	0.0088	0.0095	0.0106	0.0093	0.0098	0.0085	0.0073	0.0063	0.0062	0.0047	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Ni</b> (mg/L)	0.5	0.2130	0.1194	0.0925	0.1160	0.1055	0.1037	0.0987	0.0782	0.0892	0.0944	0.1062	0.1558	
<b>Zn</b> (mg/L)	0.5	0.0120	0.0153	0.0096	0.0063	0.0071	0.0059	0.0045	0.0032	0.0050	0.0101	0.0081	0.0109	
<b>TSS</b> (mg/L)	15	1.25	0.90	0.88	0.75	0.78	1.45	1.05	2.06	2.68	0.72	0.65	0.25	
<b>Ra-226</b> (Bq/L)	0.37	0.0050	NMR	NMR	0.0100	NMR	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	
<b>pH low</b>	≥ 6.0	6.4	7.7	7.4	7.5	7.5	7.6	7.5	7.6	7.7	7.9	7.5	7.9	
<b>pH high</b>	≤ 9.5	8.3	8.0	8.1	8.1	8.1	7.8	7.9	8.0	8.2	8.4	8.4	8.5	
<b>Flow</b> (m <sup>3</sup> /month)	—	12,175	7,124	45,855	9,099	8,854	11,955	6,061	9,808	14,088	30,628	16,796	11,115	
<b>Rainbow Trout</b>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Porcupine Gold Mines												
<b>Operator Name</b>	Goldcorp Canada Ltd. and Goldcorp Inc.												
<b>Product(s)</b>	Gold												
<b>Address</b>	1 Gold Mine Road, P.O. Box 70, South Porcupine, Ontario P0N 1H0												
<b>Effluent Discharge Point</b>	Mine Effluent Treatment Plant – Dome Mine												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	0.0030	0.0013	0.0030	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	0.0116	0.0144	0.0321	ND	ND	ND
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	0.0380	0.0383	0.0548	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	0.0040	0.0030	0.0031	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	0.0268	0.0427	0.0603	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	0.0035	0.0013	0.0019	ND	ND	ND
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	2.60	2.00	2.28	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	NMR	0.0050	0.0050	ND	ND	ND
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	7.5	7.3	7.1	ND	ND	ND
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	7.5	7.6	7.3	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	46,032	874,355	845,364	ND	ND	ND
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	1	1	1	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	1	1	1	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Porcupine Gold Mines												
Operator Name		Goldcorp Canada Ltd. and Goldcorp Inc.												
Product(s)		Gold												
Address		1 Gold Mine Road, P.O. Box 70, South Porcupine, Ontario P0N 1H0												
Effluent Discharge Point		Mine Water Storage Pond – Dome Mine												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0035	0.0047	0.0100	0.0059	0.0050	0.0050	0.0069	0.0048	0.0060	0.0042	0.0044	0.0032	
Cu (mg/L)	0.3	0.0030	0.0025	0.0040	0.0021	0.0020	0.0035	0.0083	0.0034	0.0099	0.0022	0.0029	0.0024	
CN (mg/L)	1.0	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0032	
Pb (mg/L)	0.2	0.0040	0.0040	0.0040	0.0040	0.0040	0.0040	0.0040	0.0040	0.0040	0.0040	0.0040	0.0040	
Ni (mg/L)	0.5	0.0202	0.0222	0.0259	0.0228	0.0192	0.0212	0.0285	0.0203	0.0209	0.0219	0.0212	0.0218	
Zn (mg/L)	0.5	0.0090	0.0089	0.0322	0.0081	0.0073	0.0090	0.0075	0.0327	0.0079	0.0143	0.0103	0.0103	
TSS (mg/L)	15	3.33	3.96	9.58	3.90	4.50	4.80	4.38	2.45	4.03	3.28	3.30	2.88	
Ra-226 (Bq/L)	0.37	NMR	NMR	0.0050	0.0050	0.0005	NMR	NMR	0.0050	NMR	NMR	0.0200	NMR	
pH low	≥ 6.0	7.9	7.9	8.0	7.9	8.0	7.9	8.0	7.9	7.6	8.0	8.0	8.0	
pH high	≤ 9.5	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.2	8.2	8.1	8.1	8.1	
Flow (m <sup>3</sup> /month)	—	46,031	66,581	127,629	125,545	67,946	58,718	32,020	129,493	37,440	63,041	114,717	56,470	
Rainbow Trout	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Porcupine Gold Mines													
<b>Operator Name</b>	Goldcorp Canada Ltd. and Goldcorp Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	1 Gold Mine Road, P.O. Box 70, South Porcupine, Ontario P0N 1H0													
<b>Effluent Discharge Point</b>	Owl Creek Discharge 1													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Porcupine Gold Mines											
Operator Name		Goldcorp Canada Ltd. and Goldcorp Inc.											
Product(s)		Gold											
Address		1 Gold Mine Road, P.O. Box 70, South Porcupine, Ontario P0N 1H0											
Effluent Discharge Point		Owl Creek Discharge 2											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
As (mg/L)	0.5	ND	ND	ND	ND	ND	ND	0.0050	0.0038	0.0035	ND	0.0020	ND
Cu (mg/L)	0.3	ND	ND	ND	ND	ND	ND	0.0020	0.0018	0.0086	ND	0.0024	ND
CN (mg/L)	1.0	ND	ND	ND	ND	ND	ND	0.0060	0.0025	0.0025	ND	0.0025	ND
Pb (mg/L)	0.2	ND	ND	ND	ND	ND	ND	0.0170	0.0040	0.0040	ND	0.0028	ND
Ni (mg/L)	0.5	ND	ND	ND	ND	ND	ND	0.0112	0.0073	0.0070	ND	0.0148	ND
Zn (mg/L)	0.5	ND	ND	ND	ND	ND	ND	0.0046	0.0022	0.0012	ND	0.0148	ND
TSS (mg/L)	15	ND	ND	ND	ND	ND	ND	5.00	2.60	2.85	ND	1.77	ND
Ra-226 (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	NMR	0.0050	NMR	ND	0.0200	ND
pH low	≥ 6.0	ND	ND	ND	ND	ND	ND	8.3	8.3	7.9	ND	8.1	ND
pH high	≤ 9.5	ND	ND	ND	ND	ND	ND	8.3	8.4	7.9	ND	8.2	ND
Flow (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	2,218	83,453	82,080	ND	119,170	ND
Rainbow Trout	Pass	ND	ND	ND	ND	ND	ND	1	2	1	ND	1	ND
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<i>Daphnia magna</i>	Pass	ND	ND	ND	ND	ND	ND	1	2	1	ND	1	ND
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Porcupine Gold Mines											
<b>Operator Name</b>		Goldcorp Canada Ltd. and Goldcorp Inc.											
<b>Product(s)</b>		Gold											
<b>Address</b>		4315 Gold Mine Road, South Porcupine, Ontario P0N 1H0											
<b>Effluent Discharge Point</b>		Pamour Mine Water											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
As (mg/L)	0.5	0.0706	ND	0.1199	0.1235	ND	ND	ND	ND	ND	ND	0.1107	0.1148
Cu (mg/L)	0.3	0.0106	ND	0.0044	0.0035	ND	ND	ND	ND	ND	ND	0.0021	0.0029
CN (mg/L)	1.0	0.0025	ND	0.0025	0.0025	ND	ND	ND	ND	ND	ND	0.0025	0.0025
Pb (mg/L)	0.2	0.0066	ND	0.0055	0.0040	ND	ND	ND	ND	ND	ND	0.0040	0.0040
Ni (mg/L)	0.5	0.0763	ND	0.0496	0.0317	ND	ND	ND	ND	ND	ND	0.0200	0.0282
Zn (mg/L)	0.5	0.0033	ND	0.0032	0.0020	ND	ND	ND	ND	ND	ND	0.0022	0.0025
TSS (mg/L)	15	2.40	ND	4.50	6.25	ND	ND	ND	ND	ND	ND	4.83	2.36
Ra-226 (Bq/L)	0.37	0.0050	ND	NMR	0.0005	ND	ND	ND	ND	ND	ND	0.0100	NMR
pH low	≥ 6.0	7.8	ND	7.7	8.1	ND	ND	ND	ND	ND	ND	8.5	7.8
pH high	≤ 9.5	7.8	ND	7.8	8.8	ND	ND	ND	ND	ND	ND	9.1	8.6
Flow (m <sup>3</sup> /month)	—	150	ND	33,255	11,052	ND	ND	ND	ND	ND	ND	54,774	39,122
Rainbow Trout	Pass	1	ND	NMR	1	ND	ND	ND	ND	ND	ND	1	NMR
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<i>Daphnia magna</i>	Pass	1	ND	NMR	1	ND	ND	ND	ND	ND	ND	1	NMR
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Rabbit Lake Operation												
Operator Name		Cameco Corporation												
Product(s)		Uranium												
Address		2121-11th Street West, Saskatoon, Saskatchewan S7M 1J3												
Effluent Discharge Point		Station 2.3.3												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0019	0.0028	0.0023	0.0031	0.0019	0.0043	0.0041	0.0019	0.0032	0.0047	0.0061	0.0076	
Cu (mg/L)	0.3	0.0036	0.0047	0.0042	0.0044	0.0027	0.0041	0.0036	0.0025	0.0030	0.0030	0.0030	0.0030	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0002	0.0002	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	
Ni (mg/L)	0.5	0.0082	0.0097	0.0059	0.0072	0.0044	0.0084	0.0075	0.0053	0.0067	0.0076	0.0070	0.0049	
Zn (mg/L)	0.5	0.0014	0.0015	0.0013	0.0016	0.0013	0.0025	0.0021	0.0025	0.0023	0.0021	0.0018	0.0018	
TSS (mg/L)	15	1.00	0.75	0.63	0.60	0.50	6.38	0.60	0.63	0.63	3.10	0.50	1.80	
Ra-226 (Bq/L)	0.37	0.0047	0.0044	0.0025	0.0032	0.0036	0.0060	0.0030	0.0088	0.0034	0.0034	0.0025	0.0039	
pH low	≥ 6.0	7.3	7.1	7.3	7.2	7.1	7.1	7.0	6.9	7.3	7.0	7.2	7.0	
pH high	≤ 9.5	7.4	7.6	7.6	7.4	7.3	7.2	7.2	7.3	7.8	7.4	7.3	7.4	
Flow (m <sup>3</sup> /month)	—	340,294	278,900	302,283	365,681	451,209	341,218	316,060	378,556	441,318	414,918	327,309	259,009	
Rainbow Trout	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Raglan (Mine)													
<b>Operator Name</b>	Xstrata Canada Corporation													
<b>Product(s)</b>	Nickel-Copper-Cobalt-Platinum-Palladium													
<b>Address</b>	120 Avenue de l'Aéroport, Rouyn-Noranda, Quebec J9Y 0G1													
<b>Effluent Discharge Point</b>	DIR-HSA													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Raglan (Mine)													
<b>Operator Name</b>	Xstrata Canada Corporation													
<b>Product(s)</b>	Nickel-Copper-Cobalt-Platinum-Palladium													
<b>Address</b>	120 Avenue de l'Aéroport, Rouyn-Noranda, Quebec J9Y 0G1													
<b>Effluent Discharge Point</b>	DIR-SPOON													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	0.0003	0.0003	0.0003	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	0.0077	0.0113	0.0113	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	NMR	NMR	NMR	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	0.0022	0.0023	0.0114	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	0.1663	0.2789	0.2964	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	0.0028	0.0045	0.0107	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	3.00	2.25	1.17	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	0.0030	NMR	NMR	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	6.2	7.0	7.1	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	7.6	8.2	7.5	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	64,233	48,142	86,812	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	1	1	1	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	1	1	1	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Raglan (Mine)													
<b>Operator Name</b>	Xstrata Canada Corporation													
<b>Product(s)</b>	Nickel-Copper-Cobalt-Platinum-Palladium													
<b>Address</b>	120 Avenue de l'Aéroport, Rouyn-Noranda, Quebec J9Y 0G1													
<b>Effluent Discharge Point</b>	DIR-UT													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0013	0.0006	0.0014	0.0013	0.0027	0.0026	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	0.0037	0.0036	0.0021	0.0025	0.0025	0.0007	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	0.0006	0.0002	0.0031	0.0101	0.0012	0.0028	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.3304	0.2294	0.2517	0.4255	0.3640	0.2642	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0006	0.0006	0.0034	0.0048	0.0029	0.0005	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	2.75	2.30	1.88	1.50	1.63	2.50	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	0.0010	0.0020	NMR	NMR	0.0010	NMR	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	6.8	7.6	7.8	7.7	7.4	7.5	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	8.1	8.7	8.8	8.6	8.1	8.2	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	73,561	68,760	74,655	49,125	115,250	40,274	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	1	1	1	1	1	1	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	1	1	1	1	1	1	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Raglan (Mine)												
<b>Operator Name</b>		Xstrata Canada Corporation												
<b>Product(s)</b>		Nickel-Copper-Cobalt-Platinum-Palladium												
<b>Address</b>		120 Avenue de l'Aéroport, Rouyn-Noranda, Quebec J9Y 0G1												
<b>Effluent Discharge Point</b>		DIR-Z3												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0057	0.0007	0.0009	0.0017	0.0028	0.0019	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	0.0009	0.0006	0.0006	0.0006	0.0003	0.0003	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	0.0002	0.0008	0.0059	0.0080	0.0009	0.0032	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.2137	0.2164	0.1079	0.2397	0.2198	0.1939	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0033	0.0055	0.0045	0.0039	0.0026	0.0018	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	2.00	0.90	0.88	0.80	0.88	1.75	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	0.0030	0.0020	NMR	NMR	0.0010	NMR	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	7.9	7.8	8.1	7.8	8.0	8.2	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	8.2	8.4	8.2	8.2	8.3	8.3	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	63,015	181,429	176,208	141,422	181,859	66,719	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	1	1	1	1	1	1	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	1	1	1	1	1	1	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Red Lake Mine													
<b>Operator Name</b>	Goldcorp Canada Ltd.													
<b>Product(s)</b>	Gold													
<b>Address</b>	General Delivery, Balmertown, Ontario P0V 1C0													
<b>Effluent Discharge Point</b>	G1													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Red Lake Mine											
<b>Operator Name</b>		Goldcorp Canada Ltd.											
<b>Product(s)</b>		Gold											
<b>Address</b>		General Delivery, Balmertown, Ontario P0V 1C0											
<b>Effluent Discharge Point</b>		G2											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0282	0.0314	0.0302	0.0329	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	0.0018	0.0022	0.0016	0.0010	ND	ND	ND
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	0.0069	0.0080	0.0141	0.0107	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	0.0001	0.0001	0.0001	0.0005	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0169	0.0129	0.0149	0.0100	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0025	0.0025	0.0025	0.0500	ND	ND	ND
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	2.68	4.38	7.28	5.40	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	0.0052	0.0025	0.0053	0.0025	ND	ND	ND
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	6.5	6.6	6.3	6.3	ND	ND	ND
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	7.2	6.9	6.5	6.4	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	161,250	87,530	106,870	37,920	ND	ND	ND
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	1	1	1	1	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	1	1	1	1	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Red Lake Mine													
<b>Operator Name</b>	Goldcorp Canada Ltd.													
<b>Product(s)</b>	Gold													
<b>Address</b>	General Delivery, Balmertown, Ontario P0V 1C0													
<b>Effluent Discharge Point</b>	Shaft 3 Mine Water Settling Pond													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Redstone Mine												
<b>Operator Name</b>	Liberty Mines Inc.												
<b>Product(s)</b>	Nickel												
<b>Address</b>	P.O. Box 398, South Porcupine, Ontario P0N 1H0												
<b>Effluent Discharge Point</b>	RSD-2												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	0.0032	ND	0.0057	0.0040	0.0037	ND	ND	ND	ND	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	0.0008	ND	0.0028	0.0012	0.0011	ND	ND	ND	ND	ND	ND	ND
<b>CN</b> (mg/L)	1.0	NMR	ND	NMR	NMR	NMR	ND	ND	ND	ND	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	0.0012	ND	0.0005	0.0002	0.0001	ND	ND	ND	ND	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	0.3240	ND	0.1827	0.0353	0.0210	ND	ND	ND	ND	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	0.0020	ND	0.0043	0.0010	0.0010	ND	ND	ND	ND	ND	ND	ND
<b>TSS</b> (mg/L)	15	1.00	ND	8.67	3.50	6.00	ND	ND	ND	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	0.0067	ND	0.0100	-	-	ND	ND	ND	ND	ND	ND	ND
<b>pH low</b>	≥ 6.0	7.8	ND	8.0	7.6	7.9	ND	ND	ND	ND	ND	ND	ND
<b>pH high</b>	≤ 9.5	8.2	ND	8.2	8.4	7.9	ND	ND	ND	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	1,674	ND	15,166	7,772	1,260	ND	ND	ND	ND	ND	ND	ND
<b>Rainbow Trout</b>	Pass	1	ND	1	1	1	ND	ND	ND	ND	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	1	ND	1	1	1	ND	ND	ND	ND	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No radium 226 test results were provided for the second quarter.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Restigouche Mine												
<b>Operator Name</b>	Blue Note Mining Inc. – Blue Note Caribou Mines Inc. / Province of New Brunswick												
<b>Product(s)</b>	Zinc-Lead-Copper-Silver												
<b>Address</b>	9361 Route 180, P.O. Box 26, Bathurst, New Brunswick E2A 3Z1												
<b>Effluent Discharge Point</b>	Mixing Structure Discharge												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>Cu</b> (mg/L)	0.3	-	-	-	-	-	-	-	-	-	-	-	-
<b>CN</b> (mg/L)	1.0	-	-	-	-	-	-	-	-	-	-	-	-
<b>Pb</b> (mg/L)	0.2	-	-	-	-	-	-	-	-	-	-	-	-
<b>Ni</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>Zn</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>TSS</b> (mg/L)	15	-	-	-	-	-	-	-	-	-	-	-	-
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	-	-	-	-	-	-
<b>pH low</b>	≥ 6.0	-	-	-	-	-	-	-	-	-	-	-	-
<b>pH high</b>	≤ 9.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	-	-	-	-	-	-
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	-	-	-	-	-	-
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	-	-	-	-	-	-
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No effluent data were reported in 2012.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Rice Lake Gold Mine													
<b>Operator Name</b>	San Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 1000, 63 San Antonio Road, Bissett, Manitoba R0E 0V0													
<b>Effluent Discharge Point</b>	FDP1 – End of Pipe													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	0.0015	0.0017	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	0.1050	0.0981	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	0.0178	0.0098	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	0.0001	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	0.0084	0.0081	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	0.0020	0.0010	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	6.50	14.00	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	0.0025	0.0047	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	7.9	8.1	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	8.3	8.6	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	166,430	180,669	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	2	3	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	2	3	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Santoy 7 Mine													
<b>Operator Name</b>	Claude Resources Inc.													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 1230, LaRonge, Saskatchewan S0J 1L0													
<b>Effluent Discharge Point</b>	Santoy 7 Settling Pond													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0110	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0180	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0017	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0092	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4300	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.00	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0100	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.7	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.7	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Santoy 8 Mine												
<b>Operator Name</b>	Claude Resources Inc.												
<b>Product(s)</b>	Gold												
<b>Address</b>	P.O. Box 1230, LaRonge, Saskatchewan S0J 1L0												
<b>Effluent Discharge Point</b>	S8SP Final Discharge Point												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	0.0001	0.0009
<b>Cu</b> (mg/L)	0.3	-	-	-	-	-	-	-	-	-	-	0.0064	0.0057
<b>CN</b> (mg/L)	1.0	-	-	-	-	-	-	-	-	-	-	0.0110	0.0085
<b>Pb</b> (mg/L)	0.2	-	-	-	-	-	-	-	-	-	-	0.0008	0.0005
<b>Ni</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	0.0040	0.0041
<b>Zn</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	0.0087	0.0071
<b>TSS</b> (mg/L)	15	-	-	-	-	-	-	-	-	-	-	2.00	1.13
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	-	-	-	-	0.0200	0.0044
<b>pH low</b>	≥ 6.0	-	-	-	-	-	-	-	-	-	-	7.2	7.0
<b>pH high</b>	≤ 9.5	-	-	-	-	-	-	-	-	-	-	7.2	7.2
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	-	-	-	-	740	10,013
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	-	-	-	-	3	1
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	-	-	-	-	3	1
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	This mine became subject to the MMER in November 2012.												
Notes: ND: No Deposit      NMR: No Measurement Required      Pass: ≤50% Mortality      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Scozinc Mine – Mill												
<b>Operator Name</b>	Selwyn Resources Ltd.												
<b>Product(s)</b>	Zinc-Lead												
<b>Address</b>	15601 Highway 224, RR 1, Milford Station, Gays River, Nova Scotia B0N 1Y0												
<b>Effluent Discharge Point</b>	Polishing Pond Outlet												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	0.0006	0.0008	0.0013	0.0018	0.0019	0.0015	0.0026	0.0028	NMR	-	-	-
<b>Cu</b> (mg/L)	0.3	0.0178	0.0026	0.0031	0.0034	0.0047	0.0072	0.0067	0.0066	NMR	-	-	-
<b>CN</b> (mg/L)	1.0	0.0010	0.0010	0.0010	0.0013	0.0010	0.0010	0.0010	0.0010	NMR	-	-	-
<b>Pb</b> (mg/L)	0.2	0.0018	0.0023	0.0020	0.0030	0.0017	0.0012	0.0018	0.0004	NMR	-	-	-
<b>Ni</b> (mg/L)	0.5	0.0005	0.0007	0.0008	0.0007	0.0008	0.0007	0.0007	0.0010	NMR	-	-	-
<b>Zn</b> (mg/L)	0.5	0.0173	0.0313	0.0340	0.0310	0.0216	0.0220	0.0095	0.0102	0.0184	0.0276	0.0312	0.0386
<b>TSS</b> (mg/L)	15	3.20	2.20	3.10	3.16	3.85	2.68	2.90	2.10	1.30	1.68	1.45	1.38
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	0.0025	NMR	NMR	-	-	-
<b>pH low</b>	≥ 6.0	6.4	6.6	6.5	7.6	7.6	7.7	7.9	8.0	-	-	-	-
<b>pH high</b>	≤ 9.5	7.0	7.0	7.5	7.7	7.7	7.9	8.0	8.0	-	-	-	-
<b>Flow</b> (m <sup>3</sup> /month)	—	1,166,083	1,057,610	1,254,010	-	-	-	136,774	150,447	1,981,012	1,180,998	622,761	794,323
<b>Rainbow Trout</b>	Pass	1	1	NMR	2	1	1	1	NMR	NMR	1	NMR	NMR
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	1	1	NMR	2	1	1	1	NMR	NMR	1	NMR	NMR
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No flow data was recorded for the months of April, May and June. No radium 226 test results were provided, for the first, second and fourth quarters. No pH test results were provided for September, October, November and December. Test results for As, Cu, CN, Pb and Ni were not provided for the fourth quarter.												
Notes: ND: No Deposit      NMR: No Measurement Required      Pass: ≤50% Mortality      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Seabee Gold Mine												
<b>Operator Name</b>	Claude Resources Inc.												
<b>Product(s)</b>	Gold												
<b>Address</b>	P.O. Box 1230, LaRonge, Saskatchewan S0J 1L0												
<b>Effluent Discharge Point</b>	Final Discharge Point 1.2												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	0.0001	0.0002	0.0002	0.0002	0.0002	0.0001	0.0002	0.0001	0.0002	0.0002	0.0002	0.0001
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0054	0.0058	0.0069	0.0100	0.0110	0.0079	0.0110	0.0090	0.0110	0.0085	0.0120	0.0093
<b>CN</b> (mg/L)	<b>1.0</b>	0.0080	0.0040	0.0160	0.0050	0.0050	0.0070	0.0050	0.0010	0.0080	0.0040	0.0030	0.0005
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0003	0.0006	0.0004	0.0006	0.0007	0.0007	0.0011	0.0007	0.0007	0.0003	0.0002	0.0003
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0250	0.0260	0.0400	0.0260	0.0290	0.0200	0.0320	0.0250	0.0260	0.0220	0.0340	0.0250
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0100	0.0081	0.0130	0.0096	0.0094	0.0056	0.0076	0.0073	0.0073	0.0057	0.0068	0.0150
<b>TSS</b> (mg/L)	<b>15</b>	10.20	10.00	5.25	7.25	6.60	10.25	7.70	12.00	8.25	4.20	5.25	4.75
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.0100	0.0025	0.0025	0.0025	0.0060	0.0080
<b>pH low</b>	<b>≥ 6.0</b>	7.7	7.7	7.6	7.7	7.5	7.7	7.1	7.3	7.5	7.6	7.6	7.6
<b>pH high</b>	<b>≤ 9.5</b>	7.8	7.8	8.0	8.0	7.8	7.8	7.5	7.7	7.6	7.8	7.8	7.7
<b>Flow</b> (m <sup>3</sup> /month)	—	66,623	62,063	66,331	65,938	70,815	67,843	70,080	69,820	65,661	79,262	65,466	66,642
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Seabee Gold Mine												
<b>Operator Name</b>		Claude Resources Inc.												
<b>Product(s)</b>		Gold												
<b>Address</b>		P.O. Box 1230, LaRonge, Saskatchewan S0J 1L0												
<b>Effluent Discharge Point</b>		Final Discharge Point 1.3												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Seabee Gold Mine											
<b>Operator Name</b>		Claude Resources Inc.											
<b>Product(s)</b>		Gold											
<b>Address</b>		P.O. Box 1230, LaRonge, Saskatchewan S0J 1L0											
<b>Effluent Discharge Point</b>		Final Discharge Point 1.5											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0012	0.0019	0.0016	ND	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	0.0228	0.0278	0.0267	ND	ND	ND	ND
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	0.0045	0.0102	0.0073	ND	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	0.0005	0.0010	0.0009	ND	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0145	0.0208	0.0223	ND	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	0.0034	0.0058	0.0054	ND	ND	ND	ND
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	2.88	1.90	1.00	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	0.0088	0.0057	0.0263	ND	ND	ND	ND
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	7.1	7.1	7.4	ND	ND	ND	ND
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	7.2	7.3	7.5	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	20,953	17,667	6,484	ND	ND	ND	ND
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	1	1	2	ND	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	1	1	2	ND	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Shakespeare Nickel Mine													
<b>Operator Name</b>	URSA Major Minerals Inc.													
<b>Product(s)</b>	Nickel-Copper-Cobalt-Gold-Platinum-Palladium													
<b>Address</b>	8 King Street East, Suite 1300, Toronto, Ontario M5C 1B3													
<b>Effluent Discharge Point</b>	MISA Weir													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	0.0005	ND	ND	0.0005	ND	ND	ND	0.0001	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	0.0012	ND	ND	0.0019	ND	ND	ND	0.0017	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	NMR	ND	ND	NMR	ND	ND	ND	NMR	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	0.0005	ND	ND	0.0005	ND	ND	ND	0.0001	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	0.3400	ND	ND	0.0842	ND	ND	ND	0.0397	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	0.0073	ND	ND	0.0042	ND	ND	ND	0.0020	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	4.83	ND	ND	0.73	ND	ND	ND	1.30	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	0.0050	ND	ND	0.0050	ND	ND	ND	0.0025	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	7.6	ND	ND	7.7	ND	ND	ND	7.5	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	8.0	ND	ND	7.8	ND	ND	ND	7.5	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	18,485	ND	ND	10,165	ND	ND	ND	11,466	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	1	ND	ND	1	ND	ND	ND	1	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	1	ND	ND	1	ND	ND	ND	1	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Sigma													
<b>Operator Name</b>	Century Mining Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	300 3rd Avenue, Val-d'Or, Quebec J9P 4N9													
<b>Effluent Discharge Point</b>	Final Effluent EFF1													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	0.0003	0.0003	0.0003	0.0006	0.0003	0.0003	ND	0.0003	0.0005	0.0004	0.0103	ND	
<b>Cu</b> (mg/L)	0.3	0.0022	0.0011	0.0015	0.0015	0.0021	0.0041	ND	0.0013	0.0021	0.0027	0.0015	ND	
<b>CN</b> (mg/L)	1.0	0.1290	0.1218	0.0690	0.0193	0.0070	0.0025	ND	0.0032	0.0119	0.0108	0.1126	ND	
<b>Pb</b> (mg/L)	0.2	0.0053	0.0085	0.0006	0.0105	0.0013	0.0031	ND	0.0048	0.0002	0.0099	0.0033	ND	
<b>Ni</b> (mg/L)	0.5	0.0035	0.0038	0.0038	0.0043	0.0043	0.0198	ND	0.0026	0.0032	0.0030	0.0025	ND	
<b>Zn</b> (mg/L)	0.5	0.0228	0.0206	0.0020	0.0013	0.0012	0.0008	ND	0.0010	0.0015	0.0054	0.0056	ND	
<b>TSS</b> (mg/L)	15	2.40	4.38	1.88	2.10	1.50	4.00	ND	2.58	2.14	3.50	1.38	ND	
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	NMR	NMR	0.0010	ND	0.0012	0.0013	0.0008	0.0011	ND	
<b>pH low</b>	≥ 6.0	7.4	7.5	7.3	7.4	7.8	7.1	ND	7.5	7.6	7.8	7.2	ND	
<b>pH high</b>	≤ 9.5	7.7	8.0	7.8	8.1	7.9	8.6	ND	7.8	8.0	8.1	7.9	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	168,220	169,239	266,401	158,735	148,154	100,656	ND	164,731	151,426	136,217	246,478	ND	
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	ND	1	1	1	1	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	ND	1	1	1	1	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	No toxicity test results were provided for January, February, March, April, May and June. No radium 226 results were provided for the first quarter.													
Notes: ND: No Deposit      NMR: No Measurement Required      Pass: ≤50% Mortality      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Snow Lake Mill												
<b>Operator Name</b>		Hudson Bay Mining and Smelting Co. Ltd.												
<b>Product(s)</b>		Copper-Zinc-Selenium-Tellurium-Silver												
<b>Address</b>		P.O. Box 1500, Flin Flon, Manitoba R8A 1N9												
<b>Effluent Discharge Point</b>		Anderson Lake Discharge												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	0.0020	0.0011	0.0020	0.0023	0.0024	0.0030	0.0028	0.0025	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	0.0035	0.0039	0.0051	0.0043	0.0031	0.0029	0.0032	0.0034	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	0.0030	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	0.0530	0.0708	0.0446	0.0230	0.0096	0.0110	0.0155	0.0230	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	1.40	1.70	2.15	2.08	1.29	2.18	2.23	2.55	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	-	NMR	0.0025	NMR	NMR	0.0025	0.0200	0.0060	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	7.3	7.1	7.5	7.5	7.5	7.7	7.7	7.7	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	7.3	7.9	8.8	8.0	7.9	8.0	8.2	7.8	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	100,000	809,862	836,857	809,862	299,961	310,212	356,478	102,534	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	-	1	1	1	-	1	1	1	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	-	1	1	1	-	1	1	1	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		No toxicity test results were provided for March and July. No radium 266 test results were provided for the first quarter												
Notes:		ND: No Deposit			NMR: No Measurement Required			Pass: ≤50% Mortality			Fail: >50% Mortality			
		Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.												
		A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.												

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Snow Lake Mine													
<b>Operator Name</b>	Alexis Minerals Corporation - QMX Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 451, 114 Cedar Street, Snow Lake, Manitoba R0B 1M0													
<b>Effluent Discharge Point</b>	SWM-03 (Birch Lake Outlet Embankment Decant Discharge)													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	0.2517	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	0.0052	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	0.0010	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	0.1034	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	0.0087	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	0.0217	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	3.40	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	0.0267	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	7.2	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	7.5	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	424,128	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	As of June 2012 the company name changed from Alexis Minerals Corporation to QMX Gold Corporation.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality														
Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.														
A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Stock Mine and Mill Complex													
<b>Operator Name</b>	Brigus Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	Rural Route 2, Matheson, Ontario P0K 1N0													
<b>Effluent Discharge Point</b>	Direct Tailings Pond Effluent													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Stock Mine and Mill Complex													
<b>Operator Name</b>	Brigus Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	Rural Route 2, Matheson, Ontario P0K 1N0													
<b>Effluent Discharge Point</b>	Polishing Pond Effluent													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	0.0811	0.3723	0.5595	0.5803	0.4750	ND	ND	ND	0.1377	0.3285	
<b>Cu</b> (mg/L)	0.3	ND	ND	0.0514	0.2543	0.2120	0.0845	0.0506	ND	ND	ND	0.0303	0.0619	
<b>CN</b> (mg/L)	1.0	ND	ND	0.1018	0.5183	0.3095	0.3498	0.2110	ND	ND	ND	0.0288	0.2113	
<b>Pb</b> (mg/L)	0.2	ND	ND	0.0005	0.0014	0.0014	0.0007	0.0005	ND	ND	ND	0.0010	0.0005	
<b>Ni</b> (mg/L)	0.5	ND	ND	0.1099	0.6973	0.8490	0.5243	0.3560	ND	ND	ND	0.1993	0.3033	
<b>Zn</b> (mg/L)	0.5	ND	ND	0.0031	0.0024	0.0039	0.0020	0.0012	ND	ND	ND	0.0012	0.0026	
<b>TSS</b> (mg/L)	15	ND	ND	2.30	8.63	23.80	18.18	9.33	ND	ND	ND	1.01	3.83	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	0.0125	0.0200	0.0100	0.0063	0.0050	ND	ND	ND	0.0025	0.0025	
<b>pH low</b>	≥ 6.0	ND	ND	6.8	7.7	7.7	7.4	8.0	ND	ND	ND	7.6	7.3	
<b>pH high</b>	≤ 9.5	ND	ND	7.7	8.0	8.6	8.2	8.0	ND	ND	ND	8.1	8.1	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	20,794	63,896	16,138	45,768	6,034	ND	ND	ND	38,402	39,104	
<b>Rainbow Trout</b>	Pass	ND	ND	1	1	2	1	1	ND	ND	ND	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	1	1	2	1	1	ND	ND	ND	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Strathcona Tailings Treatment System													
<b>Operator Name</b>	Xstrata Canada Corporation													
<b>Product(s)</b>	Nickel-Copper-Cobalt-Platinum-Palladium													
<b>Address</b>	Onaping, Ontario P0M 2R0													
<b>Effluent Discharge Point</b>	Fecunis RR Bridge													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0016	0.0024	0.0025	0.0019	0.0018	0.0041	0.0090	0.0117	0.0033	0.0044	0.0070	0.0038	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0065	0.0065	0.0134	0.0080	0.0087	0.0108	0.0224	0.0518	0.0290	0.0155	0.0102	0.0211	
<b>CN</b> (mg/L)	<b>1.0</b>	0.0006	0.0009	0.0006	0.0005	0.0006	0.0008	0.0005	0.0005	0.0031	0.0005	0.0005	0.0005	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0040	0.0005	0.0008	0.0011	0.0008	0.0013	0.0206	0.0037	0.0232	0.0005	0.0003	0.0012	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0585	0.0592	0.0668	0.0375	0.0385	0.0470	0.0452	0.0839	0.0377	0.0463	0.0478	0.0514	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0039	0.0017	0.0043	0.0036	0.0032	0.0035	0.0034	0.0064	0.0035	0.0064	0.0017	0.0047	
<b>TSS</b> (mg/L)	<b>15</b>	0.15	0.21	0.68	0.34	0.45	0.39	0.94	1.05	1.55	0.33	0.84	3.48	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0050	NMR	NMR	NMR	0.0050	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	7.3	7.3	7.3	7.2	7.1	7.3	7.4	7.2	7.3	7.4	7.3	7.1	
<b>pH high</b>	<b>≤ 9.5</b>	7.5	7.5	7.5	7.4	7.4	7.5	7.6	7.5	7.5	7.5	7.6	7.5	
<b>Flow</b> (m <sup>3</sup> /month)	—	1,788,930	1,553,094	3,074,823	1,762,718	1,254,266	857,503	933,894	844,564	1,008,880	1,675,642	1,653,197	1,499,183	
<b>Rainbow Trout</b>	<b>Pass</b>	1	NMR	NMR	NMR	1	NMR	1	NMR	1	1	NMR	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	NMR	NMR	NMR	1	NMR	1	NMR	1	1	NMR	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Tanco Mine											
<b>Operator Name</b>		Tantalum Mining Corporation of Canada Ltd.											
<b>Product(s)</b>		Tantalum-Lithium-Cesium-Rubidium											
<b>Address</b>		P.O. Box 2000, Lac du Bonnet, Manitoba R0E 1A0											
<b>Effluent Discharge Point</b>		East Discharge (Phreatic Flow)											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>Cu</b> (mg/L)	0.3	-	-	-	-	-	-	-	-	-	-	-	-
<b>CN</b> (mg/L)	1.0	-	-	-	-	-	-	-	-	-	-	-	-
<b>Pb</b> (mg/L)	0.2	-	-	-	-	-	-	-	-	-	-	-	-
<b>Ni</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>Zn</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>TSS</b> (mg/L)	15	-	-	-	-	-	-	-	-	-	-	-	-
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	-	-	-	-	-	-
<b>pH low</b>	≥ 6.0	-	-	-	-	-	-	-	-	-	-	-	-
<b>pH high</b>	≤ 9.5	-	-	-	-	-	-	-	-	-	-	-	-
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	-	-	-	-	-	-
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	-	-	-	-	-	-
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	-	-	-	-	-	-
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>		The discharge “East Discharge (Phreatic Flow)” is no longer used as a final discharge point.											
Notes: ND: No Deposit		NMR: No Measurement Required				Pass: ≤50% Mortality				Fail: >50% Mortality			
Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.													
A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Tanco Mine													
<b>Operator Name</b>	Tantalum Mining Corporation of Canada Ltd.													
<b>Product(s)</b>	Tantalum-Lithium-Cesium-Rubidium													
<b>Address</b>	P.O. Box 2000, Lac du Bonnet, Manitoba R0E 1A0													
<b>Effluent Discharge Point</b>	West Discharge (Compliance Point)													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	NMR	0.0068	NMR	NMR	0.0100	NMR	0.0291	NMR	NMR	0.0054	NMR	NMR	
<b>Cu</b> (mg/L)	0.3	NMR	0.0015	NMR	NMR	0.0012	NMR	0.0012	NMR	NMR	0.0010	NMR	NMR	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	NMR	0.0002	NMR	NMR	0.0002	NMR	0.0006	NMR	NMR	0.0005	NMR	NMR	
<b>Ni</b> (mg/L)	0.5	NMR	0.0013	NMR	NMR	0.0021	NMR	0.0030	NMR	NMR	0.0050	NMR	NMR	
<b>Zn</b> (mg/L)	0.5	NMR	0.0031	NMR	NMR	0.0063	NMR	0.0066	NMR	NMR	0.0048	NMR	NMR	
<b>TSS</b> (mg/L)	15	3.93	3.25	3.74	8.00	13.78	8.45	8.68	16.24	15.20	13.92	7.48	4.55	
<b>Ra-226</b> (Bq/L)	0.37	NMR	0.0060	NMR	NMR	0.0025	NMR	0.0025	NMR	NMR	0.0025	NMR	NMR	
<b>pH low</b>	≥ 6.0	7.3	7.0	7.2	7.2	2.8	6.9	7.8	7.1	7.3	7.0	6.7	6.8	
<b>pH high</b>	≤ 9.5	7.6	7.1	7.9	8.8	8.8	8.0	8.3	8.7	7.9	8.4	7.7	7.2	
<b>Flow</b> (m <sup>3</sup> /month)	—	180,746	75,194	121,793	112,241	177,227	171,510	177,227	177,227	171,510	177,227	43,590	79,523	
<b>Rainbow Trout</b>	Pass	NMR	1	NMR	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	NMR	1	NMR	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Thompson Complex												
Operator Name		Vale Inco Ltd.												
Product(s)		Nickel-Copper												
Address		P.O. Box 5000, Thompson, Manitoba R8N 1P3												
Effluent Discharge Point		Misery Weir												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0059	0.0167	0.0107	0.0117	0.0102	0.0080	0.0068	0.0080	0.0075	0.0060	0.0057	0.0073	
Cu (mg/L)	0.3	0.0110	0.0125	0.0113	0.0163	0.0120	0.0113	0.0125	0.0063	0.0063	0.0110	0.0125	0.0200	
CN (mg/L)	1.0	NMR	0.0010	NMR	NMR	0.0010	NMR	0.0010	NMR	0.0010	0.0010	NMR	NMR	
Pb (mg/L)	0.2	0.0150	0.0150	0.0150	0.0150	0.0150	0.0150	0.0150	0.0150	0.0150	0.0006	0.0005	0.0005	
Ni (mg/L)	0.5	0.3100	0.2750	0.2650	0.2350	0.1800	0.1775	0.2317	0.1750	0.2175	0.2460	0.3250	0.3340	
Zn (mg/L)	0.5	0.0050	0.0063	0.0085	0.0065	0.0106	0.0050	0.0050	0.0050	0.0080	0.0072	0.0050	0.0050	
TSS (mg/L)	15	3.52	5.10	4.10	3.31	5.52	5.20	4.73	4.20	6.50	6.72	6.40	2.56	
Ra-226 (Bq/L)	0.37	NMR	0.0050	NMR	NMR	0.0025	NMR	0.0025	NMR	0.0025	0.0025	NMR	NMR	
pH low	≥ 6.0	8.6	8.5	8.8	8.9	8.6	8.2	8.0	8.3	8.0	7.8	8.1	8.0	
pH high	≤ 9.5	9.0	9.0	9.0	9.0	9.2	8.5	8.5	8.5	8.2	8.3	8.3	8.5	
Flow (m <sup>3</sup> /month)	—	2,255,212	1,839,920	1,737,612	1,898,640	3,594,413	3,569,265	3,671,108	2,645,432	3,258,983	3,651,682	1,950,480	2,230,134	
Rainbow Trout	Pass	NMR	1	NMR	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	NMR	1	NMR	NMR	1	NMR	1	NMR	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Thompson Complex												
<b>Operator Name</b>	Vale Inco Ltd.												
<b>Product(s)</b>	Nickel-Copper												
<b>Address</b>	P.O. Box 5000, Thompson, Manitoba R8N 1P3												
<b>Effluent Discharge Point</b>	Station B												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	0.0044	0.0039	0.0041	0.0037	0.0159	0.0074	0.0105	0.0093	0.0080	0.0078	0.0044	0.0050
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0260	0.0100	0.0175	0.0263	0.0250	0.0250	0.0175	0.0150	0.0163	0.0140	0.0213	0.0210
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	0.0010	NMR	NMR	0.0010	NMR	0.0010	0.0010	NMR	0.0010	NMR	NMR
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0150	0.0150	0.0150	0.0150	0.0150	0.0150	0.0150	0.0150	0.0150	0.0009	0.0005	0.0007
<b>Ni</b> (mg/L)	<b>0.5</b>	0.1460	0.1100	0.0925	0.1175	0.1380	0.1050	0.0833	0.0425	0.0825	0.0980	0.1025	0.0760
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0228	0.0090	0.0081	0.0100	0.0132	0.0050	0.0050	0.0050	0.0050	0.0050	0.0078	0.0062
<b>TSS</b> (mg/L)	<b>15</b>	11.48	3.50	2.70	10.93	9.28	8.20	3.80	3.60	6.30	4.80	6.80	5.12
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	NMR	0.0025	NMR	NMR	0.0025	NMR	0.0025	0.0300	NMR	0.0025	NMR	NMR
<b>pH low</b>	<b>≥ 6.0</b>	7.3	7.4	7.3	7.4	7.5	7.6	7.5	7.2	7.3	7.3	7.2	7.2
<b>pH high</b>	<b>≤ 9.5</b>	8.3	8.1	7.6	7.6	8.0	8.0	7.9	7.6	7.5	7.6	7.6	7.5
<b>Flow</b> (m <sup>3</sup> /month)	—	1,098,144	1,027,296	1,098,144	1,794,960	1,949,875	2,229,120	1,165,104	749,952	1,321,920	1,333,843	1,412,640	1,365,984
<b>Rainbow Trout</b>	<b>Pass</b>	1	1	1	1	1	-	1	-	-	1	-	-
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	1	1	1	1	-	1	-	-	1	-	-
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No toxicity test results were provided for June, August, September, November and December.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Timmins West Complex													
<b>Operator Name</b>	Lake Shore Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Box 1067, 8215 Highway 101 West, Timmins, Ontario P4N 7H9													
<b>Effluent Discharge Point</b>	TR-1													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	0.0191	0.0164	0.0074	0.0058	0.0159	0.0070	0.0070	0.0070	0.0072	0.0058	0.0051	0.0058	
<b>Cu</b> (mg/L)	0.3	0.0056	0.0045	0.0062	0.0057	0.0063	0.0151	0.0052	0.0044	0.0047	0.0140	0.0051	0.0088	
<b>CN</b> (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	0.0006	0.0023	0.0012	0.0004	0.0004	0.0002	0.0013	0.0003	0.0005	0.0006	0.0008	0.0006	
<b>Ni</b> (mg/L)	0.5	0.0198	0.0139	0.0102	0.0079	0.0079	0.0076	0.0092	0.0085	0.0091	0.0085	0.0070	0.0063	
<b>Zn</b> (mg/L)	0.5	0.0085	0.0176	0.0190	0.0080	0.0078	0.0173	0.0125	0.0120	0.0138	0.0056	0.0078	0.0078	
<b>TSS</b> (mg/L)	15	8.00	8.60	11.75	2.25	4.50	4.75	5.75	4.20	8.00	7.80	7.75	4.50	
<b>Ra-226</b> (Bq/L)	0.37	NMR	NMR	0.0100	NMR	NMR	0.0050	NMR	0.0100	NMR	0.0050	NMR	NMR	
<b>pH low</b>	≥ 6.0	7.8	7.7	7.7	7.7	7.7	7.6	7.2	7.4	7.3	7.1	7.0	7.0	
<b>pH high</b>	≤ 9.5	8.0	8.0	7.8	7.9	8.3	7.9	7.7	7.9	7.8	8.0	7.8	7.5	
<b>Flow</b> (m <sup>3</sup> /month)	—	14,300	14,622	25,908	27,178	24,477	26,739	21,656	23,375	24,385	26,378	28,219	29,320	
<b>Rainbow Trout</b>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Tio (Mine)													
<b>Operator Name</b>	QIT-Fer et Titane Inc.													
<b>Product(s)</b>	Iron-Titanium													
<b>Address</b>	P.O. Box 160, 951 De l'Escale Boulevard, Havre-Saint-Pierre, Quebec G0G 1P0													
<b>Effluent Discharge Point</b>	Switch South													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0090	0.0037	0.0180	0.0435	0.0223	0.0157	0.0106	0.0158	0.0243	0.0500	0.0435	0.0353	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0005	0.0005	0.0005	0.0005	0.0020	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.2540	0.1767	0.2800	0.2650	0.1184	0.1053	0.0776	0.0955	0.0950	0.1214	0.1120	0.0998	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0268	0.0250	0.0445	0.0398	0.0288	0.0213	0.0122	0.0198	0.0173	0.0210	0.0218	0.0173	
<b>TSS</b> (mg/L)	<b>15</b>	1.46	1.10	3.35	9.83	4.92	1.60	1.24	1.88	5.38	18.00	16.25	7.50	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0025	NMR	NMR	0.0050	NMR	NMR	NMR	NMR	0.0060	NMR	NMR	0.0010	
<b>pH low</b>	<b>≥ 6.0</b>	6.7	6.9	6.9	6.3	6.3	6.5	6.4	6.5	6.6	6.8	6.1	7.0	
<b>pH high</b>	<b>≤ 9.5</b>	7.0	7.0	7.1	6.9	6.8	6.8	7.0	6.9	7.0	7.1	7.4	7.2	
<b>Flow</b> (m <sup>3</sup> /month)	—	484	176	43	70,985	73,631	3,826	2,170	522	864	23,487	1,651	1,943	
<b>Rainbow Trout</b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Tio (Mine)													
<b>Operator Name</b>	QIT-Fer et Titane Inc.													
<b>Product(s)</b>	Iron-Titanium													
<b>Address</b>	P.O. Box 160, 951 De l'Escale Boulevard, Havre-Saint-Pierre, Quebec G0G 1P0													
<b>Effluent Discharge Point</b>	ELAC168 / E-Lac 166													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	0.0025	0.0025	0.0025	0.0020	0.0028	0.0033	0.0042	0.0038	0.0020	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	0.3400	0.3880	0.3425	0.2280	0.2975	0.3528	0.3708	0.3880	0.3530	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	0.0230	0.0292	0.0210	0.0220	0.0285	0.0278	0.0246	0.0230	0.0235	
<b>TSS</b> (mg/L)	15	ND	ND	ND	0.73	0.60	1.25	1.88	1.63	1.50	0.50	1.00	1.50	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	0.0025	NMR	NMR	NMR	NMR	0.0010	NMR	NMR	0.0020	
<b>pH low</b>	≥ 6.0	ND	ND	ND	6.1	6.1	6.2	6.2	6.0	6.8	6.6	6.5	6.5	
<b>pH high</b>	≤ 9.5	ND	ND	ND	6.3	6.7	7.0	7.2	6.7	7.0	6.7	7.1	6.7	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	27,810	18,770	6,380	4,870	2,634	10,469	14,651	4,709	82	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	The final discharge point has been remaned as "E-Lac 166".													
Notes: ND: No Deposit      NMR: No Measurement Required      Pass: ≤50% Mortality      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Tio (Mine)													
<b>Operator Name</b>	QIT-Fer et Titane Inc.													
<b>Product(s)</b>	Iron-Titanium													
<b>Address</b>	P.O. Box 160, 951 De l'Escale Boulevard, Havre-Saint-Pierre, Quebec G0G 1P0													
<b>Effluent Discharge Point</b>	Lake 211.4													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	0.0183	0.0180	0.0143	0.0164	0.0208	0.0218	0.0208	0.0188	0.0155	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.1700	0.1740	0.2425	0.2740	0.2600	0.2143	0.1738	0.2093	0.1870	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	0.0267	0.0376	0.0413	0.0604	0.0773	0.0543	0.0478	0.0520	0.0440	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	2.33	2.18	2.35	3.36	6.38	4.50	2.60	7.00	5.50	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	0.0025	NMR	NMR	NMR	NMR	0.0010	NMR	NMR	0.0030	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	6.2	6.1	6.0	6.0	6.0	6.4	6.5	6.1	6.3	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	6.5	6.7	7.0	6.8	6.2	7.1	6.8	6.7	6.4	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	35,632	28,539	8,989	5,011	5,744	19,836	24,155	8,951	850	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Tio (Mine)													
<b>Operator Name</b>	QIT-Fer et Titane Inc.													
<b>Product(s)</b>	Iron-Titanium													
<b>Address</b>	P.O. Box 160, 951 De l'Escale Boulevard, Havre-Saint-Pierre, Quebec G0G 1P0													
<b>Effluent Discharge Point</b>	Grondin Effluent (formerly Grondin Lake)													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Tio (Mine)													
<b>Operator Name</b>	QIT-Fer et Titane Inc.													
<b>Product(s)</b>	Iron-Titanium													
<b>Address</b>	P.O. Box 160, 951 De l'Escale Boulevard, Havre-Saint-Pierre, Quebec G0G 1P0													
<b>Effluent Discharge Point</b>	Resurgence Leo													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0184	0.0175	0.0155	0.0104	0.0070	0.0048	0.0084	0.0123	0.0105	0.0086	0.0070	0.0138	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.3480	0.3025	0.3825	0.4075	0.4480	0.4150	0.3580	0.3775	0.4108	0.4404	0.4570	0.4325	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0338	0.0365	0.0363	0.0310	0.0296	0.0223	0.0256	0.0380	0.0580	0.0288	0.0380	0.0495	
<b>TSS</b> (mg/L)	<b>15</b>	0.70	1.13	0.80	1.05	1.02	1.08	0.54	1.38	2.38	0.50	2.13	0.75	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0025	NMR	NMR	0.0025	NMR	NMR	NMR	NMR	0.0010	NMR	NMR	0.0030	
<b>pH low</b>	<b>≥ 6.0</b>	6.7	6.8	6.8	6.4	6.3	6.6	7.0	6.7	6.6	6.6	6.6	6.8	
<b>pH high</b>	<b>≤ 9.5</b>	6.9	7.0	7.0	7.1	6.6	7.2	7.2	7.0	7.1	7.1	7.1	7.0	
<b>Flow</b> (m <sup>3</sup> /month)	—	16,478	13,034	10,176	224,226	268,647	211,860	69,162	136,727	82,802	286,567	267,867	51,459	
<b>Rainbow Trout</b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	1	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Totten Mine												
Operator Name		Vale Canada Ltd.												
Product(s)		Nickel-Copper and Precious Metals												
Address		6 C. Johnson Road, Worthington, Ontario P0M3H0												
Effluent Discharge Point		Totten Discharge												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0010	0.0010	0.0010	0.0010	0.0010	ND	-	ND	ND	0.0010	0.0010	0.0010	
Cu (mg/L)	0.3	0.0028	0.0034	0.0018	0.0010	0.0023	ND	-	ND	ND	0.0120	0.0030	0.0190	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	ND	-	ND	ND	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0315	0.0310	0.0310	0.0320	0.0310	ND	-	ND	ND	0.0310	0.0310	0.0435	
Ni (mg/L)	0.5	0.0623	0.0932	0.0498	0.0505	0.0463	ND	-	ND	ND	0.0197	0.0287	0.0365	
Zn (mg/L)	0.5	0.0108	0.0098	0.0050	0.0050	0.0050	ND	-	ND	ND	0.0050	0.0050	0.0050	
TSS (mg/L)	15	1.40	1.44	2.90	2.90	5.07	ND	-	ND	ND	4.27	4.40	1.00	
Ra-226 (Bq/L)	0.37	0.0050	NMR	NMR	0.0080	NMR	ND	-	ND	ND	0.0110	NMR	NMR	
pH low	≥ 6.0	7.2	7.3	7.0	7.6	8.1	ND	-	ND	ND	7.7	7.6	7.3	
pH high	≤ 9.5	7.6	7.4	7.7	7.8	8.5	ND	-	ND	ND	7.9	7.8	7.4	
Flow (m <sup>3</sup> /month)	—	43,121	40,942	95,240	134,655	24,480	ND	649	ND	ND	69,173	112,525	34,065	
Rainbow Trout	Pass	1	NMR	NMR	1	NMR	ND	-	ND	ND	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	1	NMR	ND	-	ND	ND	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	Only flow measurement was provided for July since the mine reported discharge of effluent during only one day for that month.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Trout Lake Mine													
<b>Operator Name</b>	Hudson Bay Mining and Smelting Co. Ltd.													
<b>Product(s)</b>	Copper-Zinc-Gold-Silver													
<b>Address</b>	P.O. Box 1500, Flin Flon, Manitoba R8A 1N9													
<b>Effluent Discharge Point</b>	Trout Lake Surface Sump Discharge													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0007	0.0006	0.0005	0.0006	0.0009	0.0010	ND	0.0008	0.0008	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0119	0.0121	0.0103	0.0140	0.0198	0.0178	ND	0.0079	0.0178	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	ND	NMR	NMR	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0069	0.0079	0.0069	0.0076	0.0050	0.0085	ND	0.0095	0.0068	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0082	0.0083	0.0060	0.0053	0.0088	0.0108	ND	0.0093	0.0110	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0306	0.0545	0.0715	0.1215	0.2098	0.0865	ND	0.0173	0.0270	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	0.72	0.56	1.11	0.84	9.12	11.18	ND	3.67	2.53	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0680	0.0675	0.0825	0.2000	0.0880	0.2250	ND	0.1067	0.2000	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	8.1	8.0	7.8	7.4	7.3	7.7	ND	6.9	7.7	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	8.3	8.4	8.2	8.2	8.6	8.0	ND	8.1	7.9	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	31,300	30,700	32,500	37,300	26,200	21,800	ND	14,100	2,400	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	NMR	NMR	1	NMR	NMR	1	ND	NMR	1	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	NMR	NMR	-	NMR	NMR	1	ND	NMR	-	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	1	-	-	-	-	-	1	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Veza (Mine)												
<b>Operator Name</b>	North American Palladium Ltd.												
<b>Product(s)</b>	Gold												
<b>Address</b>	Km 197, Road 109 North, Matagami, Quebec J0Y 2A0												
<b>Effluent Discharge Point</b>	Polishing Pond												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
<b>As</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	0.0058	0.0063	0.0061
<b>Cu</b> (mg/L)	0.3	-	-	-	-	-	-	-	-	-	0.0041	0.0030	0.0559
<b>CN</b> (mg/L)	1.0	-	-	-	-	-	-	-	-	-	NMR	NMR	NMR
<b>Pb</b> (mg/L)	0.2	-	-	-	-	-	-	-	-	-	0.0005	0.0009	0.0019
<b>Ni</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	0.0099	0.0172	0.0192
<b>Zn</b> (mg/L)	0.5	-	-	-	-	-	-	-	-	-	0.1083	0.0833	0.0316
<b>TSS</b> (mg/L)	15	-	-	-	-	-	-	-	-	-	22.11	10.17	14.69
<b>Ra-226</b> (Bq/L)	0.37	-	-	-	-	-	-	-	-	-	0.0020	0.0073	NMR
<b>pH low</b>	≥ 6.0	-	-	-	-	-	-	-	-	-	7.6	7.6	7.4
<b>pH high</b>	≤ 9.5	-	-	-	-	-	-	-	-	-	8.2	8.1	7.9
<b>Flow</b> (m <sup>3</sup> /month)	—	-	-	-	-	-	-	-	-	-	2,713	3,185	2,392
<b>Rainbow Trout</b>	Pass	-	-	-	-	-	-	-	-	-	2	2	1
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	1	1	4
<b><i>Daphnia magna</i></b>	Pass	-	-	-	-	-	-	-	-	-	3	3	5
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	This mine became subject to the MMER in October 2012.												
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Voisey's Bay Mine – Mill											
<b>Operator Name</b>		Vale Inco Ltd.											
<b>Product(s)</b>		Nickel-Copper-Cobalt											
<b>Address</b>		Suite 700, Baine Johnston Centre, 10 Fort William Place, St. John's, Newfoundland and Labrador A1C 1K4											
<b>Effluent Discharge Point</b>		Port Site Sedimentation Pond											
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	0.0005	ND	ND	ND	ND	ND	ND
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	0.0030	ND	ND	ND	ND	ND	ND
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	NMR	ND	ND	ND	ND	ND	ND
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	0.0003	ND	ND	ND	ND	ND	ND
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	0.0989	ND	ND	ND	ND	ND	ND
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	0.0025	ND	ND	ND	ND	ND	ND
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	0.72	ND	ND	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	0.0046	ND	ND	ND	ND	ND	ND
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	7.4	ND	ND	ND	ND	ND	ND
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	7.5	ND	ND	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	3,000	ND	ND	ND	ND	ND	ND
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Voisey's Bay Mine – Mill													
<b>Operator Name</b>	Vale Inco Ltd.													
<b>Product(s)</b>	Nickel-Copper-Cobalt													
<b>Address</b>	Suite 700, Baine Johnston Centre, 10 Fort William Place, St. John's, Newfoundland and Labrador A1C 1K4													
<b>Effluent Discharge Point</b>	Sedimentation Pond A Discharge													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Voisey's Bay Mine – Mill													
<b>Operator Name</b>	Vale Inco Ltd.													
<b>Product(s)</b>	Nickel-Copper-Cobalt													
<b>Address</b>	Suite 700, Baine Johnston Centre, 10 Fort William Place, St. John's, Newfoundland and Labrador A1C 1K4													
<b>Effluent Discharge Point</b>	Sedimentation Pond B													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Voisey's Bay Mine – Mill													
<b>Operator Name</b>	Vale Inco Ltd.													
<b>Product(s)</b>	Nickel-Copper-Cobalt													
<b>Address</b>	Suite 700, Baine Johnston Centre, 10 Fort William Place, St. John's, Newfoundland and Labrador A1C 1K4													
<b>Effluent Discharge Point</b>	South of Ovoid Final Discharge Point													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Voisey's Bay Mine – Mill													
<b>Operator Name</b>	Vale Inco Ltd.													
<b>Product(s)</b>	Nickel-Copper-Cobalt													
<b>Address</b>	Suite 700, Baine Johnston Centre, 10 Fort William Place, St. John's, Newfoundland and Labrador A1C 1K4													
<b>Effluent Discharge Point</b>	South Sedimentation Pond													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Voisey's Bay Mine – Mill											
Operator Name		Vale Inco Ltd.											
Product(s)		Nickel-Copper-Cobalt											
Address		Suite 700, Baine Johnston Centre, 10 Fort William Place, St. John's, Newfoundland and Labrador A1C 1K4											
Effluent Discharge Point		Treated Effluent Final Discharge Point											
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
As (mg/L)	0.5	0.0025	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	ND	ND	0.0005	0.0005
Cu (mg/L)	0.3	0.0115	0.0057	0.0015	0.0019	0.0018	0.0036	0.0038	0.0053	ND	ND	0.0017	0.0010
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	ND	ND	NMR	NMR
Pb (mg/L)	0.2	0.0013	0.0005	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	ND	ND	0.0003	0.0003
Ni (mg/L)	0.5	0.0799	0.0864	0.0655	0.0359	0.0994	0.0445	0.0935	0.0979	ND	ND	0.0483	0.0221
Zn (mg/L)	0.5	0.0245	0.0035	0.0053	0.0031	0.0046	0.0025	0.0025	0.0025	ND	ND	0.0073	0.0029
TSS (mg/L)	15	10.33	7.46	14.00	8.24	6.53	4.26	3.61	4.15	ND	ND	5.51	4.38
Ra-226 (Bq/L)	0.37	0.0030	0.0039	0.0031	0.0058	0.0036	0.0025	0.0031	0.0092	ND	ND	0.0050	0.0118
pH low	≥ 6.0	8.6	8.6	8.7	8.7	8.7	8.1	8.8	8.8	ND	ND	8.8	8.8
pH high	≤ 9.5	9.2	9.4	9.5	8.8	8.9	9.2	9.1	9.0	ND	ND	9.1	9.1
Flow (m <sup>3</sup> /month)	—	559,186	538,656	546,971	547,611	520,416	309,993	410,306	291,440	ND	ND	263,507	465,929
Rainbow Trout	Pass	1	1	1	1	1	1	1	1	ND	ND	2	1
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<i>Daphnia magna</i>	Pass	-	-	-	-	-	-	-	-	ND	ND	-	-
Monitoring Test	Fail	1	1	1	1	1	1	1	1	-	-	2	1
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Wabush Mines Joint Venture – Scully Mine													
<b>Operator Name</b>	Wabush Mines													
<b>Product(s)</b>	Iron													
<b>Address</b>	Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0													
<b>Effluent Discharge Point</b>	East Pit Dewatering East													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Wabush Mines Joint Venture – Scully Mine													
<b>Operator Name</b>	Wabush Mines													
<b>Product(s)</b>	Iron													
<b>Address</b>	Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0													
<b>Effluent Discharge Point</b>	East Pit No. 1 Dewatering													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Wabush Mines Joint Venture – Scully Mine													
<b>Operator Name</b>	Wabush Mines													
<b>Product(s)</b>	Iron													
<b>Address</b>	Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0													
<b>Effluent Discharge Point</b>	East Pit No. 2 Dewatering													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0025	0.0025	0.0025	0.0032	0.0025	0.0025	0.0025	0.0025	0.0032	0.0025	0.0025	0.0032	
<b>TSS</b> (mg/L)	<b>15</b>	1.14	2.15	4.05	3.65	3.54	1.63	4.20	4.08	3.18	1.78	2.05	0.85	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	7.6	7.5	7.6	7.7	7.4	7.8	7.7	7.7	7.9	7.6	7.8	7.7	
<b>pH high</b>	<b>≤ 9.5</b>	7.7	7.7	7.7	7.8	7.8	7.9	7.9	7.9	8.0	8.0	7.8	7.9	
<b>Flow</b> (m <sup>3</sup> /month)	—	587,480	632,344	1,573,131	2,099,915	2,312,306	1,152,970	1,231,363	1,565,976	1,241,307	1,560,228	1,504,731	755,575	
<b>Rainbow Trout</b>	<b>Pass</b>	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	NMR	NMR	-	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	1	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Wabush Mines Joint Venture – Scully Mine												
Operator Name		Wabush Mines												
Product(s)		Iron												
Address		Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0												
Effluent Discharge Point		Flora Lake Discharge												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0005	0.0005	0.0005	0.0005	0.0008	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
Cu (mg/L)	0.3	0.0010	0.0010	0.0014	0.0010	0.0010	0.0017	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	
Ni (mg/L)	0.5	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
Zn (mg/L)	0.5	0.0025	0.0025	0.0025	0.0025	0.0030	0.0028	0.0038	0.0025	0.0039	0.0025	0.0025	0.0054	
TSS (mg/L)	15	3.88	1.35	2.45	2.15	9.66	13.53	3.12	1.15	1.75	1.86	5.90	4.00	
Ra-226 (Bq/L)	0.37	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0100	NMR	NMR	0.0050	NMR	NMR	
pH low	≥ 6.0	7.5	7.4	7.6	7.6	7.6	7.6	7.7	7.8	7.8	7.7	7.7	7.7	
pH high	≤ 9.5	7.6	7.7	7.6	7.6	7.7	7.8	7.9	7.9	7.9	7.9	7.8	7.9	
Flow (m <sup>3</sup> /month)	—	6,920,035	4,608,557	5,275,025	4,552,245	11,506,189	7,196,663	7,916,507	7,875,104	7,288,893	7,874,656	6,736,449	6,048,345	
Rainbow Trout	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Wabush Mines Joint Venture – Scully Mine												
<b>Operator Name</b>		Wabush Mines												
<b>Product(s)</b>		Iron												
<b>Address</b>		Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0												
<b>Effluent Discharge Point</b>		Knoll Lake Inflow												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	0.0007	0.0005	0.0015	0.0005	0.0009	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
<b>Cu</b> (mg/L)	<b>0.3</b>	0.0030	0.0010	0.0010	0.0010	0.0019	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
<b>CN</b> (mg/L)	<b>1.0</b>	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
<b>Pb</b> (mg/L)	<b>0.2</b>	0.0003	0.0003	0.0011	0.0003	0.0006	0.0003	0.0007	0.0003	0.0003	0.0003	0.0003	0.0003	
<b>Ni</b> (mg/L)	<b>0.5</b>	0.0010	0.0010	0.0020	0.0010	0.0017	0.0010	0.0010	0.0013	0.0014	0.0010	0.0013	0.0010	
<b>Zn</b> (mg/L)	<b>0.5</b>	0.0051	0.0047	0.0115	0.0051	0.0076	0.0046	0.0076	0.0053	0.0059	0.0058	0.0102	0.0071	
<b>TSS</b> (mg/L)	<b>15</b>	106.52	10.95	330.90	38.25	62.38	7.68	7.90	19.95	59.75	10.50	36.30	2.25	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	0.0050	NMR	NMR	0.0400	NMR	NMR	0.0300	NMR	NMR	0.0050	NMR	NMR	
<b>pH low</b>	<b>≥ 6.0</b>	7.1	6.9	7.2	7.3	7.4	7.5	7.3	7.5	7.5	7.4	7.4	7.7	
<b>pH high</b>	<b>≤ 9.5</b>	7.3	7.4	7.5	7.4	7.5	7.6	7.5	7.6	7.7	7.7	7.9	7.8	
<b>Flow</b> (m <sup>3</sup> /month)	—	1,032,785	698,025	772,814	1,402,278	1,402,278	1,197,226	819,573	835,516	463,099	604,469	117,063	207,410	
<b>Rainbow Trout</b>	<b>Pass</b>	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Wabush Mines Joint Venture – Scully Mine													
<b>Operator Name</b>	Wabush Mines													
<b>Product(s)</b>	Iron													
<b>Address</b>	Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0													
<b>Effluent Discharge Point</b>	Loadout Ditch Discharge													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Wabush Mines Joint Venture – Scully Mine												
<b>Operator Name</b>	Wabush Mines												
<b>Product(s)</b>	Iron												
<b>Address</b>	Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0												
<b>Effluent Discharge Point</b>	Shops East Discharge												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Wabush Mines Joint Venture – Scully Mine													
<b>Operator Name</b>	Wabush Mines													
<b>Product(s)</b>	Iron													
<b>Address</b>	Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0													
<b>Effluent Discharge Point</b>	Shops South Discharge													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Wabush Mines Joint Venture – Scully Mine													
<b>Operator Name</b>	Wabush Mines													
<b>Product(s)</b>	Iron													
<b>Address</b>	Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0													
<b>Effluent Discharge Point</b>	Tailings Discharge													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Wabush Mines Joint Venture – Scully Mine												
Operator Name		Wabush Mines												
Product(s)		Iron												
Address		Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0												
Effluent Discharge Point		Tailings Line Emergency Dump Basin 1												
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
As (mg/L)	0.5	0.0007	0.0005	ND	0.0005	0.0012	0.0005	0.0008	0.0005	0.0005	0.0005	0.0005	0.0010	
Cu (mg/L)	0.3	0.0010	0.0010	ND	0.0010	0.0070	0.0010	0.0018	0.0010	0.0010	0.0010	0.0010	0.0010	
CN (mg/L)	1.0	NMR	NMR	ND	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0003	0.0003	ND	0.0003	0.0006	0.0003	0.0004	0.0003	0.0003	0.0003	0.0003	0.0004	
Ni (mg/L)	0.5	0.0010	0.0010	ND	0.0010	0.0021	0.0010	0.0019	0.0010	0.0010	0.0010	0.0010	0.0013	
Zn (mg/L)	0.5	0.0045	0.0025	ND	0.0025	0.0070	0.0034	0.0072	0.0042	0.0062	0.0059	0.0044	0.0057	
TSS (mg/L)	15	13.16	1.60	ND	4.10	15.50	26.00	30.50	32.67	33.00	24.80	17.70	117.30	
Ra-226 (Bq/L)	0.37	0.0050	0.0050	ND	0.0075	0.0088	0.0050	0.0200	0.0100	NMR	0.0050	0.0050	0.0150	
pH low	≥ 6.0	7.3	7.4	ND	7.4	7.4	7.7	7.5	7.7	7.6	7.4	7.6	7.5	
pH high	≤ 9.5	7.4	7.4	ND	7.4	7.7	7.9	7.7	7.8	7.7	7.9	7.7	7.7	
Flow (m <sup>3</sup> /month)	—	10,313	2,157	ND	350	2,303	55,095	14,603	29,461	64,211	46,418	1,957	1,189	
Rainbow Trout	Pass	1	-	ND	1	1	1	1	1	1	1	1	1	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	-	ND	1	1	1	1	1	1	1	1	1	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>		No toxicity test results were provided for February.												
Notes:		ND: No Deposit			NMR: No Measurement Required			Pass: ≤50% Mortality			Fail: >50% Mortality			
		Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.												
		A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.												

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Wabush Mines Joint Venture – Scully Mine												
<b>Operator Name</b>		Wabush Mines												
<b>Product(s)</b>		Iron												
<b>Address</b>		Scully Mine, P.O. Box 3000, Wabush, Newfoundland and Labrador A0R 1B0												
<b>Effluent Discharge Point</b>		West Pit Extension Settling Basin												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
As (mg/L)	0.5	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	
Cu (mg/L)	0.3	0.0010	0.0010	0.0010	0.0010	0.0010	0.0013	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	
Pb (mg/L)	0.2	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	
Ni (mg/L)	0.5	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	
Zn (mg/L)	0.5	0.0025	0.0025	0.0036	0.0025	0.0025	0.0025	0.0025	0.0035	0.0035	0.0025	0.0025	0.0043	
TSS (mg/L)	15	0.74	0.80	3.00	4.15	1.18	0.95	0.81	0.50	2.58	1.16	3.20	0.50	
Ra-226 (Bq/L)	0.37	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0050	NMR	NMR	0.0200	NMR	NMR	
pH low	≥ 6.0	7.2	7.0	7.1	7.3	7.3	7.4	7.4	7.5	7.6	7.1	7.3	7.3	
pH high	≤ 9.5	7.5	7.3	7.4	7.4	7.5	7.6	7.6	7.6	7.7	7.7	7.5	7.6	
Flow (m <sup>3</sup> /month)	—	1,104,016	1,530,192	1,965,382	1,659,370	1,698,492	1,694,195	1,954,059	2,896,525	2,373,019	2,583,094	2,528,467	2,758,991	
Rainbow Trout	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	1	NMR	NMR	
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A “Pass” for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Williams Mine													
<b>Operator Name</b>	Barrick Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Bag 500, Marathon, Ontario P0T 2E0													
<b>Effluent Discharge Point</b>	Polishing Pond Discharge CP 400													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Williams Mine													
<b>Operator Name</b>	Barrick Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Bag 500, Marathon, Ontario P0T 2E0													
<b>Effluent Discharge Point</b>	Stormwater Pond CP 102													
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>	
<b>As</b> (mg/L)	<b>0.5</b>	ND	ND	0.0059	0.0064	0.0060	0.0049	0.0044	0.0054	0.0040	0.0056	0.0093	0.0067	
<b>Cu</b> (mg/L)	<b>0.3</b>	ND	ND	0.0020	0.0017	0.0010	0.0006	0.0005	0.0007	0.0014	0.0005	0.0014	0.0007	
<b>CN</b> (mg/L)	<b>1.0</b>	ND	ND	0.0017	0.0010	0.0012	0.0010	0.0014	0.0017	0.0010	0.0083	0.0150	0.0082	
<b>Pb</b> (mg/L)	<b>0.2</b>	ND	ND	0.0020	0.0005	0.0005	0.0004	0.0005	0.0005	0.0005	0.0005	0.0016	0.0005	
<b>Ni</b> (mg/L)	<b>0.5</b>	ND	ND	0.0052	0.0028	0.0031	0.0023	0.0031	0.0022	0.0010	0.0023	0.0067	0.0051	
<b>Zn</b> (mg/L)	<b>0.5</b>	ND	ND	0.0200	0.0015	0.0022	0.0012	0.0015	0.0015	0.0015	0.0025	0.0078	0.0047	
<b>TSS</b> (mg/L)	<b>15</b>	ND	ND	5.67	5.30	4.26	8.13	1.85	3.44	3.80	5.10	5.88	3.77	
<b>Ra-226</b> (Bq/L)	<b>0.37</b>	ND	ND	0.0133	0.0150	0.0090	0.0100	0.0063	0.0072	0.0050	0.0073	0.0050	0.0090	
<b>pH low</b>	<b>≥ 6.0</b>	ND	ND	7.5	7.9	7.8	7.8	7.9	7.8	7.8	7.6	7.6	7.7	
<b>pH high</b>	<b>≤ 9.5</b>	ND	ND	7.8	8.0	8.1	8.0	8.0	7.9	8.0	7.8	7.7	7.8	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	83,465	31,461	76,563	60,300	101,553	82,283	32,501	80,340	153,382	56,617	
<b>Rainbow Trout</b>	<b>Pass</b>	ND	ND	1	1	1	1	1	1	1	1	1	1	
<b>Acute Lethality Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	<b>Pass</b>	ND	ND	1	1	1	1	1	1	1	1	1	1	
<b>Monitoring Test</b>	<b>Fail</b>	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Williams Mine													
<b>Operator Name</b>	Barrick Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Bag 500, Marathon, Ontario P0T 2E0													
<b>Effluent Discharge Point</b>	Stormwater Pond CP 0300													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	0.0005	0.0005	ND	ND	ND	ND	ND	0.0011	0.0009	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	0.0005	0.0024	ND	ND	ND	ND	ND	0.0005	0.0021	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	0.0010	0.0010	ND	ND	ND	ND	ND	0.0010	0.0010	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	0.0005	0.0005	ND	ND	ND	ND	ND	0.0005	0.0005	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	0.0010	0.0020	ND	ND	ND	ND	ND	0.0010	0.0017	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	0.0025	0.0015	ND	ND	ND	ND	ND	0.0015	0.0075	ND	
<b>TSS</b> (mg/L)	15	ND	ND	2.05	2.10	ND	ND	ND	ND	ND	6.10	4.33	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	0.0050	0.0050	ND	ND	ND	ND	ND	0.0050	0.0050	ND	
<b>pH low</b>	≥ 6.0	ND	ND	6.9	7.9	ND	ND	ND	ND	ND	7.5	7.5	ND	
<b>pH high</b>	≤ 9.5	ND	ND	7.6	7.9	ND	ND	ND	ND	ND	7.5	7.7	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	50,033	11,089	ND	ND	ND	ND	ND	23,798	28,635	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	1	1	ND	ND	ND	ND	ND	1	1	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	1	1	ND	ND	ND	ND	ND	1	1	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Williams Mine													
<b>Operator Name</b>	Barrick Gold Corporation													
<b>Product(s)</b>	Gold													
<b>Address</b>	P.O. Bag 500, Marathon, Ontario P0T 2E0													
<b>Effluent Discharge Point</b>	Stormwater Pond CP 400A													
Parameters	Limits	Jan.	Feb.	March	April	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	
<b>As</b> (mg/L)	0.5	ND	ND	0.0021	ND	ND	ND	ND	ND	0.0104	0.0055	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	0.0024	ND	ND	ND	ND	ND	0.0011	0.0047	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	0.0020	ND	ND	ND	ND	ND	0.0053	0.0050	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	0.0005	ND	ND	ND	ND	ND	0.0005	0.0030	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	0.0058	ND	ND	ND	ND	ND	0.0047	0.0056	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	0.0183	ND	ND	ND	ND	ND	0.0058	0.0210	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	7.95	ND	ND	ND	ND	ND	5.60	105.00	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	0.0050	ND	ND	ND	ND	ND	0.0050	0.0050	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	7.3	ND	ND	ND	ND	ND	7.8	7.4	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	7.9	ND	ND	ND	ND	ND	8.0	7.4	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	43,049	ND	ND	ND	ND	ND	8,039	37,557	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	1	ND	ND	ND	ND	ND	1	1	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	1	ND	ND	ND	ND	ND	1	1	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>														
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Williams Mine												
<b>Operator Name</b>	Barrick Gold Corporation												
<b>Product(s)</b>	Gold												
<b>Address</b>	P.O. Bag 500, Marathon, Ontario P0T 2E0												
<b>Effluent Discharge Point</b>	Treated Effluent CP 0201												
<b>Parameters</b>	<b>Limits</b>	<b>Jan.</b>	<b>Feb.</b>	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug.</b>	<b>Sep.</b>	<b>Oct.</b>	<b>Nov.</b>	<b>Dec.</b>
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	0.0013	0.0014	0.0019	0.0018	0.0015	ND	ND	ND
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	0.0020	0.0028	0.0014	0.0054	0.0037	ND	ND	ND
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	0.0097	0.0133	0.0116	0.0058	0.0058	ND	ND	ND
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	0.0005	0.0005	0.0005	0.0005	0.0005	ND	ND	ND
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	0.0114	0.0195	0.0392	0.0721	0.0635	ND	ND	ND
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	0.0015	0.0015	0.0020	0.0015	0.0015	ND	ND	ND
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	2.93	3.48	2.26	1.90	3.35	ND	ND	ND
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	0.0100	0.0075	0.0050	0.0063	0.0050	ND	ND	ND
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	7.6	7.5	7.5	7.1	6.9	ND	ND	ND
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	7.8	7.7	7.6	7.4	7.0	ND	ND	ND
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	204,955	393,037	400,458	403,823	331,126	ND	ND	ND
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	1	1	1	1	1	ND	ND	ND
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	1	1	1	1	1	ND	ND	ND
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													



## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>		Wolverine Project											
<b>Operator Name</b>		Yukon Zinc Corporation											
<b>Product(s)</b>		Zinc-Copper-Lead-Silver-Gold											
<b>Address</b>		701-475 Howe Street, Vancouver, British Columbia V6C 2B3											
<b>Effluent Discharge Point</b>		Wo.TSF – Tailings Storage Facility											
<b>Parameters</b>	<b>Limits</b>	<b>Jan</b>	<b>Feb</b>	<b>Mar</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug</b>	<b>Sep</b>	<b>Oct</b>	<b>Nov</b>	<b>Dec</b>
As (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cu (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CN (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pb (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ni (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Zn (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
TSS (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ra-226 (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
pH low	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
pH high	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Flow (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Rainbow Trout	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<i>Daphnia magna</i>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Xstrata Nickel Sudbury Smelter											
Operator Name		Xstrata Canada Corporation											
Product(s)		Nickel-Copper-Cobalt-Platinum-Palladium											
Address		1 Longyear Drive, Falconbridge, Ontario P0M 1S0											
Effluent Discharge Point		Final Effluent at NIR Road											
Parameters	Limits	Jan	Feb	Mar	April	May	June	July	Aug	Sep	Oct	Nov	Dec
As (mg/L)	0.5	0.0023	0.0057	0.0052	0.0019	0.0049	0.0066	0.0109	0.0050	0.0039	0.0034	0.0021	0.0035
Cu (mg/L)	0.3	0.0032	0.0296	0.0102	0.0037	0.0048	0.0047	0.0033	0.0020	0.0025	0.0035	0.0037	0.0034
CN (mg/L)	1.0	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR	NMR
Pb (mg/L)	0.2	0.0002	0.0039	0.0005	0.0002	0.0002	0.0002	0.0004	0.0002	0.0002	0.0001	0.0001	0.0001
Ni (mg/L)	0.5	0.0844	0.0975	0.1238	0.0676	0.0720	0.0348	0.0289	0.0249	0.0235	0.0424	0.0677	0.0586
Zn (mg/L)	0.5	0.0060	0.0268	0.0064	0.0034	0.0029	0.0022	0.0009	0.0017	0.0020	0.0046	0.0040	0.0040
TSS (mg/L)	15	0.58	1.98	0.93	0.75	1.94	5.38	5.92	2.15	3.83	1.28	1.03	2.28
Ra-226 (Bq/L)	0.37	0.0100	NMR	NMR	0.0050	0.0050	0.0050	NMR	NMR	0.0100	0.0050	NMR	NMR
pH low	≥ 6.0	6.8	7.0	6.8	7.0	6.8	6.8	7.0	7.0	6.9	7.0	6.7	6.7
pH high	≤ 9.5	7.0	7.0	6.9	7.1	7.2	7.0	7.1	7.1	7.2	7.4	7.2	6.9
Flow (m <sup>3</sup> /month)	—	484,021	319,098	1,179,467	578,061	373,019	345,281	116,300	367,582	477,476	745,636	787,223	646,513
Rainbow Trout	Pass	1	-	-	1	-	-	1	-	-	1	-	-
Acute Lethality Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<i>Daphnia magna</i>	Pass	1	-	-	1	-	-	1	-	-	1	-	-
Monitoring Test	Fail	-	-	-	-	-	-	-	-	-	-	-	-
<b>Comments:</b>	No toxicity test results were provided for February, March, May, June, August, September, November or December. In order to reduce frequency of testing for acute lethality, 12 consecutive monthly tests must be conducted successfully.												
Notes: ND: No Deposit		NMR: No Measurement Required				Pass: ≤50% Mortality				Fail: >50% Mortality			
Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.													
A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.													

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

<b>Mine/Mill Name</b>	Yellowjacket Gold Mine													
<b>Operator Name</b>	Eagle Plains Resources Ltd. / Yellowjacket Resources Ltd													
<b>Product(s)</b>	Gold													
<b>Address</b>	44-12th Avenue S, Suite 200, Cranbrook, British Columbia VIC 2R7													
<b>Effluent Discharge Point</b>	Ye.TSF – Tailings Storage Facility													
Parameters	Limits	Jan	Feb	Mar	April	May	June	July	Aug	Sep	Oct	Nov	Dec	
<b>As</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Cu</b> (mg/L)	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>CN</b> (mg/L)	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Pb</b> (mg/L)	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ni</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zn</b> (mg/L)	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>TSS</b> (mg/L)	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Ra-226</b> (Bq/L)	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH low</b>	≥ 6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>pH high</b>	≤ 9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Flow</b> (m <sup>3</sup> /month)	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Rainbow Trout</b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Acute Lethality Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b><i>Daphnia magna</i></b>	Pass	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Monitoring Test</b>	Fail	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Comments:</b>	In Febraury 2012, the ownership of Yellowjacket Gold Mine was transferred from Eagle Plains Resources Ltd to Yellowjacket Resources Ltd.													
Notes: ND: No Deposit                      NMR: No Measurement Required                      Pass: ≤50% Mortality                      Fail: >50% Mortality Highlighted data indicate that a monthly effluent quality standard was exceeded for that month. A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.														

## Metal Mining Effluent Regulations (MMER) 2012 Effluent Compliance

Mine/Mill Name		Young-Davidson Mine												
Operator Name		AuRico Gold Inc.												
Product(s)		Gold												
Address		P.O. Box 187, Matachewan, Ontario P0K 1M0												
Effluent Discharge Point		Mine Water Pond Final Discharge												
Parameters	Limits	Jan	Feb	Mar	April	May	June	July	Aug	Sep	Oct	Nov	Dec	
As (mg/L)	0.5	0.0026	0.0028	0.0025	0.0019	0.0017	0.0017	0.0021	0.0023	0.0026	0.0023	0.0030	ND	
Cu (mg/L)	0.3	0.0047	0.0046	0.0266	0.0230	0.0104	0.1860	0.0114	0.0048	0.0058	0.0072	0.0100	ND	
CN (mg/L)	1.0	NMR	NMR	NMR	0.0540	0.0305	0.1089	0.0306	0.0248	0.0316	0.0638	0.1200	ND	
Pb (mg/L)	0.2	0.0005	0.0005	0.0010	0.0007	0.0008	0.0015	0.0013	0.0006	0.0005	0.0006	0.0005	ND	
Ni (mg/L)	0.5	0.0082	0.0105	0.0089	0.0078	0.0065	0.0084	0.0063	0.0053	0.0057	0.0092	0.0260	ND	
Zn (mg/L)	0.5	0.0094	0.0077	0.0117	0.0062	0.0053	0.0083	0.0118	0.0100	0.0062	0.0060	0.0100	ND	
TSS (mg/L)	15	4.58	9.75	8.05	8.59	3.93	3.01	5.75	6.18	8.58	9.71	5.33	ND	
Ra-226 (Bq/L)	0.37	NMR	0.0300	NMR	NMR	0.0200	NMR	NMR	0.0110	NMR	-	-	ND	
pH low	≥ 6.0	7.4	7.8	7.8	7.9	7.8	7.9	7.4	7.7	7.8	7.7	8.0	ND	
pH high	≤ 9.5	8.3	8.3	8.1	8.4	8.1	8.3	8.0	7.9	8.3	8.1	8.0	ND	
Flow (m <sup>3</sup> /month)	—	99,263	90,281	122,296	99,326	112,371	169,678	150,473	140,520	141,242	158,464	24,426	ND	
Rainbow Trout	Pass	1	1	1	1	1	1	2	1	1	1	-	ND	
Acute Lethality Test	Fail	-	-	-	-	-	2	-	-	-	-	-	-	
<i>Daphnia magna</i>	Pass	1	1	1	1	1	1	2	1	1	1	-	ND	
Monitoring Test	Fail	-	-	-	-	-	2	-	-	-	-	-	-	
<b>Comments:</b>		No toxicity results were provided for November. No radium 226 test results were provided for the fourth quarter.												
Notes:		ND: No Deposit			NMR: No Measurement Required			Pass: ≤50% Mortality			Fail: >50% Mortality			
		Highlighted data indicate that a monthly effluent quality standard was exceeded for that month.												
		A "Pass" for the <i>Daphnia magna</i> monitoring test is not a requirement.												



**[www.ec.gc.ca](http://www.ec.gc.ca)**

Additional information can be obtained at:

Environment Canada

Inquiry Centre

10 Wellington Street, 23rd Floor

Gatineau QC K1A 0H3

Telephone: 1-800-668-6767 (in Canada only) or 819-997-2800

Fax: 819-994-1412

TTY: 819-994-0736

Email: [enviroinfo@ec.gc.ca](mailto:enviroinfo@ec.gc.ca)

